



Oil only

Absorbs oil and repels water

Oil only absorbency

Specialised for oil and other petroleum-based spills, oil only pads and rolls will not absorb water and will float indefinitely. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for outside use, Brady's oil only SPC products are equally effective in soaking up petroleum-based solvents and paints, vegetable oils and other non water soluble oil-based fluids.

The technology








The technology (construction layers, weave and loft) behind each of the oil only products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics are what helps you decide which absorbent is best for your application.

Common liquids absorbed:

- Drilling and cutting fluids
- Hydraulic and brake fluids
- Engine oils
- Transmission fluids
- Lubricants
- Gasoline, diesel and aircraft fuels
- Cooking oils
- Oil-based paints and solvents
- And other oils and petroleum-based fluids

Oil only absorbent family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and spunbound give you versatile absorbent options for your specific application.

	Applications	Durability	Linting	Absorbency grades	Construction
ENV® oil absorbent pads & rolls Page 11, 18	Contractor grade for emergency marine spills and maximum absorbency	✓	High linting	Heavy, medium and lightweight	 1-PLY Plain meltblown
Static resistant absorbent pads Page 11	For wherever static electricity is a concern, around fuel or other ignitable fumes	✓	High linting	Heavy and lightweight	 1-PLY Plain meltblown
SPC® oil absorbent pads & rolls Page 12	Cost effective and ideal for industrial applications or marine spills	✓✓	Medium linting	Heavy, medium and lightweight	 1-PLY Meltblown dimpled (optional) perforated
SPC® BLUE oil absorbent pads & rolls Page 12, 13	Highly visible and durable “wipe down” sorbent for general industrial applications	✓✓	Medium linting	Heavyweight	 2-PLY Meltblown + spunbound on 1 side, dimpled and (optional) perforated
Oil Plus absorbent pads & rolls Page 13	Durable for general industrial applications such as wiping, drips and leaks	✓✓	Medium linting	Heavyweight	 2-PLY Meltblown + spunbound on 1 side, dimpled and (optional) perforated
SXT® oil absorbent pads & rolls Page 14	Quality absorbent for wiping tools or component parts that require high durability	✓✓✓	Low linting	Medium and lightweight	 3-PLY Meltblown + spunbound on 2 sides, dimpled and perforated
Oil only absorbent SOCs, booms, pillows, drum cover & micro fibres Page 15, 16	Value absorbent for leaks, spills around machine, in tight spaces				

ENV - Our most basic oil only rolls. Ideal for marine applications.

- Absorbs oil & petroleum based liquids.
- Stronger more durable product with a superior finish - looks better and performs better!



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
ENV150-E	813761	ROLL, 96 cm x 44 m	1 Roll(s) / Bag	274
ENV152-E	813762	ROLL, 48 cm x 44 m	2 Roll(s) / Bag	274

ENV - Oil only pads made with SPC's MAXX technology! Superior absorbency, greater strength plus less weight means lower disposal costs!

- MAXX pads absorb up to 24 times their weight in oil.
- With MAXX technology less material is needed to pick up the same amount of oil, which results in lower disposal costs!
- MAXX pads are also up to 25% stronger! The superior finish on MAXX pads results in less lint and more abrasion resistance!
- Packed in boxes for easy handling and storage.
- Ideal for environmental/industrial applications where low cost and high absorbency are required.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
ENV100-M	813741	MAXX PADS, 40 cm x 50 cm, Heavyweight	100 Pad(s) / Box	130
ENV200-M	813742	MAXX PADS, 40 cm x 50 cm, Lightweight	200 Pad(s) / Box	211
ENV300-M	813743	MAXX PADS, 40 cm x 50 cm, Medium weight	100 Pad(s) / Box	107
ENV400-M	813744	MAXX PADS, 40 cm x 50 cm, Lightweight	100 Pad(s) / Box	106

SR - Static resistant oil only pads and rolls designed for areas where static electricity is a concern.

- Absorbs oil & petroleum based liquids.
- For areas where static build-up is an issue - SR pads and rolls reduce the safety risk.




Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SR1850	813745	PADS, 38 cm x 48 cm, Lightweight	50 Pad(s) / Bag	30
SR3625	813746	PADS, 76 cm x 76 cm, Heavyweight	25 Pad(s) / Bag	70
SR3600	813766	ROLL, 76 cm x 46 m, Heavyweight	1 Roll(s) / Bag	170

SPC - Our standard oil only rolls for industrial or marine use.



- Absorbs oil & petroleum based liquids.
- Stronger, more durable product with a superior finish for more abrasion resistance - looks better and performs better!
- Ideal rolls to cover a large surface area for fast clean up of spills, leaks and drips.




Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SPC150	813759	ROLL, 96 cm x 44 m, Heavyweight, bonded	1 Roll(s) / Bag	231
SPC150-P	138590	ROLL, 96 cm x 44 m, Heavyweight, perforated and bonded	1 Roll(s) / Bag	231
SPC152	813760	ROLL, 48 cm x 44 m, Heavyweight, bonded	2 Roll(s) / Bag	231
SPC152-P	138591	ROLL, 48 cm x 44 m, Heavyweight, perforated and bonded	2 Roll(s) / Bag	231

SPC - Our standard oil only pads for industrial or marine use.



- Absorbs oil & petroleum based liquids.
- SPC pads are now up to 25% stronger! In addition, they now have a smoother, better looking finish with less lint and improved durability!
- Packed in boxes for easy handling and storage.
- Convenient and cost effective pads for clean up of oil on land or water.
- Choice of 3 options: Heavyweight for high absorbency, medium and lightweight for less demanding applications.




Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SPC100-E	813736	PADS, 40 cm x 50 cm, Heavyweight, perforated & bonded	100 Pad(s) / Box	109
SPC200-E	813737	PADS, 40 cm x 50 cm, Lightweight, perforated & bonded	200 Pad(s) / Box	158
SPC300-E	813738	PADS, 40 cm x 50 cm, Medium weight, perforated & bonded	100 Pad(s) / Box	97
SPC200-3-E	813739	PADS, 30 cm x 30 cm, Lightweight, perforated & bonded	200 Pad(s) / Bag	71
SPC50-E	813740	PADS, 84 cm x 100 cm, Heavyweight, perforated & bonded	50 Pad(s) / Bag	230

SPC BLUE - Oil only rolls with added durability.




- Absorbs oil & petroleum based liquids.
- One-sided spunbound for added strength and less lint.
- Ideal sorbent for use in the paper industry where the blue colour is desired to differentiate cellulose from polypropylene.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SPC155	813757	ROLL, 96 cm x 44 m, Heavy weight, bonded	1 Roll(s) / Bag	241
SPC155-2P	813758	ROLL, 48 cm x 44 m, Heavy weight, perforated & bonded	2 Roll(s) / Bag	241

SPC BLUE - Oil only pads with added durability.

- Absorbs oil & petroleum based liquids.
- One-sided spunbond for added strength and less lint.
- Can be used as a “wipe down” sorbent.
- Popular sorbent in the paper-industry where identification of foreign material in the production process is critical. SPC Blue is highly visible!



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SPC105-E	813735	PADS, 40 cm x 50 cm, Heavyweight, perforated & bonded	100 Pad(s) / Bag	114

OIL PLUS - Our most popular oil only rolls for general industrial use!

- Absorbs oil & petroleum based liquids.
- One-sided spunbond gives extra strength as well as lower lint.
- A high quality oil only sorbent for applications where a combination of good adsorption and added strength is required.
- Ideal solution for catching overspray that comes from machinery.
- Available with perforations for ease of use and to minimise waste.
- Wide selection of sizes available.



Use in storage areas...


Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
OP15-E	813750	ROLL, 38 cm x 46 m, Heavyweight, bonded	1 Roll(s) / Dispenser box	92
OP15-P-E	813751	ROLL, 38 cm x 46 m, Heavyweight, perforated & bonded	1 Roll(s) / Dispenser box	92
OP15-DP-E	813752	ROLL, 38 cm x 46 m, Heavyweight, double perforated & bonded	1 Roll(s) / Dispenser box	92
OP15-DPS-E	813753	ROLL, 38 cm x 23 m, Heavyweight, double perforated & bonded	1 Roll(s) / Dispenser box	46
OP30-E	813754	ROLL, 76 cm x 46 m, Heavyweight, bonded	1 Roll(s) / Box	185
OP30-P-E	813755	ROLL, 76 cm x 46 m, Heavyweight, perforated & bonded	1 Roll(s) / Box	185
OP30-DP-E	813756	ROLL, 76 cm x 46 m, Heavyweight, double perforated & bonded	1 Roll(s) / Box	185
OP365-P	834175	ROLL, 19 cm x 15 m, Heavyweight, perforated & bonded (60 pads per roll)	1 Roll(s) / Bag	15



...or use around or under machines to catch leaks and drips.

OIL PLUS - Our most popular oil only pads. Perfect for general everyday use and emergency spill clean up.

- Absorbs oil & petroleum based liquids.
- Ideal sorbent for dealing with leaks and drips in the workplace.
- Perforated to help you minimise waste and lower your disposal costs.
- One-sided spunbond gives extra strength as well as lower lint.
- Available with SPC's unique “Dispense & Dispose” system for added convenience and lower cost per pad!



OP pads under oil cans & drums to catch small drips.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
OP100-E	813732	PADS, 40 cm x 50 cm, Heavyweight, perforated & bonded	100 Pad(s) / Box	106
OP150-DND-E	813733	PADS, 40 cm x 50 cm, Heavyweight, perforated & bonded, Dispense & Dispose System	150 Pad(s) / Dispenser box	158
OP200-E	138589	PADS, 40 cm x 50 cm, Lightweight, perforated & bonded	200 Pad(s) / Box	152



Black disposal bags, capacity 151 litres, can be ordered separately. Order reference: BAG-150DND

Dispense & dispose system:

Dispenser box for easy access to the product & disposal bags and box to ensure proper disposal of waste.



Keeps machine surroundings dry and safe!

SXT - Extra tough oil only rolls. Designed for applications that require a durable, non-linting and abrasion resistant sorbent!

- Absorbs oil and petroleum based liquids.
- 3-ply construction adds strength and durability.
- Spunbond outer layers make the product stronger for longer use and improved abrasion resistance.
- Ideal for use in areas with moderate foot traffic.
- Perforated for ease of use and less waste.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SXT315-P-E	813748	ROLL, 38 cm x 46 m, Medium weight, perforated & bonded	1 Roll(s) / Dispenser Box	70
SXT330-DP-E	813749	ROLL, 76 cm x 46 m, Medium weight, double perforated & bonded	1 Roll(s) / Box	141



For use on a workbench...



...or an ideal "wipe-down" sorbent! Soft but durable outer cover makes it ideal for wiping down tools or machine parts.

SXT - Extra-tough oil only pads. The ideal sorbent when durability or abrasion-resistance is required.

- Absorbs oil & petroleum based liquids.
- Durable coverstock provides extra strength and lasts longer.
- Low-linting - makes SXT ideal as a "wipe down" sorbent by eliminating loose fibres.
- Soft & pliable sorbent makes it easy to use.
- Perforated pads - use only what you need for smaller spills in order to minimise waste.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SXT200-E	813730	PADS, 40 cm x 50 cm, Lightweight, perforated & bonded	200 Pad(s) / Box	139
SXT300-E	813731	PADS, 40 cm x 50 cm, Medium weight, perforated & bonded	100 Pad(s) / Box	81

Oil only drum top covers - Keep your drum tops neat & clean.

- Absorb oil & petroleum based liquids.
- Create a clean and safe work floor by preventing pump drips from reaching the floor.
- Pre-cut holes for 205 litre drums.



Problem:
Puddles and dirty rags on top of the drum.



Solution:
Drum top covers on top of the drum.
No more messy pump drips or dirty rags.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
DT025-E	813784	DRUM TOP COVER, Ø 56 cm	25 Piece(s) / Box	26

SF Micro fibres - Specially designed for filtering oil from water and moist air.

- High absorbency: up to 15 times its own weight.
- Allows for filtration with minimal flow rate.
- No additional pressure needed to force the oily liquid through.
- Fibres can be used in any size or shaped container in which they are placed.
- Numerous applications such as pre-filters for compressors, paint filtration, water filtration, etc



Filtering of waste water before discharging into water discharge area.



Cartridges for use in filter fences.

Order Reference	Article No.	Description	Quantity	Absorption Capacity (Ltrs)
PSF10	134430	Filtration 13cm dia x 1m Booms	10 Piece(s)	120
SF1	813796	Micro fibres, loose, 50 kg / Case	1 Box	782

SPC bilge booms - Keep your sumps, tanks, drains or bilges oil-free.



A rope is included for easy deployment & retrieval.

- Absorb oil & petroleum based liquids - but repel water.
- Float even after saturation.
- Strong outer sleeve for more durability.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SPC818-E	813773	BILGE BOOM, Ø 20 cm x 45 cm	10 Piece(s) / Bag	119
SPC518	813774	BILGE BOOM, Ø 13 cm x 45 cm	10 Piece(s) / Box	48
SPC10	813783	PILLOW, 36 cm x 64 cm	10 Piece(s) / Bag	205

Oil only socs - The ideal sorbent for absorbing leaks and spills around machines.



Problem:
Leaks and drips create a slippery work floor.



Solution:
SOCs quickly soak up leaks and drips for a clean and safe workplace.



- Absorb oil & petroleum based liquids while repelling water.
- Various lengths - allowing the right size for your application.
- Strong wicking action: absorption begins instantly after contact with the spilled liquid, no need to turn the soc.
- Flexible design allows the soc to fit around any machine, corner or curve.
- **FLEXISOC:** The ultimate soc for flexibility! Cut the soc into the length you want and re-clip.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
OIL430	813775	SOC, Ø 7.6 cm x 122 cm	30 Piece(s) / Box	106
OIL412	813776	SOC, Ø 7.6 cm x 122 cm	12 Piece(s) / Box	43
OIL806	813777	SOC, Ø 7.6 cm x 244 cm	6 Piece(s) / Box	43
OIL124	813778	SOC, Ø 7.6 cm x 366 cm	4 Piece(s) / Box	43
OIL561	813779	FLEXISOC, Ø 7.6 cm x 17 m & 30 Clips	1 Piece(s) / Box	49

Oil only pillows - Ideal for absorbing spills and leaking fluids in tight spaces and under persistent drip sources.



- Absorb oil & petroleum based liquids.
- 2 different sizes to fit any application and/or spill.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
OIL1818	813780	PILLOW, 43 cm x 48 cm	16 Piece(s) / Box	108
OIL1818-2	813781	PILLOW, 43 cm x 48 cm	8 Piece(s) / Box	54
OIL99	813782	PILLOW, 23 cm x 23 cm	32 Piece(s) / Box	44