



**Get ultimate key precision and
advanced key security**

Brady SafeKey Lockout Padlocks

Made like no other

Brady SafeKey Lockout Padlocks

In the last 50 years we've seen a manufacturing technology boom matched only by the industrial revolution. In fact, industrial maintenance employment has grown by more than 20% in the last decade.* With these advances, lockout needs have grown. Choose SafeKey Lockout Padlocks, exclusively from Brady, to lock in to ultimate key precision and advanced key security for years to come.

With this innovatively designed padlock you get up to **700% more unique key possibilities than a standard safety padlock**, without sacrificing a secure lockout. It's all in the forward-thinking design of the locking mechanism and unique key blade that gives you more precision and control in your lockout programme. With that level of precision, you're covered from your simple to highly complex lockout needs. You also get:

- easy operation with extra smooth key insertion and removal – even when wearing gloves!
- fast identification with the colour-matched key and lock body
- years of use with the low-friction locking mechanism that helps maintain key integrity
- excellent durability in every industrial environment




9 different colour options available

*U.S. Bureau of Labor Statistics.
(2019, January 22). Occupational Employment Statistics. <https://www.bls.gov/oes/tables.htm>

See the difference in the details

Product innovations are only as good as the benefits they provide. See the difference you get with the patent-pending SafeKey Lockout Padlocks:



Traditional safety padlocks

- Pin tumbler lock mechanism
- Jagged key design
- Up to 15,000 key codes



See the new SafeKey Lockout Padlocks in action

Watch the video on:

www.bradyeurope.com/SafeKey



Get the best padlock for your application

It's all about options – and SafeKey Lockout Padlocks provide them. SafeKey lets you choose from a variety of options to fit your specific application and facility needs. Each option boasts up to 700% more unique key codes than standard safety locks through the patent-pending linear lock design and includes one key with the option to order more keys if necessary. Choose the option that best suits your needs.

SafeKey Nylon



SafeKey Nylon Compact



SafeKey Aluminium



Body material		
Nylon, one piece	Nylon, one piece	Aluminium, one piece
Cylinder material		
Steel locking bar; ceramic polymer driver	Steel locking bar; ceramic polymer driver	Steel locking bar; ceramic polymer driver
Shackle height, diameter and material		
38 mm / Ø 6.4 mm / Plastic 38 mm / Ø 6.4 mm / Steel 76 mm / Ø 6.4 mm / Steel	25 mm / Ø 4.3 mm / Plastic	38 mm / Ø 6.4 mm / Steel 76 mm / Ø 6.4 mm / Steel
Main application		
General industrial safety and electrical safety	Electrical Lockout ready equipment or in small spaces	Indoor and Outdoor heavy duty safety applications / use
Main feature		
Lightweight, non-conductive and non-sparking body with non-conductive ball bearings and driver mechanism	Compact, lightweight and non-conductive and non-sparking body with non-conductive ball bearings and driver mechanism	Excellent corrosion resistance and non-conductive ball bearings and driver mechanism
Main benefit		
High number of KD's with highest precision in MK and GMK systems possible*	High number of KD's with highest precision in MK and GMK systems possible*	High number of KD's with highest precision in MK and GMK systems possible*

*See page 9 for an infographic illustrating all keying options.

Keying options

With more unique key cuts, it's important that you get the keying type that best suits your lockout programme.

Standard options



Keyed Different (KD) – Each lock is opened by its own unique key. Perfect for simple lockout applications and a manageable number of energy isolation points.



Keyed Alike (KA) – Each lock in the group can be opened with the same key. Easy to find the right key, reduces number of keys needed to carry. Ideal for individuals or trades responsible for multiple machines or isolation points.

Custom keying options are available. See page 9 for an infographic illustrating all keying options.


SafeKey Nylon Padlocks with steel shackle

- Lightweight non-sparking nylon body with a durable steel shackle
- Non-conductive locking mechanism
- Ribbed design for safe handling
- Ideal for general lockout applications
- Key-retaining lock feature

1 key supplied for each padlock.

Custom keying options available.

Supplied with padlock labels in English, French and Spanish.



Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Height 38 mm / KA - Keyed Alike									
150294	● Black	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150317	● Blue	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150228	● Brown	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150341	● Green	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150364	● Orange	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150229	● Purple	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150271	● Red	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150340	○ White	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150246	● Yellow	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
Shackle Height 38 mm / KD - Keyed Differently									
150234	● Black	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150224	● Black	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150251	● Blue	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150316	● Blue	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150275	● Brown	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150269	● Brown	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150368	● Green	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150337	● Green	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150320	● Orange	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150336	● Orange	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150250	● Purple	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150362	● Purple	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150321	● Red	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150270	● Red	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150367	○ White	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150292	○ White	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150343	● Yellow	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150225	● Yellow	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
Shackle Height 76 mm / KD - Keyed Differently									
150274	● Black	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150249	● Blue	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150247	● Brown	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150319	● Green	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150248	● Orange	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150233	● Purple	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150357	● Red	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150295	○ White	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150296	● Yellow	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1

Brady SafeKey Lockout Padlocks




SafeKey Nylon Padlocks with plastic shackle

- Lightweight non-sparking nylon body with polymer plastic shackle that's non-conductive and non-sparking
- Non-conductive locking mechanism
- Ribbed design for safe handling
- Ideal for electrical applications or general lockout applications
- Key-retaining lock feature

1 key supplied for each padlock.

Custom keying options available.

Supplied with padlock labels in English, French and Spanish.



Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Height 38 mm / KA - Keyed Alike									
150315	● Black	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150268	● Blue	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150314	● Brown	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150223	● Green	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150222	● Orange	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150353	● Purple	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150291	● Red	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150267	○ White	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150290	● Yellow	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
Shackle Height 38 mm / KD - Keyed Differently									
150231	● Black	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150351	● Black	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150366	● Blue	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150221	● Blue	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150318	● Brown	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150309	● Brown	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150273	● Green	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150334	● Green	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150230	● Orange	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150310	● Orange	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150272	● Purple	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150350	● Purple	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150342	● Red	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150311	● Red	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150365	○ White	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150308	○ White	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150232	● Yellow	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150265	● Yellow	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6




SafeKey Nylon Compact Padlocks

- Extremely compact and lightweight design
- Non-conductive and non-sparking nylon body and polymer shackle
- Non-conductive locking mechanism
- Ideal for electrical applications and small spaces
- Ribbed design for safe handling
- For electrical contractors, maintenance and electricians



1 key supplied for each padlock.
 Custom keying options available.
 Supplied with padlock labels in English, French and Spanish.



Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Height 25 mm / KA - Keyed Alike									
150193	● Black	25.00	4.30	18.00	26.00	19.00	67.00	33.00	3
150192	● Blue	25.00	4.30	18.00	26.00	19.00	67.00	33.00	3
150196	● Brown	25.00	4.30	18.00	26.00	19.00	67.00	33.00	3
150191	● Green	25.00	4.30	18.00	26.00	19.00	67.00	33.00	3
150194	● Orange	25.00	4.30	18.00	26.00	19.00	67.00	33.00	3
150195	● Purple	25.00	4.30	18.00	26.00	19.00	67.00	33.00	3
150189	● Red	25.00	4.30	18.00	26.00	19.00	67.00	33.00	3
150197	○ White	25.00	4.30	18.00	26.00	19.00	67.00	33.00	3
150190	● Yellow	25.00	4.30	18.00	26.00	19.00	67.00	33.00	3
Shackle Height 25 mm / KD - Keyed Differently									
150184	● Black	25.00	4.30	18.00	26.00	19.00	67.00	33.00	1
150211	● Black	25.00	4.30	18.00	26.00	19.00	67.00	33.00	6
150183	● Blue	25.00	4.30	18.00	26.00	19.00	67.00	33.00	1
150210	● Blue	25.00	4.30	18.00	26.00	19.00	67.00	33.00	6
150187	● Brown	25.00	4.30	18.00	26.00	19.00	67.00	33.00	1
150214	● Brown	25.00	4.30	18.00	26.00	19.00	67.00	33.00	6
150182	● Green	25.00	4.30	18.00	26.00	19.00	67.00	33.00	1
150209	● Green	25.00	4.30	18.00	26.00	19.00	67.00	33.00	6
150185	● Orange	25.00	4.30	18.00	26.00	19.00	67.00	33.00	1
150212	● Orange	25.00	4.30	18.00	26.00	19.00	67.00	33.00	6
150186	● Purple	25.00	4.30	18.00	26.00	19.00	67.00	33.00	1
150213	● Purple	25.00	4.30	18.00	26.00	19.00	67.00	33.00	6
150180	● Red	25.00	4.30	18.00	26.00	19.00	67.00	33.00	1
150207	● Red	25.00	4.30	18.00	26.00	19.00	67.00	33.00	6
150188	○ White	25.00	4.30	18.00	26.00	19.00	67.00	33.00	1
150215	○ White	25.00	4.30	18.00	26.00	19.00	67.00	33.00	6
150181	● Yellow	25.00	4.30	18.00	26.00	19.00	67.00	33.00	1
150208	● Yellow	25.00	4.30	18.00	26.00	19.00	67.00	33.00	6




Brady SafeKey Lockout Padlocks



SafeKey Aluminum Padlocks with steel shackle

- Aluminum padlock with steel shackle provides corrosion resistance
- Non-conductive locking mechanism
- Ideal for indoor and outdoor use, and heavy-duty applications

1 key supplied for each padlock.
Custom keying options available.



Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Height 38 mm / KA - Keyed Alike									
150349	● Black	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150261	● Blue	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150260	● Brown	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150281	● Green	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150305	● Orange	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150348	● Purple	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150262	● Red	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150304	● Silver	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
150282	● Yellow	38.00	6.40	20.00	33.00	19.00	84.00	38.00	3
Shackle Height 38 mm / KD - Keyed Differently									
150243	● Black	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150240	● Black	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150287	● Blue	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150302	● Blue	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150286	● Brown	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150301	● Brown	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150264	● Green	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150256	● Green	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150263	● Orange	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150326	● Orange	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150333	● Purple	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150347	● Purple	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150307	● Red	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150303	● Red	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150242	● Silver	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150278	● Silver	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
150288	● Yellow	38.00	6.40	20.00	33.00	19.00	84.00	38.00	1
150219	● Yellow	38.00	6.40	20.00	33.00	19.00	84.00	38.00	6
Shackle Height 76 mm / KA - Keyed Alike									
150217	● Black	76.00	6.40	20.00	33.00	19.00	122.00	38.00	3
150277	● Blue	76.00	6.40	20.00	33.00	19.00	122.00	38.00	3
150299	● Brown	76.00	6.40	20.00	33.00	19.00	122.00	38.00	3
150238	● Green	76.00	6.40	20.00	33.00	19.00	122.00	38.00	3
150325	● Orange	76.00	6.40	20.00	33.00	19.00	122.00	38.00	3
150300	● Purple	76.00	6.40	20.00	33.00	19.00	122.00	38.00	3
150218	● Red	76.00	6.40	20.00	33.00	19.00	122.00	38.00	3
150276	● Silver	76.00	6.40	20.00	33.00	19.00	122.00	38.00	3
150239	● Yellow	76.00	6.40	20.00	33.00	19.00	122.00	38.00	3
Shackle Height 76 mm / KD - Keyed Differently									
150331	● Black	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150216	● Black	76.00	6.40	20.00	33.00	19.00	122.00	38.00	6
150241	● Blue	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150322	● Blue	76.00	6.40	20.00	33.00	19.00	122.00	38.00	6
150284	● Brown	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150235	● Brown	76.00	6.40	20.00	33.00	19.00	122.00	38.00	6
150360	● Green	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150252	● Green	76.00	6.40	20.00	33.00	19.00	122.00	38.00	6
150306	● Orange	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150344	● Orange	76.00	6.40	20.00	33.00	19.00	122.00	38.00	6
150330	● Purple	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150358	● Purple	76.00	6.40	20.00	33.00	19.00	122.00	38.00	6
150332	● Red	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150323	● Red	76.00	6.40	20.00	33.00	19.00	122.00	38.00	6
150283	● Silver	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150297	● Silver	76.00	6.40	20.00	33.00	19.00	122.00	38.00	6
150285	● Yellow	76.00	6.40	20.00	33.00	19.00	122.00	38.00	1
150345	● Yellow	76.00	6.40	20.00	33.00	19.00	122.00	38.00	6

More really means more with SafeKey

Getting more for what you buy is always a plus. In your lockout scenario, here's what you get with up to 700% more unique key cuts:

	Other Safety Padlocks	SafeKey Padlocks	
Keyed Different	15,000 Key Codes	100,000+ Key Codes	
1 Master Key	3,250 Key Codes	15,000+ Key Codes	
25 Master Keys	150 Key Codes	600+ Key Codes	

Keying options

With more unique key cuts, it's important that you get the keying type that best suits your lockout programme.

Standard options




Keyed Different (KD) – Each lock is opened by its own unique key. Perfect for simple lockout applications and a manageable number of energy isolation points.




Keyed Alike (KA) – Each lock in the group can be opened with the same key. Easy to find the right key, reduces number of keys needed to carry. Ideal for individuals or trades responsible for multiple machines or isolation points.

Custom options



Master Keyed (MK) – Each grouping of locks (whether keyed alike or different) can be opened with a master key. Useful for larger, complex systems when supervisory access may be required



Grand Master Keyed (GMK) – The grand master key can open all locks grouped into two or more master keyed systems. Useful for larger, complex systems where supervisory or managerial access to all locks in the facility is needed.

Create your own custom solution

Don't see the solution you need in standard options? Check out these custom options:



Lock type – Choose from lightweight nylon or durable aluminum in up to 9 colours, with 38 mm or 76 mm shackle options, as well as a compact nylon lock with a 25 mm shackle, to meet your application needs.

Keying option KA / KD - For lockout tagout programmes, the SafeKey Padlock provides Keyed Alike (KA) or Keyed Different (KD) keying types to fit your custom needs.

Keying option MK / GMK – For more complex lockout tagout programmes, the SafeKey Padlock provides Master and Grand Master keying types to fit your custom needs.

Charting – Brady will keep a record of and “chart” all key numbers provided at no charge to ensure that there is no unwanted key duplication on current or future orders, depending on your unique requirements.

Engraving – Padlocks and keys can be laser-engraved for any lockout or safety requirement. Padlocks can be engraved on one to four surfaces to identify individuals, departments, work areas, serial numbers and company logos. Additionally, keys can be engraved with up to 10 characters. Size and text restrictions apply depending on the padlock.

Additional lockout solutions

Beyond our SafeKey padlocks, Brady offers a wide variety of lockout tagout solutions, including:

- Standard Brady safety, aluminum and laminated steel locks
- Lockout tagout labels, signs and tags
- Devices for circuit breaker, electrical plug, fuse, rotary switch, push button, valve and hose lockout
- Lockout cables, hasps, stations, kits and group lock boxes
- Visual lockout procedures software
- Lockout programme services, including training, programme development, procedure writing and auditing, gap analysis, machine inventory and more



Why work with Brady?

Brady is the global leader in Lockout/Tagout solutions.

Brady was the first to respond to the new OSHA legislation in the U.S. in 1990, and has maintained its position as a leading Lockout solutions provider ever since. Today, Brady offers a comprehensive package for Lockout/Tagout compliance.

Increasing demand for advanced safety solutions in Europe and MEA countries has driven our R&D as well as know-how to become the best-in-class LO/TO complete solution provider.

Why implement a lockout/tagout programme?

Reduced accident rates and injury costs

EU Figures show that 10 to 15% of all fatal accidents at work and 15 to 20% of all accidents are connected with maintenance. Common injuries include fractures, lacerations, amputations, burns and shocks. Due to the serious nature of many maintenance accidents, injury-related costs can be exorbitant.



Less downtime, higher productivity

A well-organised LO/TO programme that includes clearly labelled energy sources, easy-to-follow procedures, and readily accessible lockout tools can greatly speed up maintenance and servicing activities. Workers can avoid time-consuming tasks such as tracing pipelines and electrical circuits in order to verify the appropriate energy control points. As a result, maintenance work is completed more efficiently, downtime is reduced and machinery is kept running at peak performance levels.



Reduced indirect costs

Accidents can have a significant impact on work scheduling and productivity at the affected job site. The unexpected start up of equipment can also cause extensive damage to the machinery itself, adding the expense of equipment repairs and replacement to the total cost involved.



Best Safety Practice

Lockout/tagout has become globally recognised as best safety practice for many industries and is a legal requirement in the US.



Africa

Randburg, South Africa
Tel.: +27 11 704 3295
Email: africa@bradycorp.com

Benelux

Zeleville, Belgium
Tel.: +32 (0) 52 45 78 11
Email: benelux@bradycorp.com

Central & Eastern Europe

Bratislava, Slovakia
Tel.: +421 2 3300 4800
Email: central_europe@bradycorp.com

Denmark

Odense
Tel.: +45 66 14 44 00
Email: denmark@bradycorp.com

France

Roncq
Tel.: +33 (0) 3 20 76 94 48
Email: france@bradycorp.com

Germany, Austria & Switzerland

Egelsbach, Germany
Tel.: +49 (0) 6103 7598 660
Email: germany@bradycorp.com

Hungary

Budaörs
Tel.: +36 23 500 275
Email: central_europe@bradycorp.com

Italy

Gorgonzola
Tel.: +39 02 26 00 00 22
Email: italy@bradycorp.com

Middle East FZE

Dubai, UAE
Tel.: +971 4881 2524
Email: me@bradycorp.com

Norway

Kjeller
Tel.: +47 70 13 40 00
Email: norway@bradycorp.com

Romania

Bucharest
Tel.: +40 21 202 3032
Email: central_europe@bradycorp.com

Russia

Moscow
Tel.: +7 495 269 47 87
Email: central_europe@bradycorp.com

Spain & Portugal

Madrid, Spain
Tel.: +34 900 902 993
Email: spain@bradycorp.com,
portugal@bradycorp.com

Sweden, Finland, Baltic states

Kista, Sweden
Tel.: +46 (0) 8 590 057 30
Email: sweden@bradyeurope.com

Turkey

Istanbul
Tel.: +90 212 264 02 20 / 264 02 21
Email: turkey@bradycorp.com

UK & Ireland

Banbury, UK
Tel.: +44 (0) 1295 228 288
Email: uk@bradycorp.com

Our mission is to identify and protect people, products and premises



To help minimise our impact on the environment, Brady limits its number of reprints.

Updated versions are always available for download on www.bradyeurope.com.

 Search for: EUR-M-041-EN



Y4717463

Your distributor

28/07/2020