

Do-it-yourself printing for safety & facility identification

About Brady

Once you have worked with BRADY, our name will stick with you, (just like our labels) because BRADY is one of the world's leading labelling and identification specialists.



Innovative

At BRADY we continue to improve. We have many customers from all industries, and we strive to be ahead of their needs by continuing to invest in research for even more performant solutions. By developing more user-friendly and efficient concepts, we give our thousands of customers the best in the market.

Strength

At BRADY, we believe our biggest strength is the wide range of identification and safety solutions we can offer our customers, whether it's labelling the smallest component or complete signage for an entire warehouse. We're also proud to offer many products and services - from printers, scanners and software to service contracts and on-site training - that compliment any identification job. And don't forget, our wide network of expert distributors can always offer you a tailor-made solution to meet your specific requirements.

Trust

For hundred years, BRADY has been connected with quality, trust and stability. We demand the best for your products and services, because we know, better than anyone, the importance of good and reliable identification. Identification looks like a small detail, but every professional knows that this kind of detail is crucial to any business.

Inform

We also have specialised dealers in your region, who can answer all your identification and labelling questions, specific to your activity. They will be happy to provide you with all kinds of options and solutions with no obligation.

Microsoft is a trademark of Microsoft Corporation, Bluetooth is a trademark of Bluetooth Sig, Inc., Android is a trademark of Google Inc.



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase. The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady. Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.

Do-it-yourself printing

The Brady advantage

When it comes to identification, safety and compliance, there's a clear advantage to working with Brady. We put our customers first in everything we do.

Our goal is to give you an unrivalled customer experience. We are relentlessly committed to performance and excellence - in our products, services and people.

Our products and solutions perform in ways that others simply can't match. Our people perform in ways that regularly exceed your expectations, and our focus and discipline work toward solid, longterm performance for our customers.

In short, Brady is the company you trust when performance matters most.

Learn more about the Brady advantage at: www.bradyeurope.com

Contents

Introduction

- 6-7 Printer comparison quide
- 8 Safety and facility identification
- The best printer for your application 9
- 10 Brady label materials are made to impress
- The best label material for your application 11
- 12 Brady safety printers online

BMP71 Label Printer

- 14-19 BMP71 label printer and materials
- 19 BMP71 ribbons 20
 - BMP71 at a glance

S3000, S3100, BBP35 and BBP37 printers

- 22-25 S3000, S3100, BBP35 and BBP37 printers
- Safety sliders consumable kit 26
- 26 CLP/GHS consumable kit
- 27 Pipe marking consumable kit
- 27 General safety consumable kit
- 28-39 S3000, S3100, BBP35 and BBP37 printer materials
- 40 Print ribbons
- 41 S3000/S3100 at a glance
- 42 BBP35/BBP37 at a glance

BBP85 Sign & Label Printer

- 44-50 BBP85 Sign & Label Printer
- 45 BLS laminating system and panels
- 45 Safety sliders consumable kit
- 46-50 BBP85 Sign & Label Printer materials
- BBP85 print ribbons 51
- BBP85 at a glance 52

BradyJet J2000 and J5000 colour label printers

- 54-55 BradyJet J2000 Colour Label Printer and materials
- 56-57 BradyJet J5000 Colour Label Printer and materials
- Create full colour rigid signs with BradyJet 58
- Print your own Lockout procedures in full colour 58
- 59 Add outdoor durability with the new laminates!
- 59 Full colour tags printable at location

Software and materials

60-61 Brady Workstation





BMP71 LABEL PRINTER

BradyPrinter \$3000 SIGN & LABEL PRINTER





BradyPrinter \$3100 SIGN & LABEL PRINTER

BBP 35 MULTICOLOUR SIGN & LABEL PRINTER BBP 37 MULTICOLOUR & CUT SIGN & LABEL PRINTER







BradyJet J5000 COLOUR LABEL PRINTER



www.bradyeurope.com

Safety signs

Print a compliant, safe and efficient workplace

With professional safety & facility identification printers & software from Brady, you can take full control of your workplace identification to quickly comply with national and European safety requirements, to make it safer and more efficient in line with 5S and lean manufacturing.



Having professional safety & facility identification printing capabilities and software on-site, offers a set of interesting advantages:

- Fast: design your sign, pipe marker or area marker with Brady Workstation apps, hit print and apply your identification, no need to wait for deliveries
- Customisable: easily add custom warning messages, your company logo or make your own combination of signs in several sizes and shapes
- Cost-effective: no need to stock labels you may never use, just print the label or sign you need

Durable materials

Brady's high performance safety & facility identification printers use researched inks to print on durable sign and label material constructions. These are designed to offer maximum durability in a wide range of industries, taking into account combinations of specific challenges and needs such as UV, moisture, heat, cold and chemical resistance, or resistance to harsh washdown cycles or abrasion.

Create any sign or label

Brady Workstation offers professional, intuitive apps to design quality safety signs. Safety & facility identification design becomes easier, faster and quickly adaptable to new norms & regulations thanks to centralised updates. With Brady Workstation you can:

- Select the apps you need, activate the 30 day free trial and purchase when satisfied
- Easily connect to a Brady printer via an internet connected computer



• Receive an alert from high-end Brady printers if you need to load a different label supply to print your design

Print a compliant, safe and efficient workplace using a quality safety printer and Brady Workstation apps!





Introduction

- 6-7 Printer comparison guide
- 8 Safety and facility identification
- 9 The best printer for your application
- 10 Brady label materials are made to impress
- 11 The best label material for your application
- 12 Brady safety printers online

Printer comparison guide



| | BMP71 Portable Label Printer | BradyPrinter S3000 Sign & Label Printer | BradyPrinter S3100 Sign & Label Printer | BBP35/BBP37 Multicolour Sign & Label Printers | | |
|--|--|---|---|---|--|--|
| Description | The BMP71, one smart printer to print it all. This ultimate Brady Mobile Printer helps you deal with every situation, speeds up your labelling and keeps you going on and on. It prints any die- cut or continuous label - also custom labels - up to 50.8mm in more than 30 different materials. | Label Printer is a peripheral industrial monochrome sign and label printer for facility, safety and Lean/5S applications. Designed to be easy to use and versatile enough to handle | The BradyPrinter S3100 Sign and Label Printer is extremely easy to use and features auto-calibration and automatic label material setup. This will enable you to just walk up to the printer and start printing the signs and labels you need. Switching to another label material is easy and extremely fast thanks to the printer's 'drop-in' label materials and matching ink ribbons that can be switched out in less than 20 seconds. An intuitive user interface with touch screen offers a wide variety of sign & label design options, even when the printer is used in standalone mode. | Brady's BBP35/BBP37 label printers offer outstanding colour capabilities to quickly create a safer, more productive facility. The printer's simple, automatic label setup and intuitive touchscreen enable you to make signs on demand and on-site in any colour and shape! | | |
| Printer Specifications | | | | | | |
| Recommended usage per day | 1000 50.80 x 25.40mm labels per day | 600 x 50.80mm by 101.60mm labels per day, 300 larger labels per day. 8 hours / 5 days | For Safety labels: 600 50.80mm by 101.60mm labels per day, 300 larger labels per day | Around 1,500 labels/day, depending on specific label size, text printed and other factors. | | |
| Software compatibility | Brady Workstation (app specific), LabelMark, MarkWare | Brady Workstation, Windows based driver for 3rd party software use | Brady Workstation | Brady Workstation | | |
| Colour capability | Monocolour | Monocolour | Monocolour | Multicolour; Monocolour | | |
| Connectivity options USB | | USB | USB, WiFi, Ethernet | USB, Bluetooth. Optional: Ethernet, WiFi | | |
| Stand-alone printing (detached from PC) | Stand-alone & Peripheral | Peripheral | Stand-alone & Peripheral | Stand-alone & Peripheral | | |
| Cutter | Manual cut between labels or at end of print job | Auto Cutter | Auto Cutter | BBP35: auto cutter; BBP37: XY cutter & auto cutter | | |
| Internal memory capacity | 200 MB | - | 300 MB | 512 MB | | |
| Max. label width (mm) | 50.80 | 107.95 | 101.00 | 101.00 | | |
| Max. print width (mm) | 45.97 | 101.60 | 101.00 | 101.00 | | |
| Max. print length (mm) | 1016.00 | 3048.00 | 1500.00 | 2530.00 | | |
| Print technology | Thermal Transfer | Thermal Transfer | Thermal Transfer | Thermal Transfer | | |
| Print resolution (dpi) | 300 | 300 | 300 | 300 | | |
| Max. print speed (mm/sec) | 38.10 | 101.60 | 76.00 | 127.00 | | |
| Width x depth x length (mm) | 241.30 x 116.80 x 332.70 | 230.60 x 304.80 x 241.60 | 305.00 x 260.00 x 241.00 | 480.00 x 360.00 x 280.00 | | |
| Weight (kg) | 2.49 | 5.30 | 8.80 | 16.50 | | |
| Keyboard type | QWERTY, QWERTZ, AZERTY, CYRILLIC | - | Full size fold down keyboard QWERTY, AZERTY, QWERTZ, CYRILLIC | QWERTY, QWERTZ, AZERTY, CYRILLIC | | |

Printer comparison guide



Weight (kg)

Keyboard type

22.00

QWERTY, QWERTZ, AZERTY, CYRILLIC





| | BBP85 Sign & Label Printer | BradyJet J2000 Colour Label Printer | BradyJet J5000 Colour Label Printer |
|--|--|---|---|
| Description | The BBP85 Sign and Label Printer allows you to create upto 254.00 mm labels & signs in multiple colours. Its improved interface makes it easy to use for anyone. | The BradyJet J2000 Colour Label Printer is a practical and easy to use, full colour inkjet benchtop printer that can print reliable, high resolution signs, facility and laboratory sample labels. This printer comes with a free Brady WorkStation Basic Design Software Suite, enabling you to immediately start designing professional signs and labels. | The BradyJet J5000 Colour Label Printer. Full colour safety signs & labels in a few seconds. Brady's inkjet printer quickly prints safety signs, lean labels and pipe markers at location and on demand. The BradyJet J5000 combines high print speed and full colour printing with a durable material range for indoor safety signs. |
| Printer Specifications | | | |
| Recommended usage per day | Around 300 labels per day, depending on specific label size, text printed and other factors | Around 3000 labels per day, depending on specific label size, text printed and other factors | Around 5000 labels per day, depending on specific label size, text printed and other factors |
| Software compatibility | Brady Workstation, MarkWare, Windows based driver for 3rd party software use | Brady Workstation, Windows based driver for 3rd party software use | Brady Workstation, Windows based driver for 3rd party software use |
| Colour capability | Multicolour; Monocolour | Full Colour | Multicolour; monocolour; full colour |
| Connectivity options | USB, Bluetooth. Optional: Ethernet, WiFi | USB | USB, WiFi, Ethernet |
| Stand-alone printing (detached from PC) | Stand-alone & Peripheral | Peripheral | Peripheral |
| Cutter | Auto Cutter | Auto Cutter | Auto Cutter |
| Internal memory capacity | 64 MB | - | - |
| Max. label width (mm) | 254.00 | 101.60 | 209.55 |
| Max. print width (mm) | 216.00 | 101.60 | 203.20 |
| Max. print length (mm) | 5000.00 | 609.60 | 609.60 |
| Print technology | Thermal Transfer | Inkjet | Inkjet |
| Print resolution (dpi) | 300 | Up to 4800 | Up to 4800 |
| Print speed (mm/sec) | 50.00 | 63.00 | 152.40 |
| Width x depth x length (mm) | 500.00 x 500.00 x 310.00 | 264.00 x 389.00 x 180.00 | 495.00 x 521.00 x 259.00 |
| Weisht (les) | | | |

20.40

_

3.20

None

Applications

Safety and facility identification



Multicolour safety signs



Pipe markers



Machine safety labels



GHS/CLP labels



Warehouse identification



Safety tags



Control panel labels



Labelling in food & bev. industry



Labelling in low light situations

The best printer for your application

| | | 1-1 | | | | | | H |
|---------------------|---|-------|-------|-------|-------------|-------|-------|-------|
| General and Indus | strial ID | BMP71 | S3000 | S3100 | BBP35/BBP37 | BBP85 | J2000 | J5000 |
| | Asset and component marking Rating plate labels, push button labels, reflective tapes, etc. to be used on all kind of surfaces (smooth, rough, textured, low energy) even in low light conditions, also on hazardous substances packagingfor text, symbols and barcode printing | ** | ** | ** | ** | * | ** | ** |
| Safety and Facility | y ID | | | | | | | |
| MIN. | Safety panels Pictograms, pictograms + text, wallcharts. | * | ** | ** | ** | ** | ** | ** |
| ۲ | Visual equipment control Create lean visual equipment controls like gauge labels, fluide level indicator levels, gradient rulers, and customise them to your personal needs. | * | _ | * | ** | * | _ | _ |
| States | Energy source labelling Create your facility's energy source identification for Lockout Tagout compliance. | * | ** | ** | ** | ** | ** | ** |
| | Area and pathway marking ToughStripe tapes, photoluminiscent tapes, reflective tapes, signage etc. for floor labelling, exit and directional signage, fire alarms and extinguisher identification, for escape or evacuation routes indication | * | _ | * | ** | * | _ | _ |
| 4CA | Lean warehousing identification Tear resistant tags, tamper-resistant labels, rough surface labels, low surface energy and powder coated surface labels, repositionable labels, in and outdoor grade facility labels, general industrial labels, etc. to be used on all kind of surfaces (smooth, rough, textured, low energy) for shelves labelling, bin location labelling, inventory labelling, logistics labelling | * | ** | ** | ** | ** | *** | ** |
| | Pipe and valve marking Tapes for pipes and valve marking. It stands up to grease, oil, etc. to be used on irregular, curved or rough surfaces for text and symbols printing | * | * | * | ** | ** | ** | ** |
| | Food processing equipment marking Toughwash labels: wash down resistant and metal detectable materials designed to withstand the harsh cleaning and sanitizing methods essential to the food and beverage industry. | * | ** | ** | ** | _ | _ | _ |
| Hazardous Materia | al Labelling | | | | | | | |
| | Hazardous material labelling Create your GHS/CLP labels using design templates that incorporate all the phrasing, pictograms and features you need for your hazardous material identification. | _ | ** | ** | ** | * | ** | ** |
| - Not Recomm | ended \star Acceptable $\star \star$ Preferred | | | | | | | |

*For indoor use only.

Label materials

Brady label materials are made to impress



*Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.

Impressive material line up

Depending on the customer's needs, the printers can be used with over 400 material parts in 30 different materials designed for:

- Multicolour safety identification signs
- Pipe markers
- 5S labels and general purpose die cut labels
- Production line facility labels

Brady labels last the longest, period.

Brady labels stick and stay stuck, plain and simple. In fact, some last up to 10 years outdoors*. You only need to make them once. And after you make them, they're there for good.

Options. Lots of options.

We make labels for specific applications. That's why we have hundreds of label types and sizes to choose from. We want you to be 100% confident that you have the right label for your exact application.

We set the bar high.

There's a reason why Brady materials lead the industry in durability and performance. It's because we design and manufacture the labels ourselves. We put our materials through rigorous, painstaking tests and trials – and nothing leaves our doors until it passes with flying colours. We set the standards high – because we know it's the only way our materials can exceed your expectations.

With label printing like this, the possibilities are endless.



| General and Industrial ID | 6,00 6,00 6,00 6,00 6,00 6,00 7,00 7,00 | 8-20 00 | 9.25 9.25 | 8-53 | 8.540 | 8-557 | 8-360 | 8:58 | 8-36 69-20 | 8.584 | 6.20° | 8-595 | 8°.300 | 8-72 9-72 900 | 0.00 2007 | 8-855. 2502 | 65.20 200 | 8-2000 |
|---|--|------------|--------------|------|-------|-------|-------|------|---------------|-------|-------|-------|--------|---------------------|--------------|----------------|--------------|--------|
| Panel Identification • Panel and switch identification | | | | | | | | | | | * | * | * | * | | | | |
| Asset Management Office furniture Tools & machines Company cars | | | | * | | | | | | | | * | | * | | | * | * |
| Office Use • Files • Door signs | | | | | | | | | | | | * | | * | | | * | * |
| Events (badges, logo) Exhibitions Seminars Advertising / communication agencies | | | | | | | | * | | | * | * | * | * | | | * | * |
| Services / Recreation Industrial contractors Holiday centres, leisure centres Theme parks | | | | | | | * | | | | | * | | | | | * | * |
| Safety and Facility ID | | | | | | | | | | | | | | | | | | |
| Safety panels Pictograms Pictograms + text Wallcharts | | | * | | * | | * | * | | * | | * | | * | | | * | * |
| Evacuation Maps | | | * | | * | | * | | | | | | | * | | | * | * |
| Safety Procedures & Machine Instructions • Valve & switch identification • Emergency procedures • Lockout / Tagout • Schematics | | | * | | * | | * | | | * | | * | | * | | | * | * |
| Pipe marking Individual pipe markers Roll form pipe markers Arrows | | | | | | | * | | | | | * | | * | | | * | * |
| Photoluminescent Signage Emergency escape routes Assembly & Emergency point signs | | | * | | | | | | * | | | | | | | | | |
| Maintenance • Cleaning instructions • Repair instructions | | * | | | | * | | * | | | | | | * | | | * | * |
| Logistic Warehouse & Stock Bar codes | | * | | | * | | | * | | | | * | | | | | * | * |
| Cut-Out Letters & Signs | | | | | | | * | | | | | * | | * | | | | |
| Tagout • Safety tags | | | | | | * | | | | | | | | | | | | |
| Washdown labels • For use in Food & Beverage Industry | | | | | | | | | | | | | | | * | * | | |
| Floormarking • Durable, easy application and high visibility | * | | | | | | | | | | | | | | | | | |
| Hazardous Material Labelling | | | | | | | | | | | | | | | | | | |
| Hazardous Substances ID | | | | | | | | | | | | * | | * | | | * | * |
| Transport Chemical substances Directional signs Informative signs *For index use only. | | | | | | | * | | | | | * | | | | | | |

^{*}For indoor use only.

Brady safety printers online

Surfing www.bradyeurope.com is a simple, efficient and timesaving way to learn more about BRADY products and applications, industry developments, events, promotions, etc.

Visit www.bradyeurope.com/safetyprinters to find technical data sheets, update your Brady printers and software or guickly register Brady products!





For more information on featured printers visit: www.youtube.com/user/BradyEurope



BMP71 LABEL PRINTER Scan or click the QR-code

BBP30 SIGN & LABEL PRINTER

Scan or click the QR-code





BBP 35 MULTICOLOUR SIGN & LABEL PRINTER BBP 37 MULTICOLOUR & CUT SIGN & LABEL PRINTER Scan or click the QR-code







BBP 31 SIGN & LABEL PRINTER BradyPrinter \$3100 SIGN & LABEL PRINTER Scan or click the QR-code

BradyPrinter \$3000 SIGN & LABEL PRINTEF





BBP85 SIGN & LABEL PRINTER Scan or click the QR-code







BradyJet J5000 COLOUR LABEL PRINTER Scan or click the QR-code



See your printer of choice in action

Experience live how the printer works in the hands-on printer demo at your premises, or watch how it operates via a live feed.

Discuss with our specialist how the printer will support you in your specific context to choose the system that best suits your needs.

www.bradyeurope.com/safetyprinters





Register your product

After registering your product you will have access to:

- Technical support
- Notification of updates
- · Special offers and product announcements

www.bradyeurope.com/registration





Ť



BMP71 Label Printer

- 14-15 BMP71 Label Printer
- 16 B-595 high performance indoor/outdoor vinyl
- 17 B-584 reflective vinyl
- 17 B-582 photoluminiscent polyester tapes
- 17 B-483/B-634 ToughStripe area marking tape
- 17 B-854 and B-855 ToughWash series labels
- 18 B-581 repositionable vinyl
- 18 B-7593 EPREP labels engraved plate replacement labels
- 19 B-530 security identification labels
- 19 BMP71 ribbons
- 20 BMP71 at a glance



BMP71 Label Printer





For videos and more information please visit: www.bradyeurope.com/BMP71

BMP71 printer

| Order Reference | Art. No. | Description |
|-------------------|----------|---------------------------------|
| BMP71-US | 115157 | BMP71 Label Printer - QWERTY US |
| BMP71-QWERTY-EU | 710599 | BMP71 Label Printer - QWERTY EU |
| BMP71-QWERTY-UK | 710600 | BMP71 Label Printer - QWERTY UK |
| BMP71-AZERTY-EU | 710601 | BMP71 Label Printer - AZERTY |
| BMP71-QWERTZ-EU | 710603 | BMP71 Label Printer - QWERTZ |
| BMP71-CYRILLIC-EU | 710604 | BMP71 Label Printer - CYRILLIC |

The BMP71 Label Printer ships in a hard case holding 2 Label Rolls, 1 Black Ribbon, a rechargeable battery pack, an AC Adaptor, a USB Communications Cable, a TLS2200 / HandiMark Material Roll Adaptor, a Quick Start Guide, a Product CD (w/ Printer Driver, Tutorials, Full User's Guide) and a cleaning kit.

Includes the Brady Workstation Basic Suite as standard - http://workstation.bradyid.com/

BMP71 accessories

| Order Reference | Art. No. | Description |
|--------------------|----------|---------------------------------|
| M41-50-71-AC-BC-EU | 710612 | AC Adaptor - Europe 220V |
| M41-50-71-AC-BC-UK | 710613 | AC Adaptor - UK 240V |
| M41-50-71-AC-BC-NA | 114883 | AC Adaptor - USA 120V |
| M71-CLEAN | 114886 | Cleaning Kit |
| M71-HC | 114881 | Hard-sided Carry Case |
| M71-ADAPT-BK | 147998 | Media Adaptor for BMP71 Printer |
| M71-QC-EU | 710614 | Quick Charger - Europe 220V |
| M71-QC-UK | 710615 | Quick Charger - UK 240V |
| M71-QC-US | 114884 | Quick Charger - US 120V |
| M71-SC | 114882 | Soft Carry Case |
| M71-BATT | 114885 | Spare Battery |

BMP71 LABEL PRINTER

The BMP71 mobile label printer can print on more than 30 different types of label material - all designed with Brady's industrial-strength durability. Whether you need heat-shrink sleeves, die-cut labels or indoor/outdoor vinyl, you can be confident that the BMP71 printer has the right label material for your application.

Speed up your labelling

The powerful BMP71 prints faster than any other printer in it's class (38 mm/sec). Don't wait longer than necessary for your labels.

The full keyboard lets you type labels in less time

The BMP71 has a full keyboard, available in 4 different versions: QWERTY, AZERTY, QWERTZ and CYRILLIC. Use both your hands to type your label instead of one finger and save time!

The enlarged full colour screen makes your label printing so much easier

The enlarged screen of the BMP71 enables to see the whole label at once, helping you to compose the label in the most efficient way, eliminating trial and error!

One smart printer to print it all

The BMP71 is your essential tool that handles all your label printing needs.







ToughStripe area marking

General identification







Safety labels...and many more!

BRADY WHEN PERFORMANCE MATTERS MOST"

Photoluminescent tape

| Duinten On seifinstings | r. |
|--|--|
| Printer Specifications | |
| Language Support | Danish, Dutch, English, Finnish, French, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Spanish, Swedish |
| Software Compatibility | Brady Workstation, LabelMark |
| Bar Code Type | Code 39 and 128, other via software |
| Recommended Usage per Day | 1000 50.8 x 25.4mm labels per day |
| Built-in Symbols | 500+ symbols included |
| Colour Capability | Monocolour |
| Stand-alone Printing (Detached from PC) | Stand-alone & Peripheral |
| Connectivity Options | USB |
| Internal Memory Capacity | 200 MB -up to 100,000 labels |
| Print Speed (mm/sec) | 38.10 |
| Print Technology | Thermal Transfer |
| Print Resolution (dpi) | 300 |
| Smart Cell | Yes |
| Text Sizes (pt) | 4 - 174 |
| Serialisation | Simple & Simultaneous & Single Advanced & Multiple Advanced |
| Max. Label Width (mm) | 50.80 |
| Max. Print Width (mm) | 45.97 |
| Materials Supported | 400+ standard parts: continuous tapes, die cut and bulk label rolls, custom made labels and tapes |
| Keyboard Type | QWERTY, QWERTZ, AZERTY, CYRILLIC |
| Display | Colour LCD Screen |
| Cutter | Manual cut Between labels or at end of print job |
| Power Supply | AC Adaptor, Rechargeable Battery |
| Width x Height x Length (mm) | 241.30 x 116.80 x 332.70 |
| Weight (kg) | 2.49 |
| | |

BMP71 printer with software



Enhance your labels with advanced graphics and symbols with Brady Workstation software

With Brady Workstation software you can combine text with graphics, symbols and barcodes. Labels can be used as visual tools throughout your facility. For lean enterprises, Brady Workstation software provides additional graphics and templates for Signs, Labels and Tags - perfect for 5S, TPM (Total Productive Maintenance) and lean visuals.

| Art. No. | Description |
|----------|---|
| 198679 | BMP71 Label Printer - AZERTY with Brady Workstation SFID suite |
| 198680 | BMP71 Label Printer - CYRILLIC with Brady Workstation SFID suite |
| 198681 | BMP71 Label Printer - QWERTY EU with Brady Workstation SFID suite |
| 198682 | BMP71 Label Printer - QWERTY UK with Brady Workstation SFID suite |
| 198683 | BMP71 Label Printer - QWERTZ with Brady Workstation SFID suite |
| | 198679 198680 198681 198682 |

The Basic Suite is included with every printer, download it: Workstation.BradyID.com/Free



Create custom signs, labels and pipemarkers with WorkStation.BradyID.com/SFID

i

Design any label with Brady Workstation apps

Brady Workstation offers professional, intuitive apps to design quality product and cable labels and safety signs. Label design

 becomes easier, faster and quickly adaptable to new label norms thanks to centralised updates.

Simply download Brady Workstation to your desktop and add the applications you need: www.workstation.bradyid.com

Marituar cur Between labels or at end of print job AC Adaptor, Rechargeable Battery th (mm) 241.30 x 116.80 x 332.70 2.49



APPS

B-595 high performance indoor/outdoor vinyl

- Brady's indoor/outdoor grade vinyl tape adheres well to pipes, walls, equipment, windows most clean, dry surfaces.
- Conforms well to irregular, curved or rough surfaces it even stands up to grease, oil and most industrial chemicals.
- 8 to 10** year outdoor durability average in temperatures from -40°C to 82°C, can be applied as low as -18°C.

| | | | 1 | | · ~ | | ' |
|--------------------------------------|--------------------------------------|----------------|----------------|----------------|----------------|-----------------|----------------------------|
| Diagram | Order Deference | Colour | Finish | Size - Width | Size - Length | Lobolo nor Doll | Recommended |
| Diagram B-595: Vin | | Goloui | FIIIISII | A (mm) | B (m) | Labels per Roll | Ribbon |
| 0.000.011 | M71C-500-595-YL | Yellow | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| 0 | M71C-1000-595-YL | Yellow | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| O | M71C-2000-595-YL | Yellow | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| 0 | M71C-500-595-WT | White | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| O | M71C-1000-595-WT | White | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| 0 | M71C-2000-595-WT | White | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| Õ | M71C-500-595-SB | Sky Blue | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| 0 | M71C-1000-595-SB | Sky Blue | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-2000-595-SB | Sky Blue | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-500-595-RD | Red | Gloss | 12.70 | 15.24 | 1 | M71-R4400-WT |
| ۲ | M71C-1000-595-RD | Red | Gloss | 25.40 | 15.24 | 1 | M71-R4400-WT |
| ۲ | M71C-2000-595-RD | Red | Gloss | 50.80 | 15.24 | 1 | M71-R4400-WT |
| ۲ | M71C-500-595-PL | Purple | Gloss | 12.70 | 15.24 | 1 | M71-R4400-WT |
| ۲ | M71C-1000-595-PL | Purple | Gloss | 25.40 | 15.24 | 1 | M71-R4400-WT |
| ۲ | M71C-2000-595-PL | Purple | Gloss | 50.80 | 15.24 | 1 | M71-R4400-WT |
| ۲ | M71C-500-595-PK | Pink | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-1000-595-PK | Pink | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-2000-595-PK | Pink | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-500-595-0R | Orange | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-1000-595-0R | Orange | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-2000-595-0R | Orange | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-500-595-0C | Ochre | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-1000-595-0C | Ochre | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-2000-595-0C | Ochre | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-500-595-LB | Light Blue | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-1000-595-LB | Light Blue | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-2000-595-LB | Light Blue | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-500-595-GY | Grey | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| • | M71C-1000-595-GY | Grey | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-2000-595-GY | Grey | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| • | M71C-500-595-GN | Green | Gloss | 12.70 | 15.24 | 1 | M71-R4400-WT |
| $\overline{\mathbf{O}}$ | M71C-1000-595-GN | Green | Gloss | 25.40 | 15.24 | 1 | M71-R4400-WT |
| • | M71C-2000-595-GN | Green | Gloss | 50.80 | 15.24 | 1 | M71-R4400-WT |
| \bigcirc | M71C-500-595-GD | Gold | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| 0 | M71C-1000-595-GD M71C-2000-595-GD | Gold | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| | | Gold | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| • | M71C-500-595-CL M71C-1000-595-CL | Clear Clear | Gloss Gloss | 12.70 25.40 | 15.24 15.24 | 1 | M71-R6000HF M71-R6000HF |
| • | M71C-2000-595-CL | Clear | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| • | M71C-500-595-BR | Brown | Gloss | 12.70 | 15.24 | 1 | M71-R600001 |
| • | M71C-1000-595-BR | Brown | Gloss | 25.40 | 15.24 | 1 | M71-R4400-WT |
| 0 | M71C-2000-595-BR | Brown | Gloss | 50.80 | 15.24 | 1 | M71-R4400-WT |
| • | M71C-500-595-BL | Blue | Gloss | 12.70 | 15.24 | 1 | M71-R4400-WT |
| • | M71C-1000-595-BL | Blue | Gloss | 25.40 | 15.24 | 1 | M71-R4400-WT |
| • | | | | | | | |
| | M71C-2000-595-BL | Blue | Gloss | 50.80 | 15.24 | 1 | M71-R4400-WT |
| • | M71C-500-595-BK | Black | Gloss | 12.70 | 15.24 | 1 | M71-R4400-WT |
| ۲ | M71C-1000-595-BK | Black | Gloss | 25.40 | 15.24 | 1 | M71-R4400-WT |
| ۲ | M71C-2000-595-BK | Black | Gloss | 50.80 | 15.24 | 1 | M71-R4400-WT |
| ۲ | M71C-500-595-TN | Beige | Gloss | 12.70 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-1000-595-TN | Beige | Gloss | 25.40 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-2000-595-TN | Beige | Gloss | 50.80 | 15.24 | 1 | M71-R6000HF |
| | | | | | | | |











**Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.

Order references with "C" (e.g. M71C) indicate continuous. Order references beginning with "B" indicate bulk rolls.

1

BMP71 labels and tapes

B-584 reflective vinyl

• The reflective quality of this material makes it ideal for reading labels in low light conditions (with flashlights).

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Recommended Ribbon |
|-----------|-------------------|--------|---------------------|---------------------|--------------------|
| B-584: Re | flective Tape | | | | |
| ۲ | BM71C-1000-584-YL | Yellow | 25.40 | 22.86 | M71-R6000HF |
| ۲ | BM71C-2000-584-YL | Yellow | 50.80 | 22.86 | M71-R6000HF |
| ۲ | BM71C-1000-584-WT | White | 25.40 | 22.86 | M71-R6000HF |
| ۲ | BM71C-2000-584-WT | White | 50.80 | 22.86 | M71-R6000HF |
| ۲ | BM71C-1000-584-0R | Orange | 25.40 | 22.86 | M71-R6000HF |
| ۲ | BM71C-2000-584-0R | Orange | 50.80 | 22.86 | M71-R6000HF |

B-582 photoluminiscent polyester tapes

 Glow-in-the-dark material. Ideal for exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuation routes.

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Recommended Ribbon |
|------------|---------------------|------------------|---------------------|---------------------|--------------------|
| B-582: Pho | sphorescent Polyest | | | | |
| ۲ | BM71C-1000-582 | Photoluminescent | 25.40 | 22.86 | M71-R6000HF |
| ۲ | BM71C-2000-582 | Photoluminescent | 50.80 | 22.86 | M71-R6000HF |

B-483/B-634 ToughStripe area marking tape

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlaminate.
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlaminate.

| Diagram | Order Reference | Colour | Finish | Size - Width A (mm) | Size - Length B (m) | Recommended Ribbon | | | | | | | |
|----------|--|--------|--------|---------------------|---------------------|--------------------|--|--|--|--|--|--|--|
| B-483/B- | B-483/B-634: Polyester with Polyester Overlaminate | | | | | | | | | | | | |
| ۲ | M71-1000-483-YL-KT | Yellow | Gloss | 25.40 | 15.24 | M71-R6000HF | | | | | | | |
| ۲ | M71-2000-483-YL-KT | Yellow | Gloss | 50.80 | 15.24 | M71-R6000HF | | | | | | | |
| ۲ | M71-1000-483-WT-KT | White | Gloss | 25.40 | 15.24 | M71-R6000HF | | | | | | | |
| ۲ | M71-2000-483-WT-KT | White | Gloss | 50.80 | 15.24 | M71-R6000HF | | | | | | | |
| ۲ | M71-1000-483-RD-KT | Red | Gloss | 25.40 | 15.24 | M71-R4400-WT | | | | | | | |
| ۲ | M71-2000-483-RD-KT | Red | Gloss | 50.80 | 15.24 | M71-R4400-WT | | | | | | | |
| ۲ | M71-1000-483-0R-KT | Orange | Gloss | 25.40 | 15.24 | M71-R6000HF | | | | | | | |
| ۲ | M71-2000-483-0R-KT | Orange | Gloss | 50.80 | 15.24 | M71-R6000HF | | | | | | | |
| ۲ | M71-1000-483-GN-KT | Green | Gloss | 25.40 | 15.24 | M71-R4400-WT | | | | | | | |
| ۲ | M71-2000-483-GN-KT | Green | Gloss | 50.80 | 15.24 | M71-R4400-WT | | | | | | | |
| ۲ | M71-1000-483-BL-KT | Blue | Gloss | 25.40 | 15.24 | M71-R4400-WT | | | | | | | |
| ۲ | M71-2000-483-BL-KT | Blue | Gloss | 50.80 | 15.24 | M71-R4400-WT | | | | | | | |
| ۲ | M71-1000-483-BK-KT | Black | Gloss | 25.40 | 15.24 | M71-R4400-WT | | | | | | | |
| ۲ | M71-2000-483-BK-KT | Black | Gloss | 50.80 | 15.24 | M71-R4400-WT | | | | | | | |

B-854 and B-855 ToughWash series labels

- Durable label construction resists harsh washdown environments and has been tested at washdown temperatures up to 80°C (175° F) and pressures up to 1500 PSI.
- B-854 is a metal detectable version, capable of being detected by commercially available metal detectors.

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Recommended Ribbon |
|-------------|--------------------------|--------|---------------------|---------------------|--------------------|
| B-854: Met | tal-detectable Polyester | | | | |
| ٢ | BM71C-1000-854-WT | White | 25.40 | 22.86 | M71-R6000HF |
| ۲ | BM71C-2000-854-WT | White | 50.80 | 22.86 | M71-R6000HF |
| ۲ | BM71C-1000-854-YL | Yellow | 25.40 | 22.86 | M71-R6000HF |
| ۲ | BM71C-2000-854-YL | Yellow | 50.80 | 22.86 | M71-R6000HF |
| B-855: Poly | yester | | | | |
| ۲ | BM71C-1000-855-WT | White | 25.40 | 22.86 | M71-R6000HF |
| ۲ | BM71C-2000-855-WT | White | 50.80 | 22.86 | M71-R6000HF |
| ۲ | BM71C-1000-855-YL | Yellow | 25.40 | 22.86 | M71-R6000HF |
| ۲ | BM71C-2000-855-YL | Yellow | 50.80 | 22.86 | M71-R6000HF |









0





BMP71 labels and tapes



B-581 repositionable vinyl

• Best choice for indoor marking where frequent repositioning is required, such as shelves. Special adhesive allows easy removal of label to re-apply again and again.

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Recommended Ribbon |
|-------------|------------------|--------|---------------------|---------------------|--------------------|
| B-581: Viny | yl | | | | |
| ۲ | M71C-500-581-WT | White | 12.70 | 15.24 | M71-R6000HF |
| ۲ | M71C-1000-581-WT | White | 25.40 | 15.24 | M71-R6000HF |
| ۲ | M71C-2000-581-WT | White | 50.80 | 15.24 | M71-R6000HF |
| ۲ | M71C-500-581-YL | Yellow | 12.70 | 15.24 | M71-R6000HF |
| ۲ | M71C-1000-581-YL | Yellow | 25.40 | 15.24 | M71-R6000HF |
| ۲ | M71C-2000-581-YL | Yellow | 50.80 | 15.24 | M71-R6000HF |





Order references with "C" (e.g. M71C) indicate continuous. Order references beginning with "B" indicate bulk rolls.





Roll Mounted



Fanfolded



Bulk Roll

B-7593 EPREP labels – engraved plate replacement labels

• BRADY EPREP labels are innovative labels specifically designed to replace engraved and plotted plates for identification of electrical components, electrical cabinets, push buttons, patch panels etc.



| Diagram | Order Reference | Colour | Finish | Size - Width A (mm) | Size - Length B (mm) | Hole Diameter C (mm) | Vertical Repeat D (mm) | Labels per Roll | Layout | Recommended Ribbon |
|---------|----------------------|--------|--------|---------------------------|----------------------------|----------------------------|------------------------------|--------------------|--------------|-----------------------|
| | Polyethylene Foam La | | | | D (IIIII) | O (iiiii) | D (mm) | permon | Layout | TIBBOIT |
| Δ | M71EP-5-7593-BK | Black | Gloss | 30.00 | 40.00 | 24 | 50.80 | 100 | Fan-folded | M71-R6000HF |
| | M71EP-6-7593-BK | Black | Gloss | 45.00 | 15.00 | - | 40.37 | 100 | Fan-folded | M71-R6000HF |
| Δ | M71EP-5-7593-GN | Green | Gloss | 30.00 | 40.00 | 24 | 50.80 | 100 | Fan-folded | M71-R6000HF |
| Δ | M71EP-5-7593-RD | Red | Gloss | 30.00 | 40.00 | 24 | 50.80 | 100 | Fan-folded | M71-R6000HF |
| | M71EP-6-7593-RD | Red | Gloss | 45.00 | 15.00 | - | 40.37 | 100 | Fan-folded | M71-R6000HF |
| | M71EP-1-7593-SL | Silver | Gloss | 27.00 | 8.00 | - | 11.18 | 250 | Roll Mounted | M71-R6000HF |
| | M71EP-2-7593-SL | Silver | Gloss | 27.00 | 12.50 | - | 15.63 | 250 | Roll Mounted | M71-R6000HF |
| | M71EP-3-7593-SL | Silver | Gloss | 27.00 | 15.00 | - | 18.14 | 150 | Roll Mounted | M71-R6000HF |
| | M71EP-4-7593-SL | Silver | Gloss | 27.00 | 18.00 | - | 21.25 | 150 | Roll Mounted | M71-R6000HF |
| Δ | M71EP-5-7593-SL | Silver | Gloss | 30.00 | 40.00 | 24 | 50.80 | 100 | Fan-folded | M71-R6000HF |
| | M71EP-7-7593-SL | Silver | Gloss | 35.00 | 18.00 | - | 21.49 | 100 | Roll Mounted | M71-R6000HF |
| | BM71E-6-7593-SL | Silver | Gloss | 45.00 | 15.00 | - | 18.26 | 500 | Bulk Roll | M71-R6000HF |
| | M71EP-8-7593-SL | Silver | Gloss | 48.00 | 19.00 | - | 22.46 | 125 | Roll Mounted | M71-R6000HF |
| | M71EP-1-7593-WT | White | Gloss | 27.00 | 8.00 | - | 11.18 | 250 | Roll Mounted | M71-R6000HF |
| | M71EP-2-7593-WT | White | Gloss | 27.00 | 12.50 | - | 15.63 | 250 | Roll Mounted | M71-R6000HF |
| | M71EP-3-7593-WT | White | Gloss | 27.00 | 15.00 | - | 18.14 | 150 | Roll Mounted | M71-R6000HF |
| | M71EP-4-7593-WT | White | Gloss | 27.00 | 18.00 | - | 21.25 | 150 | Roll Mounted | M71-R6000HF |
| Δ | M71EP-5-7593-WT | White | Gloss | 30.00 | 40.00 | 24 | 50.80 | 100 | Fan-folded | M71-R6000HF |
| | M71EP-7-7593-WT | White | Gloss | 35.00 | 18.00 | - | 21.49 | 100 | Roll Mounted | M71-R6000HF |
| | BM71E-6-7593-WT | White | Gloss | 45.00 | 15.00 | - | 18.26 | 500 | Bulk Roll | M71-R6000HF |
| | M71EP-8-7593-WT | White | Gloss | 48.00 | 19.00 | - | 22.46 | 125 | Roll Mounted | M71-R6000HF |
| Δ | M71EP-5-7593-YL | Yellow | Gloss | 30.00 | 40.00 | 24 | 50.80 | 100 | Fan-folded | M71-R6000HF |
| | M71EP-7-7593-YL | Yellow | Gloss | 35.00 | 18.00 | - | 21.49 | 100 | Roll Mounted | M71-R6000HF |
| | M71EP-6-7593-YL | Yellow | Gloss | 45.00 | 15.00 | - | 40.37 | 100 | Fan-folded | M71-R6000HF |

Did you know? - technical data sheets

Looking for more information regarding a certain Brady material?

Brady offers online access to Technical Data Sheets for all Brady materials. View a specific B-Number or search by relevant keywords.

Visit www.bradyeurope.com/tds for more information



BMP71 labels and tapes

B-530 security identification labels

• Tamper-resistant tape destructs into tiny fragments when being removed, makes any attempts to remove the label very difficult and time consuming.



↑

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Width B (m) | Labels per Cartridge/Roll | Recommended Ribbon |
|-----------|---------------------|--------|------------------------|-----------------------|------------------------------|-----------------------|
| B-530: Ta | mper-resistant Viny | | | | | |
| ۲ | M71C-500-530 | White | 12.70 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-1000-530 | White | 25.40 | 15.24 | 1 | M71-R6000HF |
| ۲ | M71C-2000-530 | White | 50.80 | 15.24 | 1 | M71-R6000HF |

BMP71 ribbons





| Order Reference | Colour | Roll Width | Roll Length | Formulation | Notes / Details |
|-----------------|---------|------------|-------------|-------------|--|
| M71-R4400-WT | White | 50.80 | 46.00 | Resin | High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance. |
| M71-R6000HF | Black | 50.80 | 46.00 | Resin | High density ribbon, excellent solvent resistance, high heat resistance, and super scratch resistance. |
| M71-R6200 | Black | 50.80 | 46.00 | Resin | Designed for harsh environment labelling applications. Superior abrasion, chemical and heat resistance. |
| M71-R6400 | Black | 50.80 | 46.00 | Resin | Ultra high chemical resistance at high temperatures. Superior solvent resistance. |
| M71-R6900-BL | Blue | 50.80 | 46.00 | Resin | High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance. |
| M71-R6900-GN | Green | 50.80 | 46.00 | Resin | High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance. |
| M71-R6900-MA | Magenta | 50.80 | 46.00 | Resin | High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance. |
| M71-R6900-RD | Red | 50.80 | 46.00 | Resin | High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance. |
| M71-R6900-YL | Yellow | 50.80 | 46.00 | Resin | High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance. |
| M71-R4300 | Black | 50.80 | 46.00 | Wax/Resin | Strong environmental resistance against smearing and chemicals. Also, reliable, sharp-edge print quality to maximise bar code readability. |

BMP71 at a glance









S3000, S3100, BBP35 and BBP37 printers

- 22 BradyPrinter S3000 Sign & Label Printer
- 23 BradyPrinter S3100 Sign & Label Printer
- 24-25 BBP35/BBP37 multicolour printers
- 26 Safety sliders consumable kit
- 26 CLP/GHS consumable kit
- 27 Pipe marking consumable kit
- 27 General safety consumable kit
- 28 B-595 high performance indoor/outdoor vinyl
- 29-30 B-569 high performance polyester
- 30 Premask application tape
- B-595 pre-printed pre-cut blank sign headers
- 31 B-595 pre-printed right-to-know chemical labels
- 31 B-551 non-adhesive pre-printed and pre-cut safety tags
- 32 B-7569 pre-printed GHS/CLP chemical labels
- 33 B-483/B-634 ToughStripe floor marking tape with overlaminate
- 34 B-854 and B-855 ToughWash washdown resistant labels
- 34 B-584 retro reflective tape
- 35 Continuous tapes for general identification
- 35 B-526 BradyGlo high-intensity photoluminescent tape
- 35 B-565 high temp metallised polyester tape
- 35 B-595 and B-7569 pre-cut blank labels
- 36 B-551 non-adhesive tag stock
- 36 Coloured nylon ties
- 36 B-509 printable magnetic supply
- 36 B-549 cold temperature application material
- 37 B-7569 indoor/outdoor vinyl
- 38 B-581 repositionable vinyl
- 38 B-593 raised profile labels push button style
- 39 B-593 raised profile labels
- 40 Print ribbons
- 41 S3000/S3100 at a glance
- 42 BBP35/BBP37 at a glance



S3000 printers

| Order Reference | Art. No. | Description |
|-----------------|----------|--|
| S3000 | 149511 | BradyPrinter S3000 Sign and Label Printer - US |
| S3000-EU | 149512 | BradyPrinter S3000 Sign and Label Printer - EU |
| S3000-UK | 149513 | BradyPrinter S3000 Sign and Label Printer - UK |
| S3000-SFIDS | 241113 | BradyPrinter S3000 Sign and Label Printer - US |
| | | with Brady Workstation SFID Suite |
| S3000-EU-SFIDS | 241114 | BradyPrinter S3000 Sign and Label Printer - EU |
| | | with Brady Workstation SFID Suite |
| S3000-UK-SFIDS | 241115 | BradyPrinter S3000 Sign and Label Printer - UK |
| | | with Brady Workstation SFID Suite |
| | | |

An S3000 Printer, a Product CD, a Power Cord, a Brady Workstation Suite, a USB cable, a Cleaning Kit, a Cutter Cleaning Tool and a Quick Start Guide



The Basic Suite is included with every printer, download it: Workstation.BradyID.com/Free

Create custom signs, labels and pipemarkers with WorkStation.BradyID.com/SFID

Notation.DradyiD.com/oriD

S3000 accessories

| Order Reference | Art. No. | Description |
|------------------------|----------|--|
| Squeegee | 036612 | Squeegee |
| B30-TROLLEY | 120994 | Trolley for BBP3x/S3xxx/i3300 |
| PCK-6 | 133251 | Printer Cleaning Kit - Thermal Transfer Printers |
| B30-WIPER | 142114 | Media Wiper 5 Pack for BBP30/S3000/ |
| | | BBP31/S3100/BBP33/i3300 Printers |
| B30-CCT | 142116 | Cutter Cleaning Tool for BBP30, BBP31, |
| | | BBP33, S3000, S3100 & i3300 printer |
| Supplies Carrying Case | 999834 | Supplies Carrying Case |
| Supplies Carrying Case | 999834 | |



BradyPrinter S3000 SIGN & LABEL PRINTER

With the BradyPrinter S3000, you can print a wide range of signs and labels to increase safety and efficiency in any workplace. Safety signs, floor marking, 5S labels, lean labels, labels to identify racks, doors, stairs, bins, desks and chairs and CLP-labels to identify chemicals can all be printed in monocolour at your location whenever you need them.

The BradyPrinter S3000 prints on Brady's industrial grade vinyls that offer 8-10 year outdoor durability, and on polyesters including ToughStripe floormarking. Signs & labels printed with the BradyPrinter S3000 can be used both in- and outdoor, which is extremely useful for safety & facility identification in large plants, in and around production halls, warehouses and logistics & distribution centres. Brady's sign & label materials are designed to last in industrial environments and have been tested in line with international ASTM test methods. Technical data sheets are available for every sign & label material.

The BradyPrinter S3000 is extremely easy to use and features autocalibration and automatic label material setup. This will enable you to just walk up to the printer and start printing the signs and labels you need. Switching to another label material is easy and extremely fast thanks to the printer's 'drop-in' label materials and matching ink ribbons that can be switched out in less than 20 seconds. When used with Brady Workstation apps, a wide variety of sign & label design options becomes available.



Get a hands-on experience and discover how easy sign & label printing can be. **Get a demo at** www.bradyeurope.com/S3000

| Printer specifications | |
|--|---|
| Language Support | Bulgarian, Chinese (Simplified), Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Turkish, Croatian |
| Software Compatibility | Brady Workstation, Windows based driver for 3rd party software use |
| Bar Code Type | Through Brady Workstation |
| Recommended Usage per Day | 600 x 50.80mm by 101.60mm labels per day, 300 larger labels per day. 8 hours / 5 days |
| Colour Capability | Monocolour |
| Stand-alone Printing (Detached from PC) | Peripheral |
| Connectivity Options | USB |
| Print Speed (mm/sec) | 101.6 |
| Print Technology | Thermal Transfer |
| Print Resolution (dpi) | 300 |
| Smart Cell | Yes |
| Max. Label Width (mm) | 107.95 |
| Max. Print Width (mm) | 101.60 |
| Materials Supported | Magnetic Polyester; Metal Detectable Polyester; Metallic, Non-metal Polyester; Metallised Polyester; Paper; Phos- phorescent Polyester; Polyester; Polyester Tag; Polyester with Polyester Overlaminate; Polyimide; Polyvinylfluoride; Reflective Tape; Tamper-evident Metallised Polyester; Vinyl |
| Display | Colour Touchscreen |
| Cutter | Auto Cutter |
| Power Supply | AC Adaptor |
| Width x Height x Depth (mm) | 230.60 x 241.60 x 304.80 |
| Weight (kg) | 5.30 |

BradyPrinter S3100 Sign & Label Printer

BradyPrinter \$3100 SIGN & LABEL PRINTER

With the S3100 Sign & Label Printer, you can print a wide range of signs and labels to increase safety and efficiency in any workplace. Safety signs, floor marking, 5S labels, lean labels, labels to identify racks, doors, stairs, bins, desks and chairs and CLP-labels to identify chemicals can all be printed with the S3100 at your location whenever you need them.

- Intuitive built-in features offer ease of use so anyone can walk up and print labels
- Ideal for centralised locations and lean/5S events
- Compatible with powerful Brady Workstation label apps for added versatility
- "Drop in ribbons and labels mean no complicated threading, assembling spindles, sensor adjustment or calibration steps
- You can get on with the job faster, giving you more time for other tasks



Consult the video of the S3100 Sign & Label Printer on www.bradyeurope.com/S3100





S3100 printers

| Article No. | Order Reference | Description |
|-------------|-----------------|--|
| 149118 | S3100-QZ-W | S3100 Sign and Label Printer with Wifi - QWERTZ |
| 149119 | S3100-QY-UK-W | S3100 Sign and Label Printer with Wifi - QWERTY UK |
| 149121 | S3100-W | S3100 Sign and Label Printer with Wifi - QWERTY US |
| 149122 | S3100-AZ-W | S3100 Sign and Label Printer with Wifi - AZERTY |
| 149123 | S3100-CYR-W | S3100 Sign and Label Printer with Wifi - CYRILLIC |
| 149127 | S3100-QY-EU-W | S3100 Sign and Label Printer with Wifi - QWERTY EU |
| 149120 | S3100 | S3100 Sign and Label Printer - QWERTY US |
| 149126 | S3100-QY-EU | S3100 Sign and Label Printer - QWERTY EU |
| 149517 | S3100-AZ | S3100 Sign and Label Printer - AZERTY |
| 149519 | S3100-QZ | S3100 Sign and Label Printer - QWERTZ |
| | | |

S3100 accessories

| Article No. | Order Reference | Description |
|-------------|------------------------|--|
| 142116 | B30-CCT | Cutter Cleaning Tool for BBP30, BBP31, BBP33, S3000, S3100 & i3300 printer |
| 120994 | B30-TROLLEY | Trolley for BBP3x/S3xxx/i3300 |
| 142114 | B30-WIPER | Media Wiper 5 Pack for BBP30/S3000/BBP31/ S3100/BBP33/i3300 Printers |
| 142117 | B31-DC | BBP31 Dust Cover |
| 133251 | PCK-6 | Printer Cleaning Kit - Thermal Transfer Printers |
| 036612 | Squeegee | Squeegee |
| 999834 | Supplies Carrying Case | Supplies Carrying Case |

S3100 kits

Article No Order Reference Description S3100 Sign and Label Printer with Wifi -198575 S3100-QY-UK-W-SFID **QWERTY UK with BWS SFIDS** 198576 S3100-QY-UK-SFIDS S3100 Sign and Label Printer - QWERTY UK with **BWS SFIDS** S3100 Sign and Label Printer with Wifi -198577 S3100-QY-EU-W-SFID QWERTY EU with BWS SFIDS 198578 S3100-QY-EU-SFIDS S3100 Sign and Label Printer - QWERTY EU with **BWS SFIDS** 198579 S3100-AZ-W-SFIDS S3100 Sign and Label Printer with Wifi - AZERTY with BWS SFIDS S3100-AZ-SFIDS S3100 Sign and Label Printer - AZERTY with 198580 BWS SFIDS 198581 S3100-CYR-W-SFIDS S3100 Sign and Label Printer with Wifi -CYRILLIC with BWS SFIDS 198582 S3100-QZ-W-SFIDS S3100 Sign and Label Printer with Wifi -QWERTZ with BWS SFIDS S3100-QZ-SFIDS 198583 S3100 Sign and Label Printer - QWERTZ with **BWS SFIDS** S3100-W-SFIDS 198584 S3100 Sign and Label Printer with Wifi -QWERTY US with BWS SFIDS 198585 S3100-SFIDS S3100 Sign and Label Printer - QWERTY US with **BWS SFIDS**





Create custom signs, labels and pipemarkers with WorkStation.BradyID.com/SFID



BBP35/BBP37 multicolour printers



BBP35 printer

| Order Reference | Art. No. | Description |
|-------------------|----------|--|
| BBP35-QWERTY-US | 143633 | BBP35 Multicolour Sign and Label Printer QWERTY - US |
| BBP35-QWERTY-EU | 143634 | BBP35 Multicolour Sign and Label Printer QWERTY - EU |
| BBP35-AZERTY | 143635 | BBP35 Multicolour Sign and Label Printer AZERTY |
| BBP35-QWERTZ | 143636 | BBP35 Multicolour Sign and Label Printer QWERTZ |
| BBP35-CYRILLIC | 143637 | BBP35 Multicolour Sign and Label Printer CYRILLIC |
| BBP35-QWERTY-UK | 145996 | BBP35 Multicolour Sign and Label Printer QWERTY - UK |
| BBP35-AZ-SFIDS | 198554 | BBP35 Multicolour Sign & Label Printer - AZERTY with BWS SFIDS |
| BBP35-CYR-SFIDS | 198555 | BBP35 Multicolour Sign & Label Printer - CYRILLIC with BWS SFIDS |
| BBP35-QY-EU-SFIDS | 198556 | BBP35 Multicolour Sign & Label Printer - QWERTY EU with BWS SFIDS |
| BBP35-QY-UK-SFIDS | 198557 | BBP35 Multicolour Sign & Label Printer - QWERTY UK with BWS SFIDS |
| BBP35-QY-US-SFIDS | 198558 | BBP35 Multicolour Sign & Label Printer - QWERTY US with BWS SFIDS |
| BBP35-QZ-SFIDS | 198559 | BBP35 Multicolour Sign & Label Printer - QWERTZ with BWS SFIDS |

BBP35 Multicolour Signs & Label Printer ships with: BBP35 Printer, power cord, Brady Workstation Basic Suite, USB Cable, Cleaning Kit, Cutter Cleaning Tool, Quick Start Guide.

BBP37 printer

| Order Reference | Art. No. | Description |
|-------------------|----------|--|
| BBP37-QWERTY-US | 143638 | BBP37 Multicolour and Cut Sign and Label Printer QWERTY - US |
| BBP37-QWERTY-EU | 143639 | BBP37 Multicolour and Cut Sign and Label Printer QWERTY - EU |
| BBP37-AZERTY | 143640 | BBP37 Multicolour and Cut Sign and Label Printer AZERTY |
| BBP37-QWERTZ | 143641 | BBP37 Multicolour and Cut Sign and Label Printer QWERTZ |
| BBP37-CYRILLIC | 143642 | BBP37 Multicolour and Cut Sign and Label Printer CYRILLIC |
| BBP37-QWERTY-UK | 145995 | BBP37 Multicolour and Cut Sign and Label Printer QWERTY - UK |
| BBP37-AZ-SFIDS | 198560 | BBP37 Multicolour & Cut Sign & Label Printer - AZERTY with BWS SFIDS |
| BBP37-CYR-SFIDS | 198561 | BBP37 Multicolour & Cut Sign & Label Printer - CYRILLIC with BWS SFIDS |
| BBP37-QY-EU-SFIDS | 198562 | BBP37 Multicolour & Cut Sign & Label Printer - QWERTY EU with BWS SFIDS |
| BBP37-QY-UK-SFIDS | 198563 | BBP37 Multicolour & Cut Sign & Label Printer - QWERTY UK with BWS SFIDS |
| BBP37-QY-US-SFIDS | 198564 | BBP37 Multicolour & Cut Sign & Label Printer - QWERTY US with BWS SFIDS |
| BBP37-QZ-SFIDS | 198565 | BBP37 Multicolour & Cut Sign & Label Printer - QWERTZ with BWS SFIDS |
| | | |

BBP37 Multicolour & Cut Signs & Label Printer ships with: BBP37 Printer, power cord, Brady Workstation Basic Suite, USB Cable, Cleaning Kit, Cutter Cleaning Tool, Quick Start Guide.







Create custom signs, labels and pipemarkers with WorkStation.BradyID.com/SFID

BBP 35 MULTICOLOUR SIGN & LABEL PRINTER **BBP** 37 MULTICOLOUR & CUT SIGN & LABEL PRINTER

Brady's sign and label printers give you the power to make signs and labels in the colours and shapes you need to make an impact – right at your own facility and right when you need them. With remarkable multicolour printing, versatile shape-cutting capabilities and impressively fast print speeds, you won't remember how you lived without one of these printers.

Multiple print colours

- Print signs and labels that are more noticeable, more memorable and more effective
- Colour is the differentiator when you need to effectively improve workplace safety and productivity

Shape cutting

- Revolutionary built-in XY plotter-cutter system in the BBP37 printer (cuts - only selected 4" materials)
- Cut shapes around your messages text and create labels designed to fit your exact specifications

Label making made easy

- Intuitive built-in features offer ease of use so anyone can walk up and print labels
- Ideal for multiple users, centralised locations and lean/5S events
- Compatible with powerful Brady Workstation Label Apps and Facility Identification Software for added versatility

li

Printer comparison guide can be found on pages 6 & 7

Automatic label setup

- Printers read critical information from the supply cartridge and then automatically set it up so you can start printing immediately
- No more calibration or wasted labels, no print speed/burn temperature trial labels, no scrolling through screens to select a label and no wasted time setting up label dimensions or text size

20-second material changeovers

- "Drop in" ribbons and labels mean no complicated threading, assembling spindles, sensor adjustment or calibration steps
- · You can get on with the job faster, giving you more time for other tasks
- Fast processing time and print speed means you don't have to wait around for your labels



BBP35/BBP37 multicolour printers





| Printer specifications | | |
|--|--|--|
| Description | BBP35 Multicolour Sign & Label Printer | BBP37 Multicolour & Cut Sign & Label Printer |
| Language Support | Bulgarian, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Turkish | Bulgarian, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Turkish |
| Software Compatibility | Brady Workstation | Brady Workstation |
| Bar Code Type | Code 39, Code 128 Auto, Interleaved 2 of 5; QR Code; PDF417; More Through Brady WorkStation | Code 39, Code 128 Auto, Interleaved 2 of 5; QR Code; PDF417; More Through Brady WorkStation |
| Recommended Usage per Day | Around 1,500 labels/day, depending on specific label size, text printed and other factors. | Around 1,500 labels/day, depending on specific label size, text printed and other factors. |
| Built-in Symbols | 664 | 664 |
| Colour Capability | Multicolour; Monocolour | Multicolour; Monocolour |
| Stand-alone Printing (Detached from PC) | Stand-alone & Peripheral | Stand-alone & Peripheral |
| Connectivity Options | USB, Bluetooth. Optional: Ethernet, WiFi | USB, Bluetooth. Optional: Ethernet, WiFi |
| Internal Memory Capacity | 512 MB | 512 MB |
| Print Speed (mm/sec) | 127 | 127 |
| Print Technology | Thermal Transfer | Thermal Transfer |
| Print Resolution (dpi) | 300 | 300 |
| Text Sizes (pt) | 1.27 - 88.90 mm | 1.27 - 88.90 mm |
| Max. Label Width (mm) | 101 | 101 |
| Max. Print Width (mm) | 101 | 101 |
| Materials Supported | Magnetic Polyester; Metal Detectable Polyester; Metallic, Non-metal Polyester; Metallised Polyester; Paper; Phosphorescent Polyester; Polyester; Polyester Tag; Polyimide; Polyvinylfluoride; Reflective Tape; Tamper-evident Metallised Polyester; Toughstripe floor tape; Vinyl | Magnetic Polyester; Metal Detectable Polyester; Metallic, Non-metal Polyester; Metallised Polyester; Paper; Phosphorescent Polyester; Polyester; Polyester Tag; Polyimide; Polyvinylfluoride; Reflective Tape; Tamper-evident Metallised Polyester; Toughstripe floor tape; Vinyl |
| Keyboard Type | QWERTY, QWERTZ, AZERTY, CYRILLIC | QWERTY, QWERTZ, AZERTY, CYRILLIC |
| Display | Colour Touchscreen | Colour Touchscreen |
| Cutter | Auto Cutter | XY Cutter & Auto Cutter |
| Power Supply | AC Adaptor | AC Adaptor |
| Width x Height x Length (mm) | 480 x 360 x 280 | 480 x 360 x 280 |
| Weight (kg) | 16.50 | 16.50 |

S3000, S3100, BBP35 and BBP37 accessories

| Printer Compatibility | Order Reference | Art. No. | Description | П | |
|----------------------------|------------------------|----------|---|--|----------|
| S3100 | STYLUS PENS | 142115 | Replacement Stylus 3 Pack | | |
| S3100 | B31-DC | 142117 | S3100 Dust Cover | and the second second | - |
| S3000; S3100 | B30-TROLLEY | 120994 | Trolley for BBP3x/S3xxx/i3300 | | _ |
| S3000; S3100 | B30-CCT | 142116 | Cutter Cleaning Tool for BBP30, BBP31, BBP33, S3000, S3100 & i3300 printer | Trolley | Cutter o |
| S3100; BBP35; BBP37 | NET-BT | 142265 | Bluetooth Network Card | And in case of the local division of the loc | - 1 |
| S3100; BBP35; BBP37 | NET-WIFI | 142266 | WiFi Network Card | III III III | |
| S3100; BBP35; BBP37 | NET-LAN | 142267 | LAN Network Card | 1 | |
| S3100; BBP35; BBP37 | NET-WIFI-LAN | 142268 | WiFi/ LAN Network Card | Dust cover | S |
| S3000; S3100; BBP35; BBP37 | PCK-6 | 133251 | Printer Cleaning Kit - Thermal Transfer Printers | all when the | |
| S3000; S3100; BBP35; BBP37 | B30-WIPER | 142114 | Media Wiper 5 Pack | Car zint | |
| S3000; S3100; BBP35; BBP37 | Supplies Carrying Case | 999834 | Supplies Carrying Case | Sec. 1 | |
| S3000; S3100; BBP35; BBP37 | Squeegee | 036612 | Squeegee | Network card | Squ |
| | | | | | |



Multicolour safety signs



Pipe markers



Machine safety labels







Safety tags



Floor marking

www.bradyeurope.com



Safety sliders consumable kit

Print these blank rigid boards for use in Brady's flexible Safety Slider facility communication system. Two versions exist for this kit, one for the BBP30, BBP31, S3000, S3100, BBP35, BBP37 printers and one for the BBP85 printer.



Order Reference B30-RIGID SIGN-KIT

Description Rigid signs panel kit for BBP3x Printers

This kit includes one each of the following parts:

| Order Reference | Description | Colour | Size - Width A (mm) | Size - Height B (mm) | Size - Length B (m) | Labels per Roll |
|---------------------------------------|-------------|--------|---------------------|----------------------|---------------------|-----------------|
| B30-R10000 | Ribbon(s) | Black | 110.00 | - | 60.90 | 1 |
| B30-R10000-BL | Ribbon(s) | Blue | 110.00 | - | 60.90 | 1 |
| B30-R10000-GN | Ribbon(s) | Green | 110.00 | - | 60.90 | 1 |
| B30-R10000-RD | Ribbon(s) | Red | 110.00 | - | 60.90 | 1 |
| B30-R10000-YL | Ribbon(s) | Yellow | 110.00 | - | 60.90 | 1 |
| B30C-4000-7569-WT | Roll(s) | White | 101.00 | - | 30.00 | 1 |
| SLIDER BOARD-PVC-296x650mm-BLANK-4xA5 | Sign(s) | White | 296.00 | 650.00 | - | 1 |
| SLIDER INSERT-PP-148x210mm-BLANK | Sign(s) | White | 148.00 | 210.00 | - | 1 |
| SLIDER TITLE-PP-296x150mm-BLANK | Sign(s) | White | 296.00 | 150.00 | - | 1 |

Compatible with BBP37, BBP35, BBP30, S3000, BBP31 & S3100 printers.



CLP/GHS consumable kit

Label chemicals in compliance with the chemicals classification & labelling legislation.



Order Reference B30-CLP-KIT

Description Pre-printed GHS/CLP Chemical Labels kit for BBP3x Printers

This kit includes one each of the following parts:

| Order Reference | Description | Size - Width A (mm) | Size - Height B (mm) | Size - Length B (m) | Labels per Roll |
|--------------------|-------------|---------------------|----------------------|---------------------|-----------------|
| B30-R10000 | Ribbon(s) | 110.00 | - | 60.90 | 1 |
| B30-260-7569-CLP4B | Label(s) | 55.00 | 85.00 | - | 340 |
| B30-261-7569-CLP4B | Label(s) | 75.00 | 110.00 | - | 270 |
| B30-262-7569-CLP4B | Label(s) | 105.00 | 155.00 | - | 200 |

Compatible with BBP37, BBP35, BBP30, S3000, BBP31 & S3100 printers.

Pipe marking consumable kit

Print these durable tapes on-site and in line with legislation and specific industry standards.



Order Reference Descriptior Pipe marking kit for BBP3x Printers B30-PM-KIT

This kit includes one each of the following parts:

| Order Reference | Description | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll |
|------------------|-------------|--------|---------------------|---------------------|-----------------|
| B30-R10000 | Ribbon(s) | Black | 110.00 | 60.90 | 1 |
| B30-R10000-WT | Ribbon(s) | White | 110.00 | 60.90 | 1 |
| B30C-4000-595-BL | Roll(s) | Blue | 101.00 | 30.40 | 1 |
| B30C-4000-595-BR | Roll(s) | Brown | 101.00 | 30.40 | 1 |
| B30C-4000-595-GN | Roll(s) | Green | 101.00 | 30.40 | 1 |
| B30C-4000-595-PL | Roll(s) | Purple | 101.00 | 30.40 | 1 |
| B30C-4000-595-RD | Roll(s) | Red | 101.00 | 30.40 | 1 |
| B30C-4000-595-YL | Roll(s) | Yellow | 101.00 | 30.40 | 1 |

Compatible with BBP37, BBP35, BBP30, S3000, BBP31 & S3100 printers.

General safety consumable kit

Use these blank labels to quickly create compliant mandatory, prohibition, warning and emergency signage for your facility.





Order Ref. B30-SAFETY-KIT

General safety kit for BBP3x Pinters

This kit includes one each of the following parts:

| Order Reference | Description | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll |
|------------------|-------------|--------|---------------------|---------------------|-----------------|
| B30-R10000 | Ribbon(s) | Black | 110.00 | 60.90 | 1 |
| B30-R10000-BL | Ribbon(s) | Blue | 110.00 | 60.90 | 1 |
| B30-R10000-GN | Ribbon(s) | Green | 110.00 | 60.90 | 1 |
| B30-R10000-RD | Ribbon(s) | Red | 110.00 | 60.90 | 1 |
| B30-R10000-YL | Ribbon(s) | Yellow | 110.00 | 60.90 | 1 |
| B30C-4000-595-WT | Roll(s) | White | 101.00 | 30.40 | 1 |
| B30C-4000-595-YL | Roll(s) | Yellow | 101.00 | 30.40 | 1 |

Compatible with BBP37, BBP35, BBP30, S3000, BBP31 & S3100 printers.





For general facility and safety identification: our best industrial vinyl yet

- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to "difficult" low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics)



| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon |
|-------------|------------------|----------------|---------------------|---------------------|-----------------|--------------------|
| õ | B30C-500-595-YL | Yellow | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-YL | Yellow | 29.00 | 30.40 | 1 | B30-R10000 |
| 00 | B30C-2250-595-YL | Yellow | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-3000-595-YL | Yellow | 75.00 | 30.40 | 1 | B30-R10000 |
| 00 | B30C-4000-595-YL | Yellow | 101.00 | 30.40 | 1 | B30-R10000 |
| 00 | B30C-500-595-WT | White | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-WT | White | 29.00 | 30.40 | 1 | B30-R10000 |
| 8 | B30C-2250-595-WT | White | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-3000-595-WT | White | 75.00 | 30.40 | 1 | B30-R10000 |
| 8 | B30C-4000-595-WT | White | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-595-RD | Red | 12.70 | 30.40 | 1 | B30-R10000-WT |
| 8 | B30C-1125-595-RD | Red | 29.00 | 30.40 | 1 | B30-R10000-WT |
| | | | | | | |
| ∞ | B30C-2250-595-RD | Red | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-RD | Red | 101.00 | 30.40 | 1 | B30-R10000-WT |
| 00 | B30C-500-595-PL | Purple | 12.70 | 30.40 | 1 | B30-R10000-WT |
| 8 | B30C-1125-595-PL | Purple | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-595-PL | Purple | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-PL | Purple | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-595-0R | Orange | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-0R | Orange | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-595-0R | Orange | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-595-0R | Orange | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-0C | Ochre | 29.00 | 30.40 | 1 | B30-R60000C |
| ∞ | B30C-2250-595-0C | Ochre | 57.00 | 30.40 | 1 | B30-R60000C |
| ∞ | B30C-4000-595-0C | Ochre | 101.00 | 30.40 | 1 | B30-R60000C |
| ∞ | B30C-500-595-GY | Grey | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-GY | Grey | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-595-GY | Grey | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-595-GY | Grey | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-595-GN | Green | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-595-GN | Green | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-595-GN | Green | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-GN | Green | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-595-GD | Gold | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-GD | Gold | 29.00 | 30.40 | 1 | B30-R10000 |
| 0 | B30C-2250-595-GD | Gold | 57.00 | 30.40 | 1 | B30-R10000 |
| 0 | B30C-4000-595-GD | Gold | 101.00 | 30.40 | 1 | B30-R10000 |
| 0 | B30C-500-595-CL | Clear | 12.70 | 30.40 | 1 | B30-R10000 |
| 0 | B30C-1125-595-CL | Clear | 29.00 | 30.40 | 1 | B30-R10000 |
| x x | B30C-2250-595-CL | Clear | 57.00 | 30.40 | 1 | B30-R10000 |
| \tilde{x} | B30C-4000-595-CL | Clear | 101.00 | 30.40 | 1 | B30-R10000 |
| \sim | B30C-500-595-BR | Brown | 12.70 | 30.40 | 1 | B30-R10000-WT |
| \tilde{x} | B30C-1125-595-BR | Brown | 29.00 | 30.40 | 1 | B30-R10000-WT |
| | B30C-2250-595-BR | | 57.00 | 30.40 | 1 | B30-R10000-WT |
| 20 20 | B30C-4000-595-BR | Brown Brown | 101.00 | 30.40 | 1 | B30-R10000-WT |
| | | | | | 1 | |
| ∞ | B30C-500-595-BL | Blue | 12.70 | 30.40 | | B30-R10000-WT |
| ∞ | B30C-1125-595-BL | Blue | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-595-BL | Blue | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-BL | Blue | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-595-BK | Black | 12.70 | 30.40 | 1 | B30-R10000-WT |
| 8 | B30C-1125-595-BK | Black | 29.00 | 30.40 | 1 | B30-R10000-WT |
| 8 | B30C-2250-595-BK | Black | 57.00 | 30.40 | 1 | B30-R10000-WT |
| 8 | B30C-4000-595-BK | Black | 101.00 | 30.40 | 1 | B30-R10000-WT |

B-569 high performance polyester

For labelling stainless steel and smooth surfaces

- Recommended for low-halide content for labelling stainless steel pipes and surfaces
- Applies best to very smooth surfaces and ideal for mounting to rigid panels





| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon |
|----------|------------------|------------|---------------------|---------------------|-----------------|--------------------|
| ∞ | B30C-500-569-YL | Yellow | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-YL | Yellow | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-YL | Yellow | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-YL | Yellow | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-569-WT | White | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-WT | White | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-WT | White | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-3000-569-WT | White | 75.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-WT | White | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-569-TN | Tan | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-TN | Tan | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-TN | Tan | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-TN | Tan | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-569-SB | Sky Blue | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-SB | Sky Blue | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-SB | Sky Blue | 57.00 | 30.40 | 1 | B30-R10000 |
| 8 | B30C-4000-569-SB | Sky Blue | 101.00 | 30.40 | 1 | B30-R10000 |
| 00 | B30C-500-569-RD | Red | 12.70 | 30.40 | 1 | B30-R10000-WT |
| 00 | B30C-1125-569-RD | Red | 29.00 | 30.40 | 1 | B30-R10000-WT |
| 00 | B30C-2250-569-RD | Red | 57.00 | 30.40 | 1 | B30-R10000-WT |
| 00 | B30C-4000-569-RD | Red | 101.00 | 30.40 | 1 | B30-R10000-WT |
| 00 | B30C-500-569-PL | Purple | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-569-PL | Purple | 29.00 | 30.40 | 1 | B30-R10000-WT |
| 8 | B30C-2250-569-PL | Purple | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-569-PL | Purple | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-569-PK | Pink | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-PK | Pink | 29.00 | 30.40 | 1 | B30-R10000 |
| 8 | B30C-2250-569-PK | Pink | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-PK | Pink | 101.00 | 30.40 | 1 | B30-R10000 |
| | | | | | 1 | |
| ∞ | B30C-500-569-0R | Orange | 12.70 | 30.40 | | B30-R10000 |
| ∞ | B30C-1125-569-0R | Orange | 29.00 | 30.40 | 1 | B30-R10000 |
| 8 | B30C-2250-569-0R | Orange | 57.00 | 30.40 | 1 | B30-R10000 |
| 00 | B30C-4000-569-0R | Orange | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-569-0C | Ochre | 12.70 | 30.40 | 1 | B30-R10000 |
| 8 | B30C-1125-569-0C | Ochre | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-0C | Ochre | 57.00 | 30.40 | 1 | B30-R10000 |
| 8 | B30C-4000-569-0C | Ochre | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-569-LB | Light Blue | 12.70 | 30.40 | 1 | B30-R10000 |
| 8 | B30C-1125-569-LB | Light Blue | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-LB | Light Blue | | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-LB | Light Blue | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-569-GY | Grey | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-GY | Grey | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-GY | Grey | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-GY | Grey | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-569-GN | Green | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-569-GN | Green | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-569-GN | Green | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-569-GN | Green | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-569-CL | Clear | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-CL | Clear | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-CL | Clear | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-CL | Clear | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-569-BR | Brown | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-569-BR | Brown | 29.00 | 30.40 | 1 | B30-R10000-WT |
| 8 | B30C-2250-569-BR | Brown | 57.00 | 30.40 | 1 | B30-R10000-WT |
| | | | | 30.40 | 1 | |



B-569 high performance polyester (continued)

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon | |
|----------|------------------|--------|---------------------|---------------------|-----------------|--------------------|----------|
| ∞ | B30C-500-569-BL | Blue | 12.70 | 30.40 | 1 | B30-R10000-WT | |
| ∞ | B30C-1125-569-BL | Blue | 29.00 | 30.40 | 1 | B30-R10000-WT | |
| ∞ | B30C-2250-569-BL | Blue | 57.00 | 30.40 | 1 | B30-R10000-WT | B |
| ∞ | B30C-4000-569-BL | Blue | 101.00 | 30.40 | 1 | B30-R10000-WT | Ī I I II |
| ∞ | B30C-500-569-BK | Black | 12.70 | 30.40 | 1 | B30-R10000-WT | |
| ∞ | B30C-1125-569-BK | Black | 29.00 | 30.40 | 1 | B30-R10000-WT | |
| ∞ | B30C-2250-569-BK | Black | 57.00 | 30.40 | 1 | B30-R10000-WT | |
| ∞ | B30C-4000-569-BK | Black | 101.00 | 30.40 | 1 | B30-R10000-WT | |







Premask application tape

• Use Premask Application Tape to easily apply cut out letters and shapes in a straight line.

| | - | Size - Width | Size - Length |
|-------------|--------------------------|--------------|---------------|
| Article No. | Description | A (mm) | B (m) |
| 243242 | PREMASK APPLICATION TAPE | 100.00 | 50.00 |



B-595 pre-printed pre-cut blank sign headers

For creating Arc Flash and safety warning labels in seconds

- Allows the printer to create multi-colour signs fast in a single print pass
- Indoor/Outdoor grade material conforms to rough, irregular and "difficult to adhere to" surfaces

Create Arc Flash labels and safety warning labels by using these supplies with the built-in templates of the BBP35/37 printer or with the templates in the Workstation software.



| Diagram | Order Reference | | Size - Width A (mm) | Size - Height B (mm) | Labels per Roll | Recommended Ribbon Series |
|-----------|---------------------|------------------|---------------------|----------------------|-----------------|------------------------------|
| \otimes | B30-25-595-ANSIDA | A DANGER | 101.00 | 152.00 | 175 | B30-R10000 |
| \otimes | B30-241-595-ANSIDA | A DANGER | 57.00 | 75.00 | 300 | B30-R10000 |
| \otimes | B30-25-595-ANSICA | A CAUTION | 101.00 | 152.00 | 175 | B30-R10000 |
| \otimes | B30-241-595-ANSICA | A CAUTION | 57.00 | 75.00 | 300 | B30-R10000 |
| \otimes | B30-25-595-ANSIWA | | 101.00 | 152.00 | 175 | B30-R10000 |
| \otimes | B30-241-595-ANSIWA | | 57.00 | 75.00 | 300 | B30-R10000 |
| \otimes | B30-25-595-ANSIN0 | NOTICE | 101.00 | 152.00 | 175 | B30-R10000 |
| \otimes | B30-241-595-ANSIN0 | NOTICE | 57.00 | 75.00 | 300 | B30-R10000 |
| \otimes | B30-25-595-0SHADA | DANGER | 101.00 | 152.00 | 175 | B30-R10000 |
| \otimes | B30-241-595-0SHADA | DANGER | 57.00 | 75.00 | 300 | B30-R10000 |
| \otimes | B30-25-595-0SHACA* | CAUTION | 101.00 | 152.00 | 175 | B30-R10000 |
| \otimes | B30-241-595-0SHACA* | CAUTION | 57.00 | 75.00 | 300 | B30-R10000 |
| | B30-25-595-BLNKWT | | 101.00 | 152.00 | 175 | B30-R10000 |
| | B30-241-595-BLNKWT | | 57.00 | 75.00 | 300 | B30-R10000 |
| | B30-242-595-BLNKWT | | 29.00 | 72.00 | 300 | B30-R10000 |
| | B30-219-595-BLNKWT | | 57.00 | 98.00 | 250 | B30-R10000 |
| | B30-25-595-BLNKYL | | 101.00 | 152.00 | 175 | B30-R10000 |
| | B30-241-595-BLNKYL | | 57.00 | 75.00 | 300 | B30-R10000 |





*The text area below the header is yellow. Text area below other signs are white B30-R10000 coloured ribbons can also be used on these parts

B-595 pre-printed right-to-know chemical labels

For quickly creating NFPA and Colour Bar labels

Allows the printer to produce 5 colour chemical labels in a single print pass
 Indoor/Outdoor grade material withstands exposure to moisture, chemicals and handling





| Diagram | Order Reference | | Size - Width A (mm) | Size - Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|------------------|----------|---------------------|----------------------|--------------------|-----------------------|
| | B30-263-595-NFPA | • | 101.00 | 159.00 | 170 | B30-R10000 |
| | B30-161-595-NFPA | | 101.00 | 101.00 | 240 | B30-R10000 |
| | B30-263-595-CB | | 101.00 | 159.00 | 170 | B30-R10000 |
| | B30-244-595-CB | | 57.00 | 57.00 | 365 | B30-R10000 |
| | B30-244-595-NFPA | ♦ | 57.00 | 57.00 | 365 | B30-R10000 |
| | B30-244-595-DIAM | | 57.00 | 57.00 | 365 | B30-R10000 |
| | B30-245-595-CB | | 57.00 | 108.00 | 240 | B30-R10000 |
| | B30-245-595-NFPA | • | 57.00 | 108.00 | 240 | B30-R10000 |
| | B30-244-595-HMIG | | 57.00 | 57.00 | 365 | B30-R10000 |
| | B30-246-595-HMIG | | 29.00 | 82.50 | 300 | B30-R10000 |
| | B30-246-595-NFR | | 29.00 | 82.50 | 300 | B30-R10000 |

| 4 | | |
|---|--|--|
| _ | | |
| 3 | | |
| 1 | | |
| | | |

B-551 non-adhesive pre-printed and pre-cut safety tags

Pre-printed and pre-cut to save you time

- Non-adhesive semi-rigid polyester card stock
- Tags are pre-cut with hole and chamfered corners
- Perforated between tags
- Snap-in plastic grommets available for extra strength around mounting hole. Order reference: 020596





| Diagram | Order Reference | 1 | Size - Width A (mm) | Size - Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|----------|------------------------|-------------------------|--------------------|-----------------------|
| × | B30-255-551-ANSIDA | A DANGER | 82.55 | 146.05 | 100 | B30-R10000 |
| × | B30-255-551-0SHADA | | 82.55 | 146.05 | 100 | B30-R10000 |
| × | B30-255-551-ANSICA | ACAUTION | 82.55 | 146.05 | 100 | B30-R10000 |





B-7569 pre-printed GHS/CLP chemical labels

Print 2 colour GHS labels in one fast print pass

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour GHS/CLP labels in one print pass
- 4 sizes of labels that match templates in the Brady Workstation CLP (GHS) app. Find out more at <u>workstation.bradyid.com</u>!
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling



| Diagram | Order Reference | 1 | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|------------------------------|--------------|---------------|-----------------|--------------------|
| | B30-260-7569-CLP1 | \diamond | 55.00 | 85.00 | 340 | B30-R10000 |
| | B30-260-7569-CLP2 | \Diamond | 55.00 | 85.00 | 340 | B30-R10000 |
| | B30-260-7569-CLP3A | \diamond | 55.00 | 85.00 | 340 | B30-R10000 |
| | B30-260-7569-CLP3B | $\diamond \diamond \diamond$ | 55.00 | 85.00 | 340 | B30-R10000 |
| | B30-260-7569-CLP4A | $\Diamond \diamond \diamond$ | 55.00 | 85.00 | 340 | B30-R10000 |
| | B30-260-7569-CLP4B | \bigotimes | 55.00 | 85.00 | 340 | B30-R10000 |
| | B30-261-7569-CLP1 | \diamond | 75.00 | 110.00 | 270 | B30-R10000 |
| | B30-261-7569-CLP2 | \Diamond | 75.00 | 110.00 | 270 | B30-R10000 |
| | B30-261-7569-CLP3A | \diamond | 75.00 | 110.00 | 270 | B30-R10000 |
| | B30-261-7569-CLP3B | $\diamond \diamond \diamond$ | 75.00 | 110.00 | 270 | B30-R10000 |
| | B30-261-7569-CLP4A | $\Diamond \diamond \diamond$ | 75.00 | 110.00 | 270 | B30-R10000 |
| | B30-261-7569-CLP4B | \bigotimes | 75.00 | 110.00 | 270 | B30-R10000 |
| | B30-262-7569-CLP1 | \diamond | 105.00 | 155.00 | 200 | B30-R10000 |
| | B30-262-7569-CLP2 | \Diamond | 105.00 | 155.00 | 200 | B30-R10000 |
| | B30-262-7569-CLP3A | \diamond | 105.00 | 155.00 | 200 | B30-R10000 |
| | B30-262-7569-CLP3B | $\diamond \diamond \diamond$ | 105.00 | 155.00 | 200 | B30-R10000 |
| | B30-262-7569-CLP4A | $\diamond \diamond \diamond$ | 105.00 | 155.00 | 200 | B30-R10000 |
| | B30-262-7569-CLP4B | \bigotimes | 105.00 | 155.00 | 200 | B30-R10000 |
| | B30-18-7569-CLP4C | | 76.20 | 25.40 | 1000 | B30-R10000 |



Brady Workstation CLP (GHS) labels app

Easily design and print GHS/CLP labels using the predefined chemical descriptions, symbols and signal words in the Brady Workstation GHS/CLP label app.

The Brady Workstation GHS/CLP label app enables users to select chemicals by name or CAS-number. The app then automatically populates all required fields to create a compliant GHS/CLP label.



Discover Brady Workstation www.bradyeurope.com/workstation

B-483/B-634 ToughStripe floor marking tape with overlaminate

Ideal for marking aisles, passageways and storage locations

- Create custom-printed floor labels, with easy 3-step
 process: print label, position on floor, apply overlaminate
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlaminate

These materials are only suitable for use with the Brady BBP37 & BBP35 printers.





| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon |
|----------|--------------------|--------|---------------------|---------------------|-----------------|--------------------|
| ∞ | B30C-1125-483BK-KT | Black | 29.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-2250-483BK-KT | Black | 57.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-4000-483BK-KT | Black | 101.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-1125-483BL-KT | Blue | 29.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-2250-483BL-KT | Blue | 57.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-4000-483BL-KT | Blue | 101.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-1125-483GN-KT | Green | 29.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-2250-483GN-KT | Green | 57.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-4000-483GN-KT | Green | 101.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-1125-4830R-KT | Orange | 29.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-2250-4830R-KT | Orange | 57.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-4000-4830R-KT | Orange | 101.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-1125-483RD-KT | Red | 29.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-2250-483RD-KT | Red | 57.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-4000-483RD-KT | Red | 101.00 | 30.40 | 1 | B30-R4400 |
| ∞ | B30C-1125-483WT-KT | White | 29.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-2250-483WT-KT | White | 57.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-3000-483WT-KT | White | 75.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-4000-483WT-KT | White | 101.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-1125-483YL-KT | Yellow | 29.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-2250-483YL-KT | Yellow | 57.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-3000-483YL-KT | Yellow | 75.00 | 30.40 | 1 | B30-R6000HF |
| ∞ | B30C-4000-483YL-KT | Yellow | 101.00 | 30.40 | 1 | B30-R6000HF |





B-854 and B-855 ToughWash washdown resistant labels

Withstands pressures of high heat, harsh chemicals and numerous washdown cycles

- Ideal for use in the Food & Beverage industry
- · Legible and long-lasting for even the toughest washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream



| Diagram | Order Reference | | Size - Width A (mm) | Size - Height B (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon | |
|-----------|------------------|--|---------------------|----------------------|---------------------|--------------------|-----------------------|--------|
| ∞ | B30C-1125-855-YL | <u>}</u> | 28.58 | - | 15.24 | 1 | B30-R6000HF | |
| ∞ | B30C-1125-855-WT | $\left\{ \begin{array}{c} \\ \end{array} \right\}$ | 28.58 | - | 15.24 | 1 | B30-R6000HF | HEADER |
| ∞ | B30C-2250-855-YL | <u> </u> | 57.15 | - | 15.24 | 1 | B30-R6000HF | |
| ∞ | B30C-2250-855-WT | | 57.15 | - | 15.24 | 1 | B30-R6000HF | |
| \otimes | B30-25-855-WARN | AWARNING | 101.60 | 152.40 | - | 100 | B30-R6000HF | Щ. |
| \otimes | B30-25-855-DANG | A DANGER | 101.60 | 152.40 | - | 100 | B30-R6000HF | HEADER |
| \otimes | B30-25-855-CAUT | A CAUTION | 101.60 | 152.40 | - | 100 | B30-R6000HF | |
| \otimes | B30-25-854-WARN | AWARNING | 101.60 | 152.40 | - | 100 | B30-R6000HF | |
| \otimes | B30-25-854-DANG | A DANGER | 101.60 | 152.40 | - | 100 | B30-R6000HF | |
| \otimes | B30-25-854-CAUT | A CAUTION | 101.60 | 152.40 | - | 100 | B30-R6000HF | B |
| ∞ | B30C-4000-855-YL | <u> </u> | 101.60 | - | 15.24 | 1 | B30-R6000HF | |
| ∞ | B30C-4000-855-WT | | 101.60 | - | 15.24 | 1 | B30-R6000HF | I← É→I |
| ∞ | B30C-4000-854-YL | | 101.60 | - | 15.24 | 1 | B30-R6000HF | |
| ∞ | B30C-4000-854-WT | | 101.60 | - | 15.24 | 1 | B30-R6000HF | |
| | | | | | | | | |



B-584 retro reflective tape

For highly reflective identification that shines back brightly when struck by light

- Ideal for labelling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
- 50
- Recommended low light or inclement weather conditions

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon | |
|----------|------------------|-------------------|---------------------|---------------------|--------------------|-----------------------|-----------|
| 8 | B30C-1125-584-0R | Reflective Orange | 28.58 | 15.20 | 1 | B30-R10000 | |
| ∞ | B30C-2250-584-0R | Reflective Orange | 57.15 | 15.20 | 1 | B30-R10000 | B |
| ∞ | B30C-4000-584-0R | Reflective Orange | 101.60 | 15.20 | 1 | B30-R10000 | |
| ∞ | B30C-1125-584-SL | Silver | 28.58 | 15.20 | 1 | B30-R10000 | |
| ∞ | B30C-2250-584-SL | Silver | 57.15 | 15.20 | 1 | B30-R10000 | ┵└└─┐∕└─┘ |
| ∞ | B30C-4000-584-SL | Silver | 101.60 | 15.20 | 1 | B30-R10000 | ← É → |
| ∞ | B30C-1125-584-YL | Yellow | 28.58 | 15.20 | 1 | B30-R10000 | |
| ∞ | B30C-2250-584-YL | Yellow | 57.15 | 15.20 | 1 | B30-R10000 | |
| ∞ | B30C-4000-584-YL | Yellow | 101.60 | 15.20 | 1 | B30-R10000 | |

Continuous tapes for general identification

Colour

White

Silver

Clear

Ambei

Silver

Silver

White

Allows for efficient material use

Order Reference

B30C-4000-787

B30C-4000-486

B30C-4000-432

B30C-4000-724

B30C-4000-434

B30C-4000-428

B30C-4000-483

Diagram

 $\overline{\mathbf{O}}$

Õ

 \odot

 \odot

 \odot

 \odot

۲

Diagram

8

 ∞

- · Materials have high-tack adhesives for use onto a wide variety of surfaces and components
- · Good for cutting out custom-sized labels



Recommended

Ribbon Series

B30-R6000

B30-B-4300

B30-R-6000

B30-R-4300

B30-R-6000

B30-R-4300

B30-R6000



| • | кВ | |
|---------|-----------|---|
| ↑ A` | | Ţ |
| Ţ | | |
| | | |

| 500 | DradyCla h | iah into | oity nho | toluminooo | ont ton | • | |
|---------|---------------|----------|----------|------------|---------|---|------------|
| 0 | B30C-4000-424 | White | 101.00 | 45.70 | 1 | 1 | B30-R-4300 |
| ۲ | B30C-4000-484 | White | 101.00 | 45.70 | 1 | 1 | B30-R-6000 |
| • | B30C-4000-437 | White | 101.00 | 45.70 | 1 | 1 | B30-R-4300 |
| ۲ | B30C-4000-423 | White | 101.00 | 45.70 | 1 | 1 | B30-R-6000 |
| ۲ | B30C-4000-727 | White | 101.00 | 39.60 | 1 | 1 | B30-R-6000 |
| \odot | B30C-4000-488 | White | 101.00 | 39.60 | 1 | 1 | B30-R-4300 |
| • | B30C-4000-489 | White | 101.00 | 39.60 | 1 | 1 | B30-R-4300 |
| | | | | | | | |

Size - Width

A (mm)

101.00

101.00

101.00

101.00

101.00

101.00

101.00

Size - Length

B (m)

18.29

35.10

36.60

39.60

39.60

39.60

39.60

Labels

per Row

1

1

1

1

Labels

per Roll

1

1

1

1

Labels

per Roll

Size - Length B (m)

30.40 30.40 30.40

B-526 BradyGlo high-intensity photoluminescent tape

For glow-in-the dark identification - up to 10 hours

- · Designed for directional and evacuation marking
- · Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls

| 0 | Sprinkler control value |
|---|----------------------------|
| | - |

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon Series | <u>∞</u> ⊺⊺ |
|----------|-----------------|----------------|---------------------|---------------------|--------------------|------------------------------|----------------|
| 8 | B30C-1125-526 | Luminous Green | 29.00 | 15.20 | 1 | B30-R10000 | - |
| ∞ | B30C-2250-526 | Luminous Green | 57.00 | 15.20 | 1 | B30-R10000 | |
| ∞ | B30C-4000-526 | Luminous Green | 101.00 | 15.20 | 1 | B30-R10000 | B |

Size - Width A (mm)

29.00 57.00

101.00



Colour

Silver

Silver Silver

B-565 high temp metallised polyester tape

· B-565 material has a high upper temperature rating and is not tamper-evident · Ideal for product rating labels, product warranty labels and asset identification labels

B-595 and B-7569 pre-cut blank labels

For general purpose, peel-off-and-apply identification

- · Ideal for a wide range of labelling applications
- Includes two sizes that are pre-cut and pre-sized to fit heavy-duty rigid tags
- Indoor/Outdoor grade material

Order Reference

B30C-1125-565-SL B30C-2250-565-SL B30C-4000-565-SL

| | | | | | Labels | Recommended | |
|---------|--------------------|--------|---------------------|----------------------|----------|---------------|-------------|
| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Height B (mm) | per Roll | Ribbon Series | Ļ. |
| | B30-241-7569-YL | Yellow | 57.00 | 75.00 | 300 | B30-R10000 | ↑ _ |
| | B30-241-595-BLNKYL | Yellow | 57.00 | 75.00 | 300 | B30-R10000 | B |
| | B30-25-7569-YL | Yellow | 101.00 | 152.00 | 175 | B30-R10000 | - 1 |
| | B30-25-595-BLNKYL | Yellow | 101.00 | 152.00 | 175 | B30-R10000 | . ↓ . |
| | B30-242-7569-WT | White | 29.00 | 72.00 | 300 | B30-R10000 | |
| | B30-242-595-BLNKWT | White | 29.00 | 72.00 | 300 | B30-R10000 | |
| | B30-241-7569-WT | White | 57.00 | 75.00 | 300 | B30-R10000 | |
| | B30-219-7569-WT | White | 57.00 | 98.00 | 250 | B30-R10000 | |
| | B30-241-595-BLNKWT | White | 57.00 | 75.00 | 300 | B30-R10000 | |
| | B30-219-595-BLNKWT | White | 57.00 | 98.00 | 250 | B30-R10000 | |
| | B30-25-7569-WT | White | 101.00 | 152.00 | 175 | B30-R10000 | |
| | B30-25-595-BLNKWT | White | 101.00 | 152.00 | 175 | B30-R10000 | |



Recommended

Ribbon Series

B30-R10000 B30-R10000

B30-R10000







B-551 non-adhesive tag stock

For safety, lockout and general purpose hanging tags

- Non-adhesive, polyester stock
- Hole punch available separately. Order reference: 020591
- Optional snap-in grommets available. Order Reference: 020596



| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Size - Height B (mm) | Labels per Roll | Recommended Ribbon Series | |
|----------|------------------|--------|------------------------|------------------------|-------------------------|--------------------|------------------------------|---|
| ∞ | B30C-2500-551-WT | White | 64.00 | 15.24 | - | 1 | B30-R10000 | |
| | B30-255-551-WT | White | 82.55 | - | 146.05 | 100 | B30-R10000 | B |
| ∞ | B30C-3250-551-WT | White | 83.00 | 15.24 | - | 1 | B30-R10000 | |
| ∞ | B30C-4250-551-WT | White | 108.00 | 15.24 | - | 1 | B30-R10000 | |



Coloured nylon ties

Coloured nylon ties provide you with an option of colour coded application.

| Article No. | Colour | Width (mm) | Length (mm) | Packaging |
|-------------|---------|------------|-------------|-----------|
| 196352 | Yellow | 3.50 | 200.00 | 100 |
| 196346 | Yellow | 3.60 | 140.00 | 100 |
| 196343 | Red | 3.60 | 140.00 | 100 |
| 196351 | Red | 3.60 | 200.00 | 100 |
| 196310 | Natural | 3.60 | 140.00 | 100 |
| 196311 | Natural | 3.60 | 200.00 | 100 |
| 196340 | Green | 3.60 | 140.00 | 100 |
| 196350 | Green | 3.60 | 200.00 | 100 |
| 196337 | Blue | 3.60 | 140.00 | 100 |
| 196349 | Blue | 3.60 | 200.00 | 100 |
| 196283 | Black | 3.60 | 200.00 | 100 |



B-509 printable magnetic supply

Easiest and quickest material for removing and repositioning

- · Non-adhesive magnetic material that can be printed on directly
- Ideal for reusable and repositionable identification applications



| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon |
|----------|------------------|--------|------------------------|------------------------|--------------------|-----------------------|
| 8 | B30C-2500-509-YL | Yellow | 64.00 | 7.60 | 1 | B30-R10000 |
| ∞ | B30C-4250-509-YL | Yellow | 108.00 | 7.60 | 1 | B30-R10000 |
| ∞ | B30C-2500-509-WT | White | 64.00 | 7.60 | 1 | B30-R10000 |
| ∞ | B30C-4250-509-WT | White | 108.00 | 7.60 | 1 | B30-R10000 |



B-549 cold temperature application material

For identification in temperatures as cold as -40°C

- Special adhesive pemanently adheres to extremely cold surfaces
- Ideal for cold storge warehouses, fridges, freezers and short-term outdoor use in winter



| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon Series | 1 ∞ ← |
|----------|------------------|--------|------------------------|------------------------|--------------------|------------------------------|-------|
| ∞ | B30C-1125-549-YL | Yellow | 29.00 | 30.40 | 1 | B30-R10000 | |
| ∞ | B30C-2250-549-YL | Yellow | 57.00 | 30.40 | 1 | B30-R10000 | B |
| ∞ | B30C-4000-549-YL | Yellow | 101.00 | 30.40 | 1 | B30-R10000 | |
| ∞ | B30C-1125-549-WT | White | 29.00 | 30.40 | 1 | B30-R10000 | |
| ∞ | B30C-2250-549-WT | White | 57.00 | 30.40 | 1 | B30-R10000 | ← |
| ∞ | B30C-4000-549-WT | White | 101.00 | 30.40 | 1 | B30-R10000 | |
S3000, S3100, BBP35, BBP37 labels and tapes

B-7569 indoor/outdoor vinyl

General purpose industrial vinyl for indoor/outdoor usage

- · High gloss, durable and flexible identification material
- · Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl





| ∞ B30C-500-7569-YL Yellow 12.70 30.00 1 B30-R10000 ∞ B30C-1125-7569-YL Yellow 57.00 30.00 1 B30-R10000 ∞ B30C-3000-7569-YL Yellow 75.00 30.00 1 B30-R10000 ∞ B30C-3000-7569-YL Yellow 101.00 30.00 1 B30-R10000 ∞ B30C-3000-7569-YL Yellow 101.00 30.00 1 B30-R10000 ∞ B30C-500-7569-WT White 12.70 30.00 1 B30-R10000 ∞ B30C-2500-7569-WT White 75.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-WT White 75.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-WT White 75.00 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-WD Red 12.70 30.00 1 B30-R1000-WT ∞ B30C-2500-7569-RD Red 101.00 30.00 1 </th <th>Diagram</th> <th>Order Reference</th> <th>Colour</th> <th>Size - Width A (mm)</th> <th>Size - Length B (m)</th> <th>Labels per Roll</th> <th>Recommended Ribbon</th> | Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon |
|---|----------|-------------------|--------|------------------------|------------------------|--------------------|-----------------------|
| ∞ B30C-2250-7569-YL Yellow 57.00 30.00 1 B30-R10000 ∞ B30C-3000-7569-YL Yellow 101.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-YL Yellow 101.00 30.00 1 B30-R10000 ∞ B30C-500-7569-WT White 12.70 30.00 1 B30-R10000 ∞ B30C-2250-7569-WT White 29.00 30.00 1 B30-R10000 ∞ B30C-2250-7569-WT White 75.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-WT White 101.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-WT White 11.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-RD Red 29.00 30.00 1 B30-R10000-WT ∞ B30C-2500-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-GR Orange 57.00 30.00 <th< td=""><td>8</td><td>B30C-500-7569-YL</td><td>Yellow</td><td>12.70</td><td>30.00</td><td>1</td><td>B30-R10000</td></th<> | 8 | B30C-500-7569-YL | Yellow | 12.70 | 30.00 | 1 | B30-R10000 |
| © B30C-3000-7569-YL Yellow 75.00 30.00 1 B30-R10000 © B30C-4000-7569-YL Yellow 101.00 30.00 1 B30-R10000 © B30C-500-7569-WT White 12.70 30.00 1 B30-R10000 © B30C-2250-7569-WT White 29.00 30.00 1 B30-R10000 © B30C-2250-7569-WT White 57.00 30.00 1 B30-R10000 © B30C-4000-7569-WT White 75.00 30.00 1 B30-R10000 © B30C-4000-7569-WT White 101.00 30.00 1 B30-R10000-WT © B30C-500-7569-RD Red 29.00 30.00 1 B30-R10000-WT © B30C-4000-7569-RD Red 101.00 30.00 1 B30-R10000-WT © B30C-4000-7569-RD Red 101.00 30.00 1 B30-R10000-WT © B30C-4000-7569-RD Orange 57.00 30.00 <td< td=""><td>∞</td><td>B30C-1125-7569-YL</td><td>Yellow</td><td>29.00</td><td>30.00</td><td>1</td><td>B30-R10000</td></td<> | ∞ | B30C-1125-7569-YL | Yellow | 29.00 | 30.00 | 1 | B30-R10000 |
| ∞ B30C-4000-7569-VL Yellow 101.00 30.00 1 B30-R10000 ∞ B30C-500-7569-VT White 12.70 30.00 1 B30-R10000 ∞ B30C-1125-7569-VT White 29.00 30.00 1 B30-R10000 ∞ B30C-2250-7569-VT White 57.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-WT White 75.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-RD Red 12.70 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-RD Red 29.00 30.00 1 B30-R1000-WT ∞ B30C-4000-7569-RD Red 101.00 30.00 1 B30-R1000-WT ∞ B30C-500-7569-RD Red 101.00 30.00 1 B30-R1000-WT ∞ B30C-250-7569-OR Orange 12.70 30.00 1 B30-R1000-WT ∞ B30C-4000-7569-OR Orange 57.00 30.00 1< | ∞ | B30C-2250-7569-YL | Yellow | 57.00 | 30.00 | 1 | B30-R10000 |
| Solution B30C-500-7569-WT White 12.70 30.00 1 B30-R10000 Solution B30C-1125-7569-WT White 29.00 30.00 1 B30-R10000 Solution B30C-2250-7569-WT White 57.00 30.00 1 B30-R10000 Solution B30C-3000-7569-WT White 75.00 30.00 1 B30-R10000 Solution B30C-500-7569-WT White 101.00 30.00 1 B30-R10000-WT Solution B30C-500-7569-WT White 101.00 30.00 1 B30-R10000-WT Solution B30C-500-7569-RD Red 12.70 30.00 1 B30-R10000-WT Solution B30C-500-7569-RD Red 101.00 30.00 1 B30-R10000-WT Solution B30C-500-7569-RD Red 101.00 30.00 1 B30-R10000-WT Solution B30C-500-7569-OR Orange 57.00 30.00 1 B30-R10000-WT Solution B30C-500-7569-GN | ∞ | B30C-3000-7569-YL | Yellow | 75.00 | 30.00 | 1 | B30-R10000 |
| ∞ B30C-1125-7569-WT White 29.00 30.00 1 B30-R10000 ∞ B30C-2250-7569-WT White 57.00 30.00 1 B30-R10000 ∞ B30C-3000-7569-WT White 75.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-WT White 101.00 30.00 1 B30-R10000 ∞ B30C-500-7569-RD Red 12.70 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-RD Red 29.00 30.00 1 B30-R10000-WT ∞ B30C-250-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-250-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-GR Orange 27.00 30.00 1 B30-R10000-WT ∞ B30C-1250-7569-GR Orange 57.00 30.00 1 B30-R10000-WT ∞ B30C-1250-7569-GN Green 12.70 30.00 <th< td=""><td>∞</td><td>B30C-4000-7569-YL</td><td>Yellow</td><td>101.00</td><td>30.00</td><td>1</td><td>B30-R10000</td></th<> | ∞ | B30C-4000-7569-YL | Yellow | 101.00 | 30.00 | 1 | B30-R10000 |
| ∞ B30C-2250-7569-WT White 57.00 30.00 1 B30-R10000 ∞ B30C-3000-7569-WT White 75.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-WT White 101.00 30.00 1 B30-R10000 ∞ B30C-500-7569-RD Red 12.70 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-RD Red 12.70 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-4000-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-OR Orange 29.00 30.00 1 B30-R10000-WT ∞ B30C-2500-7569-OR Orange 101.00 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-GN Green 12.70 30.00 | ∞ | B30C-500-7569-WT | White | 12.70 | 30.00 | 1 | B30-R10000 |
| ∞ B30C-3000-7569-WT White 75.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-WT White 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-RD Red 12.70 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-RD Red 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-4000-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-OR Orange 29.00 30.00 1 B30-R10000 ∞ B30C-2250-7569-OR Orange 101.00 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-OR Orange 101.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-GN Green 29.00 30.00 | ∞ | B30C-1125-7569-WT | White | 29.00 | 30.00 | 1 | B30-R10000 |
| ∞ B30C-4000-7569-WT White 101.00 30.00 1 B30-R10000 ∞ B30C-500-7569-RD Red 12.70 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-RD Red 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-RD Red 57.00 30.00 1 B30-R10000-WT ∞ B30C-4000-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-RD Red 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-OR Orange 12.70 30.00 1 B30-R10000 ∞ B30C-2250-7569-OR Orange 57.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-OR Orange 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-GN Green 12.70 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-GN Green 57.00 30.00 | ∞ | B30C-2250-7569-WT | White | 57.00 | 30.00 | 1 | B30-R10000 |
| CO B30C-500-7569-RD Red 12.70 30.00 1 B30-R10000-WT CO B30C-1125-7569-RD Red 29.00 30.00 1 B30-R10000-WT CO B30C-2250-7569-RD Red 57.00 30.00 1 B30-R10000-WT CO B30C-4000-7569-RD Red 101.00 30.00 1 B30-R10000-WT CO B30C-500-7569-0R Orange 12.70 30.00 1 B30-R10000-WT CO B30C-500-7569-0R Orange 12.70 30.00 1 B30-R10000 CO B30C-1125-7569-0R Orange 101.00 30.00 1 B30-R10000 CO B30C-4000-7569-0R Orange 101.00 30.00 1 B30-R10000-WT CO B30C-1125-7569-0R Green 12.70 30.00 1 B30-R10000-WT CO B30C-2550-7569-GN Green 101.00 30.00 1 B30-R10000-WT CO B30C-4000-7569-BL Blue 12.70 30 | ∞ | B30C-3000-7569-WT | White | 75.00 | 30.00 | 1 | B30-R10000 |
| CO B30C-1125-7569-RD Red 29.00 30.00 1 B30-R10000-WT CO B30C-2250-7569-RD Red 57.00 30.00 1 B30-R10000-WT CO B30C-4000-7569-RD Red 101.00 30.00 1 B30-R10000-WT CO B30C-500-7569-RD Red 101.00 30.00 1 B30-R10000-WT CO B30C-500-7569-OR Orange 12.70 30.00 1 B30-R10000 CO B30C-1125-7569-OR Orange 29.00 30.00 1 B30-R10000 CO B30C-2250-7569-OR Orange 57.00 30.00 1 B30-R10000 CO B30C-4000-7569-OR Orange 101.00 30.00 1 B30-R10000-WT CO B30C-2250-7569-GN Green 12.70 30.00 1 B30-R10000-WT CO B30C-2250-7569-GN Green 57.00 30.00 1 B30-R10000-WT CO B30C-200-7569-GN Green 101.00 30.0 | ∞ | B30C-4000-7569-WT | White | 101.00 | 30.00 | 1 | B30-R10000 |
| Image: Constraint of the synthesis of the synthesynthesis of the synthesis of the synthesis of the syn | ∞ | B30C-500-7569-RD | Red | 12.70 | 30.00 | 1 | B30-R10000-WT |
| COM B30C-4000-7569-RD Red 101.00 30.00 1 B30-R10000-WT COM B30C-500-7569-OR Orange 12.70 30.00 1 B30-R10000 COM B30C-1125-7569-OR Orange 29.00 30.00 1 B30-R10000 COM B30C-2250-7569-OR Orange 57.00 30.00 1 B30-R10000 COM B30C-4000-7569-OR Orange 57.00 30.00 1 B30-R10000 COM B30C-4000-7569-OR Orange 101.00 30.00 1 B30-R10000 COM B30C-4000-7569-OR Orange 12.70 30.00 1 B30-R10000-WT COM B30C-1125-7569-GN Green 29.00 30.00 1 B30-R10000-WT COM B30C-2250-7569-GN Green 101.00 30.00 1 B30-R10000-WT COM B30C-500-7569-BL Blue 12.70 30.00 1 B30-R10000-WT COM B30C-2250-7569-BL Blue 29.00 | ∞ | B30C-1125-7569-RD | Red | 29.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ B30C-500-7569-0R Orange 12.70 30.00 1 B30-R10000 ∞ B30C-1125-7569-0R Orange 29.00 30.00 1 B30-R10000 ∞ B30C-2250-7569-0R Orange 57.00 30.00 1 B30-R10000 ∞ B30C-4000-7569-0R Orange 101.00 30.00 1 B30-R10000 ∞ B30C-500-7569-0R Orange 101.00 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-GN Green 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-GN Green 29.00 30.00 1 B30-R10000-WT ∞ B30C-4000-7569-GN Green 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-BL Blue 27.00 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-BL Blue 29.00 30.00 1 B30-R10000-WT ∞ B30C-250-7569-BL Blue 101.00 30.00 | ∞ | B30C-2250-7569-RD | Red | 57.00 | 30.00 | 1 | B30-R10000-WT |
| Co B30C-1125-7569-0R Orange 29.00 30.00 1 B30-R10000 Co B30C-2250-7569-0R Orange 57.00 30.00 1 B30-R10000 Co B30C-4000-7569-0R Orange 101.00 30.00 1 B30-R10000 Co B30C-4000-7569-0R Orange 101.00 30.00 1 B30-R10000-WT Co B30C-1125-7569-GN Green 12.70 30.00 1 B30-R10000-WT Co B30C-2250-7569-GN Green 29.00 30.00 1 B30-R10000-WT Co B30C-4000-7569-GN Green 101.00 30.00 1 B30-R10000-WT Co B30C-1125-7569-GN Green 101.00 30.00 1 B30-R10000-WT Co B30C-250-7569-BL Blue 29.00 30.00 1 B30-R10000-WT Co B30C-2250-7569-BL Blue 57.00 30.00 1 B30-R10000-WT Co B30C-4000-7569-BL Blue 101.00 | ∞ | B30C-4000-7569-RD | Red | 101.00 | 30.00 | 1 | B30-R10000-WT |
| CO B30C-2250-7569-OR Orange 57.00 30.00 1 B30-R10000 CO B30C-4000-7569-OR Orange 101.00 30.00 1 B30-R10000 CO B30C-4000-7569-OR Orange 101.00 30.00 1 B30-R10000 CO B30C-500-7569-GN Green 12.70 30.00 1 B30-R10000-WT CO B30C-1125-7569-GN Green 29.00 30.00 1 B30-R10000-WT CO B30C-2250-7569-GN Green 57.00 30.00 1 B30-R10000-WT CO B30C-4000-7569-GN Green 101.00 30.00 1 B30-R10000-WT CO B30C-500-7569-BL Blue 12.70 30.00 1 B30-R10000-WT CO B30C-1125-7569-BL Blue 29.00 30.00 1 B30-R10000-WT CO B30C-2250-7569-BL Blue 57.00 30.00 1 B30-R10000-WT CO B30C-4000-7569-BL Blue 101.00 | ∞ | B30C-500-7569-0R | Orange | 12.70 | 30.00 | 1 | B30-R10000 |
| Co B30C-4000-7569-OR Orange 101.00 30.00 1 B30-R10000 Co B30C-500-7569-GN Green 12.70 30.00 1 B30-R10000-WT Co B30C-1125-7569-GN Green 29.00 30.00 1 B30-R10000-WT Co B30C-2250-7569-GN Green 57.00 30.00 1 B30-R10000-WT Co B30C-4000-7569-GN Green 57.00 30.00 1 B30-R10000-WT Co B30C-500-7569-GN Green 101.00 30.00 1 B30-R10000-WT Co B30C-500-7569-BL Blue 12.70 30.00 1 B30-R10000-WT Co B30C-1125-7569-BL Blue 29.00 30.00 1 B30-R10000-WT Co B30C-2250-7569-BL Blue 57.00 30.00 1 B30-R10000-WT Co B30C-4000-7569-BL Blue 101.00 30.00 1 B30-R10000-WT Co B30C-500-7569-BL Black 12.70 <td< td=""><td>∞</td><td>B30C-1125-7569-0R</td><td>Orange</td><td>29.00</td><td>30.00</td><td>1</td><td>B30-R10000</td></td<> | ∞ | B30C-1125-7569-0R | Orange | 29.00 | 30.00 | 1 | B30-R10000 |
| Company Green 12.70 30.00 1 B30-R10000-WT Company B30C-1125-7569-GN Green 29.00 30.00 1 B30-R10000-WT Company B30C-2250-7569-GN Green 29.00 30.00 1 B30-R10000-WT Company B30C-2250-7569-GN Green 57.00 30.00 1 B30-R10000-WT Company B30C-4000-7569-GN Green 101.00 30.00 1 B30-R10000-WT Company B30C-500-7569-GN Green 101.00 30.00 1 B30-R10000-WT Company B30C-500-7569-BL Blue 12.70 30.00 1 B30-R10000-WT Company B30C-2250-7569-BL Blue 29.00 30.00 1 B30-R10000-WT Company B30C-4000-7569-BL Blue 101.00 30.00 1 B30-R10000-WT Company B30C-200-7569-BK Black 12.70 30.00 1 B30-R10000-WT Company B30C-1125-7569-BK Black <t< td=""><td>∞</td><td>B30C-2250-7569-0R</td><td>Orange</td><td>57.00</td><td>30.00</td><td>1</td><td>B30-R10000</td></t<> | ∞ | B30C-2250-7569-0R | Orange | 57.00 | 30.00 | 1 | B30-R10000 |
| Image: Constraint of the state of | ∞ | B30C-4000-7569-0R | Orange | 101.00 | 30.00 | 1 | B30-R10000 |
| Solution B30C-2250-7569-GN Green 57.00 30.00 1 B30-R10000-WT Solution B30C-4000-7569-GN Green 101.00 30.00 1 B30-R10000-WT Solution B30C-500-7569-GN Green 12.70 30.00 1 B30-R10000-WT Solution B30C-1125-7569-BL Blue 12.70 30.00 1 B30-R10000-WT Solution B30C-2250-7569-BL Blue 29.00 30.00 1 B30-R10000-WT Solution B30C-2250-7569-BL Blue 57.00 30.00 1 B30-R10000-WT Solution B30C-4000-7569-BL Blue 101.00 30.00 1 B30-R10000-WT Solution B30C-500-7569-BL Blue 101.00 30.00 1 B30-R10000-WT Solution B30C-500-7569-BK Black 12.70 30.00 1 B30-R10000-WT Solution B30C-1125-7569-BK Black 29.00 30.00 1 B30-R10000-WT Solution Black | ∞ | B30C-500-7569-GN | Green | 12.70 | 30.00 | 1 | B30-R10000-WT |
| Image: Constraint of the system Green 101.00 30.00 1 B30-R10000-WT Image: System Blue 12.70 30.00 1 B30-R10000-WT Image: System Blue 12.70 30.00 1 B30-R10000-WT Image: System Blue 29.00 30.00 1 B30-R10000-WT Image: System Blue 29.00 30.00 1 B30-R10000-WT Image: System Blue 57.00 30.00 1 B30-R10000-WT Image: System Blue 101.00 30.00 1 B30-R10000-WT Image: System Blue 101.00 30.00 1 B30-R10000-WT Image: System Black 12.70 30.00 1 B30-R10000-WT Image: System Black 12.70 30.00 1 B30-R10000-WT Image: System Black 29.00 30.00 1 B30-R10000-WT Image: System Black 57.00 30.00 1 B30-R10000-WT </td <td>∞</td> <td>B30C-1125-7569-GN</td> <td>Green</td> <td>29.00</td> <td>30.00</td> <td>1</td> <td>B30-R10000-WT</td> | ∞ | B30C-1125-7569-GN | Green | 29.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ B30C-500-7569-BL Blue 12.70 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-BL Blue 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-BL Blue 57.00 30.00 1 B30-R10000-WT ∞ B30C-4000-7569-BL Blue 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-BL Blue 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-BL Black 12.70 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-BK Black 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-BK Black 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-BK Black 57.00 30.00 1 B30-R10000-WT | ∞ | B30C-2250-7569-GN | Green | 57.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ B30C-1125-7569-BL Blue 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-BL Blue 57.00 30.00 1 B30-R10000-WT ∞ B30C-4000-7569-BL Blue 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-BL Blue 101.00 30.00 1 B30-R10000-WT ∞ B30C-500-7569-BK Black 12.70 30.00 1 B30-R10000-WT ∞ B30C-1125-7569-BK Black 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-BK Black 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-BK Black 57.00 30.00 1 B30-R10000-WT | ∞ | B30C-4000-7569-GN | Green | 101.00 | 30.00 | 1 | B30-R10000-WT |
| Image: Constraint of the system Blue 57.00 30.00 1 B30-R10000-WT Image: Constraint of the system Blue 101.00 30.00 1 B30-R10000-WT Image: Constraint of the system Blue 101.00 30.00 1 B30-R10000-WT Image: Constraint of the system Black 12.70 30.00 1 B30-R10000-WT Image: Constraint of the system Black 29.00 30.00 1 B30-R10000-WT Image: Constraint of the system Black 29.00 30.00 1 B30-R10000-WT Image: Constraint of the system Black 29.00 30.00 1 B30-R10000-WT Image: Constraint of the system Black 57.00 30.00 1 B30-R10000-WT | ∞ | B30C-500-7569-BL | Blue | 12.70 | 30.00 | 1 | B30-R10000-WT |
| Image: Constraint of the state of | ∞ | B30C-1125-7569-BL | Blue | 29.00 | 30.00 | 1 | B30-R10000-WT |
| Image: Solution of the system Black 12.70 30.00 1 B30-R10000-WT Image: Solution of the system Black 29.00 30.00 1 B30-R10000-WT Image: Solution of the system Black 29.00 30.00 1 B30-R10000-WT Image: Solution of the system Black 57.00 30.00 1 B30-R10000-WT | ∞ | B30C-2250-7569-BL | Blue | 57.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ B30C-1125-7569-BK Black 29.00 30.00 1 B30-R10000-WT ∞ B30C-2250-7569-BK Black 57.00 30.00 1 B30-R10000-WT | ∞ | B30C-4000-7569-BL | Blue | 101.00 | 30.00 | 1 | B30-R10000-WT |
| Image: Signal state Black 57.00 30.00 1 B30-R10000-WT | ∞ | B30C-500-7569-BK | Black | 12.70 | 30.00 | 1 | B30-R10000-WT |
| | ∞ | B30C-1125-7569-BK | Black | 29.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ B30C-4000-7569-BK Black 101.00 30.00 1 B30-R10000-WT | ∞ | B30C-2250-7569-BK | Black | 57.00 | 30.00 | 1 | B30-R10000-WT |
| | ∞ | B30C-4000-7569-BK | Black | 101.00 | 30.00 | 1 | B30-R10000-WT |

i

Transfer tape is the best way to apply cut-out shapes and text!

- 1. Cut out your shape or text and weed away unneeded material
- 2. Apply transfer tape over your cut-out objects and press firmly
- 3. Peel back the transfer tape and expose the adhesive side of your pre-spaced objects
- 4. Position object in place and press firmly onto final surface5. Peel back transfer tape at sharp angle to surface
- 6. Works great for cut-out text on rigid sign panels too.





B-581 repositionable vinyl

For 5S and lean applications

- Aggressive adhesive stays in place but removes cleanly without leaving
 adhesive residue
- Ideal for temporary, removable and repositionable labels, like 5S and lean inventory labels



| | | | · | | Labels | Recommended | ∞ |
|----------|------------------|--------|---------------------|---------------------|----------|-------------|----------|
| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | per Roll | Ribbon | |
| ∞ | B30C-500-581-YL | Yellow | 12.50 | 30.40 | 1 | B30-R10000 | |
| ∞ | B30C-1125-581-YL | Yellow | 29.00 | 30.40 | 1 | B30-R10000 | B |
| ∞ | B30C-2250-581-YL | Yellow | 57.00 | 30.40 | 1 | B30-R10000 | |
| ∞ | B30C-4000-581-YL | Yellow | 101.00 | 30.40 | 1 | B30-R10000 | <u> </u> |
| ∞ | B30C-500-581-WT | White | 12.50 | 30.40 | 1 | B30-R10000 | |
| ∞ | B30C-1125-581-WT | White | 29.00 | 30.40 | 1 | B30-R10000 | |
| ∞ | B30C-2250-581-WT | White | 57.00 | 30.40 | 1 | B30-R10000 | |
| ∞ | B30C-4000-581-WT | White | 101.00 | 30.40 | 1 | B30-R10000 | |
| | | | | | | | |



B-593 raised profile labels - push button style

Lower cost than engraved legend plates

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (total thickness = 0.65 mm)
- High performance, low cost substitute to engraved plates
- 10 year outdoor durability rating
- On-demand labelling: labels print out in less than 4 seconds
- 5 push button sizes (including keyed with 22.50 and 30.50 mm hole diam and non-keyed with 22.50 mm hole diam)



| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Height B (mm) | Hole Diameter C (mm) | Vertical Repeat D (mm) | Labels per Roll | Recommended Ribbon |
|---------|-------------------|--------|------------------------|-------------------------|-------------------------|---------------------------|--------------------|-----------------------|
| 6 | B30EP-167-593-YL | Yellow | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R6000HF |
| | B30EP-167U-593-YL | Yellow | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R6000HF |
| 6 | B30EP-169-593-YL | Yellow | 45.72 | 45.72 | 30.50 | 50.80 | 190 | B30-R6000HF |
| | B30EP-168-593-YL | Yellow | 48.26 | 30.48 | 22.50 | 54.00 | 180 | B30-R6000HF |
| 6 | B30EP-170-593-YL | Yellow | 60.96 | 60.96 | 30.50 | 66.70 | 145 | B30-R6000HF |
| | B30EP-167-593-WT | White | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R6000HF |
| | B30EP-167U-593-WT | White | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R6000HF |
| | B30EP-169-593-WT | White | 45.72 | 45.72 | 30.50 | 50.80 | 190 | B30-R6000HF |
| 6 | B30EP-168-593-WT | White | 48.26 | 30.48 | 22.50 | 54.00 | 180 | B30-R6000HF |
| | B30EP-170-593-WT | White | 60.96 | 60.96 | 30.50 | 66.70 | 145 | B30-R6000HF |
| 6 | B30EP-167-593-RD | Red | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R4400-WT |
| | B30EP-167U-593-RD | Red | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R4400-WT |
| 6 | B30EP-169-593-RD | Red | 45.72 | 45.72 | 30.50 | 50.80 | 190 | B30-R4400-WT |
| | B30EP-168-593-RD | Red | 48.26 | 30.48 | 22.50 | 54.00 | 180 | B30-R4400-WT |
| 6 | B30EP-170-593-RD | Red | 60.96 | 60.96 | 30.50 | 66.70 | 145 | B30-R4400-WT |
| | B30EP-167-593-GN | Green | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R4400-WT |
| | B30EP-167U-593-GN | Green | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R4400-WT |
| | B30EP-169-593-GN | Green | 45.72 | 45.72 | 30.50 | 50.80 | 190 | B30-R4400-WT |
| 6 | B30EP-168-593-GN | Green | 48.26 | 30.48 | 22.50 | 54.00 | 180 | B30-R4400-WT |
| | B30EP-170-593-GN | Green | 60.96 | 60.96 | 30.50 | 66.70 | 145 | B30-R4400-WT |
| | B30EP-167-593-BK | Black | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R4400-WT |
| | B30EP-167U-593-BK | Black | 38.10 | 30.48 | 22.50 | 44.50 | 200 | B30-R4400-WT |
| | B30EP-169-593-BK | Black | 45.72 | 45.72 | 30.50 | 50.80 | 190 | B30-R4400-WT |
| | B30EP-168-593-BK | Black | 48.26 | 30.48 | 22.50 | 54.00 | 180 | B30-R4400-WT |
| | B30EP-170-593-BK | Black | 60.96 | 60.96 | 30.50 | 66.70 | 145 | B30-R4400-WT |
| | | | | | | | | |





B-593 raised profile labels

Lower cost than engraved legend plates

- · High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.65mm)
- Ideal for inside-panel backer board labels and front-of-enclosure labelling
- On-demand labelling: labels print out in less than 4 seconds
- No need to abbreviate your text to avoid per character engraving charges
- 10-year outdoor durability rating
- 6 colours, 7 rectangular sizes









Print ribbons

"Drop & Click" Print Ribbons for Quick and Easy Supply Changes

- · Tough, smear-proof ribbons that produce long-lasting printed text
- Print can withstand years in industrial areas and outdoor conditions
- Ribbons supplied in self-contained cartridges that drop straight into the printer with a "click"
- No calibrating, no threading, no waste, no hassle and the ink will always be facing the right direction
- Printer notifies user if installed ribbon is not recommended for the installed labels

All multi-colour panelled and process colour ribbons are compatible with BBP35 & BBP37 only.

| | 1 | I | | | | | I | |
|-------------------|---|-----------------|----------------------------|---|--|------------------------------|----------------------------|--|
| Order Reference | | Colour | Width (mm) x Length (m) | Order Reference | | Colour | Width (mm) x Length (m) | |
| B30-R10000-BL | | Blue | 110 mm x 60.90 m | B30-R10000-K0-8* | | Black & Orange | 110 mm x 60.90 m | |
| B30-R10000-GN | | Green | 110 mm x 60.90 m | B30-R10000-KB-8* | | Black & Blue | 110 mm x 60.90 m | |
| B30-R10000-MA | | Magenta | 110 mm x 60.90 m | B30-R10000-KY-8* | | Black & Yellow | 110 mm x 60.90 m | |
| B30-R10000-OR | | Orange | 110 mm x 60.90 m | B30-R10000-KR-8* | | Black & Red | 110 mm x 60.90 m | |
| B30-R10000-RD | | Red | 110 mm x 60.90 m | B30-R10000-KB-16* | | Black & Blue | 110 mm x 60.90 m | |
| B30-R10000-YL** | | Yellow | 110 mm x 60.90 m | B30-R10000-KY-16* | | Black & Yellow | 110 mm x 60.90 m | |
| B30-R10000-YL2** | | Yellow | 110 mm x 60.90 m | B30-R10000-K0-16* | | Black & Orange | 110 mm x 60.90 m | |
| B30-R10000 | | Black | 110 mm x 60.90 m | B30-R10000-KR-16* | | Black & Red | 110 mm x 60.90 m | |
| B30-R60000C*** | | Black | 110 mm x 60.90 m | B30-R10000-RB-16* | | Red & Blue | 110 mm x 60.90 m | |
| B30-R6000HF | | Black | 110 mm x 60.90 m | B30-R10000-GR-8* | | Green & Red | 110 mm x 60.90 m | |
| B30-R4300 | | Black | 110 mm x 60.90 m | B30-R10000-KRGB-16* | | Black, Red, Blue, Green | 110 mm x 60.90 m | |
| B30-R6600 | | Black | 110 mm x 60.90 m | B30-R10000-KRYB-16* | | Black, Red, Blue, Yellow | 110 mm x 60.90 m | |
| B30-R6200 | | Black | 110 mm x 60.90 m | B30-R10000-KRYG-8* | | Black, Red, Green & Yellow | 110 mm x 60.90 m | |
| B30-R10000-WT | | White | 110 mm x 60.90 m | B30-R10000-KRGB-8* | | Black, Red, Blue, Green | 110 mm x 60.90 m | |
| B30-R4400-WT | | White | 110 mm x 60.90 m | B30-R10000-KRB0-8* | | Black, Red, Orange, Blue | 110 mm x 60.90 m | |
| B30-R6700-WT | | White | 110 mm x 60.90 m | B30-R10000-KRYB-8* | | Black, Red, Blue, Yellow | 110 mm x 60.90 m | |
| B30-R10000-PRCYEL | | Process Yellow | 110 mm x 60.90 m | B30-R10000-CMYK-16* | | Cyan, Magenta, Yellow, Black | 110 mm x 60.90 m | |
| B30-R10000-PRCMAG | | Process Magenta | 110 mm x 60.90 m | B30-R10000-CMYK-8* | | Cyan, Magenta, Yellow, Black | 110 mm x 60.90 m | |
| B30-R10000-PRCCY | | Process Cyan | 110 mm x 60.90 m | * '-8' have 200mm colour panels; those ending in '-16' have 400mm colour panels | | | | |
| B30-R10000-KG-16* | | Black & Green | 110 mm x 60.90 m | other colours of B-595 use B30-R10000-YL2. | | | | |
| B30-R10000-KG-8* | | Black & Green | 110 mm x 60.90 m | | | | | |

S3000, S3100, BBP35 & BBP37 print ribbon/material compatibility

| B Number | B30-R10000 Black | B30-R10000-WT White | B30-R10000 Colours | B30-R10000-YL2** Yellow | B30-R4400-WT White | B30-R60000C Black | B30-R6000HF Black |
|-------------|---------------------|------------------------|-----------------------|----------------------------|-----------------------|----------------------|----------------------|
| B-483/B-634 | | | | | S | | S |
| B-509 | V | | V | | | | V |
| B-526 | S | | S | | | | S |
| B-549 | V | | V | | | | |
| B-551 | S | | S | | | | S |
| B-569 | V | V | V | | | | S |
| B-581 | S | S | S | | | | S |
| B-584 | V | | V | | | | S |
| B-593 | | | | | S | | S |
| B-595 | S | | V | V | | V | S |
| B-854 | | | | | | | S |
| B-855 | | | | | | | S |
| B-7569 | S | | S | | | | S |

** For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2



S3000/S3100 at a glance

S3000/S3100 at a glance

BBP35/BBP37 at a glance



Label exit chute

Cover release latch





BBP85 Sign & Label Printer

- 44-45 BBP85 Sign & Label Printer
- 45 BLS laminating system and panels
- 45 Safety sliders consumable kit
- 46 B-595 high performance indoor/outdoor vinyl
- 47 B-595 pre-printed right-to-know chemical labels
- 47 B-595 pre-printed pre-cut blank sign headers
- 48 B-7569 indoor/outdoor vinyl
- 48 B-7569 pre-printed GHS/CLP chemical labels
- 49 B-7569 pre-printed pre-cut blank sign headers
- 49 B-569 high performance polyester
- 50 B-584 retro reflective tape
- 50 B-526 BradyGlo high-intensity photoluminescent tape
- 51 BBP85 print ribbons
- 52 BBP85 at a glance





BBP85 SIGN & LABEL PRINTER

The BBPTM85 Sign and Label Printer allows you to create 254 mm wide labels in multiple colours, and it has an easier-than-ever interface that anyone on your team can use! No more complex, tedious design steps. No more ordering and waiting. Now you can just walk up and print... and instantly create high quality, multi-coloured visuals up to 254 mm wide.

Big output. Little fuss.

Create extra-large custom signs and labels right now! This printer has our fastest, easiest operating system, so anyone on your team can design visuals with little to no training. The ideal printer for multi-user Lean, 5S and Kaizen Labelling events!



- Unmistakably large visuals up to 254 mm wide
- Just walk up and print...it really is that easy!
- Simple touch-screen interface for stand-alone use, or print from your PC with MarkWare[™] Software
- Timesaving label design apps to create pipe markers, safety signs, right-to-know labels and more!
- USB port for importing files, fonts and graphics

Bold multi-colour printing.

Get your message noticed with strong, colourful visuals. Print up to 4 colours on a single label for professional-looking, custom-made signs, labels and warnings that demand attention.



- Highly durable multi-colour thermal transfer printing
- Print common sign formats even faster using pre-printed sign header supplies
- Add more label creation flexibility with Brady Workstation signs creation apps
- Ethernet port for easy printer networking



Multi-colour signs Ret











Warehouse identification



Hazard warning signs

igns Pipe m

Best-of-the-best materials.

Brady's sign and label materials lead the industry in durability and performance.

They withstand harsh conditions, stay stuck on the most challenging surfaces and they simply last longer than other materials on the market. With the BBP85 Sign and Label Printer, you can choose from over one hundred supply options, including:



 Huge selection of 101.60 mm wide to 254 mm wide industrial grade outdoor materials

- Specialty materials including Reflective and Glow-inthe-Dark
- Pre-printed sign header supplies for CLP (GHS) and OSHA or ANSI safety signs, which means only one print pass!

BBP85 printer

| Order Reference | Art. No. | Description |
|-------------------|----------|--|
| BBP85-AM | 132741 | BBP85 Sign and Label Printer QWERTY US |
| BBP85-AZ-SFIDS | 198566 | BBP85 Sign & Label Printer - AZERTY with Brady Workstation SFID Suite |
| BBP85-CYR-SFIDS | 198567 | BBP85 Sign & Label Printer - CYRILLIC with Brady Workstation SFID Suite |
| BBP85-QY-EU-SFIDS | 198568 | BBP85 Sign & Label Printer - QWERTY EU with Brady Workstation SFID Suite |
| BBP85-QY-US-SFIDS | 198569 | BBP85 Sign & Label Printer - QWERTY US with Brady Workstation SFID Suite |
| BBP85-QY-UK-SFIDS | 198570 | BBP85 Sign & Label Printer - QWERTY UK with Brady Workstation SFID Suite |
| BBP85-QZ-SFIDS | 198571 | BBP85 Sign & Label Printer - QWERTZ with Brady Workstation SFID Suite |
| BBP85-AZ | 198689 | BBP85 Sign and Label Printer AZERTY |
| BBP85-CYR | 198690 | BBP85 Sign and Label Printer CYRILLIC |
| BBP85-QY-EU | 198691 | BBP85 Sign and Label Printer QWERTY EU |
| BBP85-QY-UK | 198693 | BBP85 Sign and Label Printer QWERTY UK |
| BBP85-QZ | 198694 | BBP85 Sign and Label Printer QWERTZ |

The Basic Suite is included with every printer, download it: Workstation.BradyID.com/Free



Create custom signs, labels and pipemarkers with WorkStation.BradyID.com/SFID

Stylue

Cleaning pen

Network card

Safety Instructions

BBP85 accesssories

| Order Reference | Art. No. | Description |
|-----------------|----------|------------------------------|
| Cleaning Pen | 064692 | Cleaning Pen for DIY systems |
| B85-DC | 134001 | BBP85 Dust Cover |
| STYLUS PENS | 142115 | Replacement Stylus 3 Pack |
| NET-BT | 142265 | Bluetooth Network Card |
| NET-LAN | 142267 | LAN Network Card |
| NET-WIFI-LAN | 142268 | WiFi/ LAN Network Card |
| Cleaning Kit | 266116 | Cleaning Kit |
| | | |

BLS laminating system and panels

Brady's BLS2000 laminating system quickly mounts printed signs to acrylic panels.

Offers rigidity and protection for signs affected by external factors such as acid spills, solvents, etc. The end result makes the signs look even more professional, allowing the panel to be mounted to, or suspended from the structure of your choice.

| 1 | Art. No. | Description |
|---|----------|--|
| (| 013506 | BLS 2000 Laminating System |
| (| 013400 | Clear Acrylic Semi-Rigid Panel 100 mm x 152 mm |
| (| 013401 | Clear Acrylic Semi-Rigid Panel 203 mm x 203 mm |
| (| 013403 | Clear Acrylic Semi-Rigid Panel 254 mm x 177 mm |
| (| 013402 | Clear Acrylic Semi-Rigid Panel 254 mm x 254 mm |
| (| 013404 | Clear Acrylic Semi-Rigid Panel 254 mm x 355 mm |
| (| 013405 | Clear Acrylic Semi-Rigid Panel 254 mm x 760 mm |

Safety sliders consumable kit

Print these blank rigid boards for use in Brady's flexible Safety Slider facility communication system.



Order Reference B85-RIGID SIGN-KIT

Rigid signs panel kit for BBP85 Printer

This kit includes one each of the following parts:

| Order Reference | Description | Colour | Size - Width A (mm) | Size - Height B (mm) | Size - Length B (m) | Labels per Roll |
|-------------------------------------|-------------|--------|---------------------|----------------------|---------------------|-----------------|
| B85-R-158x60-BK | Ribbon(s) | Black | 158.00 | - | 60.00 | 1 |
| B85-R-158x60-RD | Ribbon(s) | Red | 158.00 | - | 60.00 | 1 |
| B85-R-158x60-BL | Ribbon(s) | Blue | 158.00 | - | 60.00 | 1 |
| B85-R-158x60-GN | Ribbon(s) | Green | 158.00 | - | 60.00 | 1 |
| B85-R-158x60-YL | Ribbon(s) | Yellow | 158.00 | - | 60.00 | 1 |
| B85-150x15M-7569WT | Roll(s) | White | 150.00 | - | 15.00 | 1 |
| SLIDER BOARD-PVC-450x850mm-BLANK-LS | Sign(s) | White | 450.00 | 830.00 | - | 1 |
| SLIDER INSERT-PP-450x150mm-BLANK | Sign(s) | White | 450.00 | 150.00 | - | 1 |

Compatible with BBP85 printer.

BBP85 labels and tapes





1

B-595 high performance indoor/outdoor vinyl

For general facility and safety identification: our best industrial vinyl yet

- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to "difficult" low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics)



Safety and facility identification: 5S labels, pipe markers, safety & warning labels, equipment & panel labels, arc flash & chemical labels and more!

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon | ∞ ← A → |
|----------|--------------------|------------|---------------------|---------------------|-----------------|--------------------|--------------------|
| 00 | B85-100x15M-595-YL | Yellow | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| 00 | B85-150x15M-595-YL | Yellow | 150.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-178x15M-595-YL | Yellow | 178.00 | 15.00 | 1 | B85-R-220x60-BK | B |
| ∞ | B85-200x15M-595-YL | Yellow | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-595-YL | Yellow | 250.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-100x15M-595-WT | White | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-150x15M-595-WT | White | 150.00 | 15.00 | 1 | B85-R-158x60-BK | 1 |
| ∞ | B85-178x15M-595-WT | White | 178.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-200x15M-595-WT | White | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-595-WT | White | 250.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-100x15M-595-RD | Red | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| 00 | B85-150x15M-595-RD | Red | 150.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-178x15M-595-RD | Red | 178.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-200x15M-595-RD | Red | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-595-RD | Red | 250.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-100x15M-595-PL | Purple | 100.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-150x15M-595-PL | Purple | 150.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-200x15M-595-PL | Purple | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-595-PL | Purple | 250.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-100x15M-595-0R | Orange | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-150x15M-595-0R | Orange | 150.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-178x15M-595-0R | Orange | 178.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-200x15M-595-0R | Orange | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-595-0R | Orange | 250.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-100x15M-595-GY | Grey | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-150x15M-595-GY | Grey | 150.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-200x15M-595-GY | Grey | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-595-GY | Grey | 250.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-100x15M-595-GN | Green | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-150x15M-595-GN | Green | 150.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-178x15M-595-GN | Green | 178.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-200x15M-595-GN | Green | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-595-GN | Green | 250.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-100x15M-595-GD | Gold | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-150x15M-595-GD | Gold | 150.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-200x15M-595-GD | Gold | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-595-GD | Gold | 250.00 | 15.00 | 1 | B85-R-220x60-BK | |
| 00 | B85-100x15M-595-BR | Dark Brown | 100.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-150x15M-595-BR | Dark Brown | 150.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-200x15M-595-BR | Dark Brown | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-595-BR | Dark Brown | 250.00 | 15.00 | 1 | B85-R-220x60-WT | |
| 00 | B85-100x15M-595-CL | Clear | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| 00 | B85-150x15M-595-CL | Clear | 150.00 | 15.00 | 1 | B85-R-158x60-BK | |
| 00 | B85-200x15M-595-CL | Clear | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| 00 | B85-250x15M-595-CL | Clear | 250.00 | 15.00 | 1 | B85-R-220x60-BK | |
| 00 | B85-100x15M-595-BL | Blue | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| 8 | B85-150x15M-595-BL | Blue | 150.00 | 15.00 | 1 | B85-R-158x60-WT | |
| 00 | B85-178x15M-595-BL | Blue | 178.00 | 15.00 | 1 | B85-R-220x60-WT | |
| 00 | B85-200x15M-595-BL | Blue | 200.00 | 15.00 | 1 | B85-R-220x60-BK | U.S. Patent Nos. |
| 00 | B85-250x15M-595-BL | Blue | 250.00 | 15.00 | 1 | B85-R-220x60-WT | 5,318,370; |
| 8 | B85-100x15M-595-BK | Black | 100.00 | 15.00 | 1 | B85-R-158x60-WT | 5,823,689; |
| 00 | B85-150x15M-595-BK | Black | 150.00 | 15.00 | 1 | B85-R-158x60-WT | 6,570,602. |
| 8 | B85-200x15M-595-BK | Black | 200.00 | 15.00 | 1 | B85-R-220x60-BK | Additional Patents |
| 00 | B85-250x15M-595-BK | Black | 250.00 | 15.00 | 1 | B85-R-220x60-WT | Pending. |

www.bradyeurope.com

Size - Height

B (mm)

152.00

254.00

152.00

152.00

254.00

Size - Width

A (mm)

102.00

178.00

152.00

102.00

178.00

For guickly creating NFPA and Colour Bar labels

Diagram

Order Reference

B85-102x152-595-NFPADIA

B85-178x254-595-NFPADIA

B85-102x152-595-COLOURBAR

B85-178x254-595-COLOURBAR

B85-152x152-595-NFPA

• Allows the printer to produce 5 colour chemical labels in a single print pass

B-595 pre-printed right-to-know chemical labels

Indoor/Outdoor grade material withstands exposure to moisture, • chemicals and handling

| B-595 | pre-printed | pre-cut | blank sign | headers |
|--------------|-------------|---------|------------|---------|

For creating safety warning labels in seconds.

- · Allows the printer to create multi-colour signs fast in a single print pass
- Headers meet OSHA 1910.145 and ASME/ANSI Z535 standards · Indoor/Outdoor grade material conforms to rough, irregular and "difficult to adhere to" surfaces

| Diagram | Order Reference | | Size - Width A (mm) | Size - Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|------------------------|------------------|------------------------|-------------------------|--------------------|-----------------------|
| | B85-102x152-595-ANSICA | A CAUTION | 102.00 | 152.00 | 95 | B85-R-158x60-BK |
| | B85-178x254-595-ANSICA | A CAUTION | 178.00 | 254.00 | 60 | B85-R-220x60-BK |
| | B85-102x152-595-ANSIDA | A DANGER | 102.00 | 152.00 | 95 | B85-R-158x60-BK |
| | B85-178x254-595-ANSIDA | A DANGER | 178.00 | 254.00 | 60 | B85-R-220x60-BK |
| | B85-102x152-595-ANSINO | NOTICE | 102.00 | 152.00 | 95 | B85-R-158x60-BK |
| | B85-178x254-595-ANSINO | NOTICE | 178.00 | 254.00 | 60 | B85-R-220x60-BK |
| | B85-102x152-595-ANSIWA | AWARNING | 102.00 | 152.00 | 95 | B85-R-158x60-BK |
| | B85-178x254-595-ANSIWA | AWARNING | 178.00 | 254.00 | 60 | B85-R-220x60-BK |
| | B85-102x152-595-0SHACA | CAUTION | 102.00 | 152.00 | 95 | B85-R-158x60-BK |
| | B85-178x254-595-0SHACA | CAUTION | 178.00 | 254.00 | 60 | B85-R-220x60-BK |
| | B85-102x152-595-0SHADA | DANGER | 102.00 | 152.00 | 95 | B85-R-158x60-BK |
| | B85-178x254-595-0SHADA | DANGER | 178.00 | 254.00 | 60 | B85-R-220x60-BK |
| | B85-178x254-595-WT | | 178.00 | 254.00 | 60 | B85-R-220x60-BK |
| | B85-178x254-595-YL | | 178.00 | 254.00 | 60 | B85-R-220x60-BK |

227 ٠ AREA IN FRONT OF TH ELECTRICAL PANEL MUST BE KEPT CLEAR FOR 36 INCHES. OSHA-NEC REGULATIONS

B85-R-220x60-BK B85-R-158x60-BK B85-R-158x60-BK

C



| 2 | - |
|---|---|
| | ┢ |
| | |
| | |
| | + |
| | |
| | |
| | |
| | |



Which material for which application?

For more information on which printer material is suitable for a particular application, please refer to our guide located on page 9.



BBP85 labels and tapes

Labels

per Roll

95

60

95

95

60

entrion

Recommended Ribbon

B85-R-158x60-BK



B-7569 indoor/outdoor vinyl

General purpose industrial vinyl for indoor/outdoor usage

- High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl



| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon | <mark>∞ </mark> |
|----------|--------------------|--------|------------------------|------------------------|--------------------|--------------------|------------------|
| ∞ | B85-100x15M-7569YL | Yellow | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-150x15M-7569YL | Yellow | 150.00 | 15.00 | 1 | B85-R-158x60-BK | B |
| ∞ | B85-200x15M-7569YL | Yellow | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-7569YL | Yellow | 250.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-100x15M-7569WT | White | 100.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-150x15M-7569WT | White | 150.00 | 15.00 | 1 | B85-R-158x60-BK | |
| ∞ | B85-200x15M-7569WT | White | 200.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x15M-7569WT | White | 250.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-100x15M-7569RD | Red | 100.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-200x15M-7569RD | Red | 200.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-250x15M-7569RD | Red | 250.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-250x15M-75690R | Orange | 250.00 | 15.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-100x15M-7569GN | Green | 100.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-200x15M-7569GN | Green | 200.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-250x15M-7569GN | Green | 250.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-100x15M-7569BL | Blue | 100.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-200x15M-7569BL | Blue | 200.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-250x15M-7569BL | Blue | 250.00 | 15.00 | 1 | B85-R-220x60-WT | |
| ∞ | B85-100x15M-7569BK | Black | 100.00 | 15.00 | 1 | B85-R-158x60-WT | |
| ∞ | B85-250x15M-7569BK | Black | 250.00 | 15.00 | 1 | B85-R-220x60-WT | |



B-7569 pre-printed CLP (GHS) chemical labels

Print 2 colour CLP (GHS) labels in one fast print pass!

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour CLP (GHS) labels in one print pass
- 3 sizes of labels, each with 6 diamond layouts that match templates in the Brady Workstation CLP (GHS) app. Find out more at **workstation.bradyid.com!**
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling



| Diagram | Order Reference | | Size - Width A (mm) | Size - Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|------------------------|----------------------------|------------------------|-------------------------|--------------------|--------------------|
| | B85-105x155-7569-CLP1 | \diamond | 105.00 | 155.00 | 90 | B85-R-158x60-BK |
| | B85-105x155-7569-CLP2 | 8 | 105.00 | 155.00 | 90 | B85-R-158x60-BK |
| | B85-105x155-7569-CLP3A | 8 | 105.00 | 155.00 | 90 | B85-R-158x60-BK |
| | B85-105x155-7569-CLP3B | | 105.00 | 155.00 | 90 | B85-R-158x60-BK |
| | B85-105x155-7569-CLP4A | 800 | 105.00 | 155.00 | 90 | B85-R-158x60-BK |
| | B85-105x155-7569-CLP4B | \bigotimes | 105.00 | 155.00 | 90 | B85-R-158x60-BK |
| | B85-155x210-7569-CLP1 | \diamond | 155.00 | 210.00 | 70 | B85-R-158x60-BK |
| | B85-155x210-7569-CLP2 | 8 | 155.00 | 210.00 | 70 | B85-R-158x60-BK |
| | B85-155x210-7569-CLP3A | 8 | 155.00 | 210.00 | 70 | B85-R-158x60-BK |
| | B85-155x210-7569-CLP3B | $\diamond\diamond\diamond$ | 155.00 | 210.00 | 70 | B85-R-158x60-BK |
| | B85-155x210-7569-CLP4A | 800 | 155.00 | 210.00 | 70 | B85-R-158x60-BK |
| | B85-155x210-7569-CLP4B | \bigotimes | 155.00 | 210.00 | 70 | B85-R-158x60-BK |



(0

B-7569 pre-printed pre-cut blank sign headers

For creating safety warning labels in seconds.

- · Allows the printer to create multi-colour signs fast in a single print pass
- Headers meet OSHA 1910.145 and ASME/ANSI Z535 standards
- · High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl

| | | | Size - Width | Size - Height | Labels | Recommended | Software | |
|---------|-------------------------|------------------|--------------|---------------|----------|-----------------|---------------|--|
| Diagram | Order Reference | | A (mm) | B (mm) | per Roll | Ribbon | Compatibility | |
| | B85-254x356-7569-WT | | 254.00 | 356.00 | 40 | B85-R-220x60-BK | MW | |
| | B85-254x356-7569-YL | | 254.00 | 356.00 | 40 | B85-R-220x60-BK | MW | |
| | B85-254x356-7569-0SHACA | CAUTION | 254.00 | 356.00 | 40 | B85-R-220x60-BK | MW | |
| | B85-254x356-7569-ANSICA | A CAUTION | 254.00 | 356.00 | 40 | B85-R-220x60-BK | MW | |
| | B85-254x356-7569-ANSIDA | A DANGER | 254.00 | 356.00 | 40 | B85-R-220x60-BK | MW | |
| | B85-254x356-7569-ANSINO | NOTICE | 254.00 | 356.00 | 40 | B85-R-220x60-BK | MW | |
| | B85-254x356-7569-ANSIWA | AWARNING | 254.00 | 356.00 | 40 | B85-R-220x60-BK | MW | |
| | B85-254x356-7569-0SHADA | DANGER | 254.00 | 356.00 | 40 | B85-R-220x60-BK | MW | |

B-569 high performance polyester

For labelling stainless steel and smooth surfaces

- · Recommended for low-halide content for labelling stainless steel pipes and surfaces
- · Applies best to very smooth surfaces and ideal for mounting to rigid panels

| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon |
|----------|--------------------|------------|------------------------|------------------------|--------------------|-----------------------|
| ∞ | B85-100x15M-569-CL | Clear | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-569-CL | Clear | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x15M-569-CL | Clear | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-569-CL | Clear | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-569-LB | Light Blue | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-569-LB | Light Blue | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x15M-569-LB | Light Blue | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-569-LB | Light Blue | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-569-0C | Ochre | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-569-0C | Ochre | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x15M-569-0C | Ochre | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-569-0C | Ochre | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-569-0R | Orange | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-569-0R | Orange | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x15M-569-0R | Orange | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-569-0R | Orange | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-569-PK | Pink | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-569-WT | White | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-569-WT | White | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x15M-569-WT | White | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-569-WT | White | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-569-YL | Yellow | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-569-YL | Yellow | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x15M-569-YL | Yellow | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-569-YL | Yellow | 250.00 | 15.00 | 1 | B85-R-220x60-BK |









PART OF THE PART

221

ELECTRICAL PANEL NEPT CLEAR FOR 36 INCHES OSHA-NEC REGULATIONS



B-584 retro reflective tape

For highly reflective identification that shines back brightly when struck by light

- Ideal for labelling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
- Recommended low light or inclement weather conditions
- Class 1 Reflectivity (Fed. Spec. L-S-300)



| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon |
|----------|--------------------|--------|---------------------|---------------------|-----------------|--------------------|
| ∞ | B85-100x10M-584-0R | Orange | 100.00 | 10.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x10M-584-0R | Orange | 178.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x10M-584-0R | Orange | 250.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x10M-584-SV | Silver | 100.00 | 10.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x10M-584-SV | Silver | 178.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x10M-584-SV | Silver | 250.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x10M-584-YL | Yellow | 100.00 | 10.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x10M-584-YL | Yellow | 178.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x10M-584-YL | Yellow | 250.00 | 10.00 | 1 | B85-R-220x60-BK |



B-526 BradyGlo high-intensity photoluminescent tape

For glow-in-the dark identification - up to 10 hours

- Designed for directional and evacuation marking
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls
- Class B material according to the PSPA Performance classification



| Diagram | Order Reference | Colour | Size - Width A (mm) | Size - Length B (m) | Labels per Roll | Recommended Ribbon | ∞ |
|----------|--------------------|----------------|---------------------|---------------------|-----------------|--------------------|----------|
| ∞ | B85-100x10M-526-GN | Luminous Green | 100.00 | 10.00 | 1 | B85-R-158x60-BK | 1 |
| ∞ | B85-178x10M-526-GN | Luminous Green | 178.00 | 10.00 | 1 | B85-R-220x60-BK | |
| ∞ | B85-250x10M-526-GN | Luminous Green | 250.00 | 10.00 | 1 | B85-R-220x60-BK | B |
| | | | | | | | |



Choose from a variety of heavy-duty, smear-proof ribbons, including single colour and multi-colour panelled ribbons. These ribbons are uniquely designed with memory cells that communicate information to the BBPTM85 Sign & Label Printer.

Printer notifies user if the installed ribbon is not recommended for the installed labels.

Single colour print ribbons

| Order Reference | Colour | Width (mm) | Length (m) |
|-----------------|---------|------------|------------|
| B85-R-158x60-BK | Black | 158.00 | 60 |
| B85-R-220x60-BK | Black | 220.00 | 60 |
| B85-R-158x60-BL | Blue | 158.00 | 60 |
| B85-R-220x60-BL | Blue | 220.00 | 60 |
| B85-R-158x60-GN | Green | 158.00 | 60 |
| B85-R-220x60-GN | Green | 220.00 | 60 |
| B85-R-158x60-MA | Magenta | 158.00 | 60 |
| B85-R-220x60-MA | Magenta | 220.00 | 60 |
| B85-R-158x60-0R | Orange | 158.00 | 60 |
| B85-R-220x60-0R | Orange | 220.00 | 60 |
| B85-R-158x60-RD | Red | 158.00 | 60 |
| B85-R-220x60-RD | Red | 220.00 | 60 |
| B85-R-158x60-WT | White | 158.00 | 60 |
| B85-R-220x60-WT | White | 220.00 | 60 |
| B85-R-158x60-YL | Yellow | 158.00 | 60 |
| B85-R-220x60-YL | Yellow | 220.00 | 60 |
| | | | |



Two colour panelled print ribbons

| Order Reference | Colour | Additional Information | Width (mm) | Leng (m) |
|-------------------------|-----------------|--|---------------|-------------|
| B85-R-158x60-BK/BL-380P | Black & Blue | Two Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/BL-380P | Black & Blue | Two Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-158x60-BK/GN-200P | Black & Green | Two Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-158x60-BK/GN-380P | Black & Green | Two Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/GN-200P | Black & Green | Two Colour Ribbon 200mm long Panels | 220.00 | 60 |
| B85-R-220x60-BK/GN-380P | Black & Green | Two Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-158x60-BK/RD-380P | Black & Red | Two Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-158x60-BK/RD-200P | Black & Red | Two Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/RD-380P | Black & Red | Two Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-220x60-BK/RD-200P | Black & Red | Two Colour Ribbon 200mm long Panels | 220.00 | 60 |
| B85-R-158x60-BK/YL-200P | Black & Yellow | Two Colour Řibbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/YL-380P | Black & Yellow | Two Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-158x60-BK/OR-200P | Black on Orange | Two Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/OR-380P | Black on Orange | Two Colour Řibbon 380mm long Panels | 220.00 | 60 |
| | | | | |



Four colour panelled print ribbons

| Order Reference | Colour | Additional Information | Width (mm) | Length (m) |
|------------------------|-----------------------------|---|---------------|---------------|
| B85-R-158x60-KRBG-380P | Black, Red, Blue, Green | Four Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-158x60-KRBG-200P | Black, Red, Blue, Green | Four Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-KRBG-380P | Black, Red, Blue, Green | Four Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-220x60-KRBG-200P | Black, Red, Blue, Green | Four Colour Ribbon 200mm long Panels | 220.00 | 60 |
| B85-R-158x60-KRBY-380P | Black, Red, Blue, Yellow | Four Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-158x60-KRBY-200P | Black, Red, Blue, Yellow | Four Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-KRBY-380P | Black, Red, Blue, Yellow | Four Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-220x60-KRBY-200P | Black, Red, Blue, Yellow | Four Colour Ribbon 200mm long Panels | 220.00 | 60 |
| B85-R-220x60-KR0B-200P | Black, Red, Orange, Blue | Four Colour Ribbon 200mm long Panels | 220.00 | 60 |



BBP85 at a glance









BradyJet J2000 and J5000 colour label printers

- 54-55 BradyJet J2000 Colour Label Printer and materials
- 56-57 BradyJet J5000 Colour Label Printer and materials
- 58 Create full colour rigid signs with BradyJet
- 58 Print your own Lockout procedures in full colour
- 59 Add outdoor durability with the new laminates!
- 59 Full colour tags printable at location





BradyJet J2000 COLOUR LABEL PRINTER

The BradyJet J2000 prints on Brady's reliable indoor sign, tag and label materials that stay attached and remain legible when exposed to liquids, alcohol and indoor lighting. They can be counted on to warn coworkers about hazards, or to instruct them on the optimal use or maintenance of machinery.

Signs that comply and get noticed

With over 16 million colour variations, the new BradyJet J2000 enables customers to print their own, eye-catching safety signs, tags, pipe markers and lean instruction labels to increase workplace safety and efficiency and at the same time comply with any regulatory colour code. Quality images and pictures can be added to any sign thanks to the printer's high, photoquality printing resolution of 4800 dpi.

BradyJet J2000 printers

| Order Reference | Article No. | Description |
|-----------------|-------------|---|
| J2000-EU | 150159 | BradyJet J2000 Colour Label Printer - EU |
| J2000-EU-SFIDS | 199968 | BradyJet J2000 Colour Label Printer - EU with Brady Workstation SFID Suite |
| J2000-UK | 150157 | BradyJet J2000 Colour Label Printer - UK |
| J2000-UK-SFIDS | 199969 | BradyJet J2000 Colour Label Printer - UK with Brady Workstation SFID Suite |
| J2000 | 150162 | BradyJet J2000 Colour Label Printer - US |
| J2000-US-SFIDS | 199972 | BradyJet J2000 Colour Label Printer - US with Brady Workstation SFID Suite |



The Basic Suite is included with every printer, download it: Workstation.BradyID.com/Free

Create custom signs, labels and pipemarkers with WorkStation.BradyID.com/SFID

BradyJet J2000 accessories

| Order Reference | Article No. | Description |
|-----------------|-------------|------------------------------------|
| J20-CUTTER | 150160 | Replacement Cutter Blade for J2000 |
| J20-PAD | 150163 | Replacement Ink Pads for J2000 |

BradyJet J2000 inks

Order Reference Article No. Description J20-CMY CMY pigment based ink cartridge for J2000 Printer 150154



Easy to use

With 26.4 by 38.9 cm dimensions, the BradyJet J2000 has a small footprint and is very practical and easy to use. Spring loaded Brady label rolls can be switched in less than 20 seconds and with automatic label set up, the printer is ready to print in no time. And with up to 63.5 mm per second print speed, even larger colour coded sample labels can quickly be printed on demand.

















Safety signage

CLP/GHS

Pipe marking

Evacuation map

Lean/5S

Facility signage

BradyJet J2000 Colour Label Printer

| Printer specifications | |
|------------------------------|---|
| Print Resolution (dpi) | Up to 4800 dpi |
| Print Technology | Inkjet |
| Colour Capability | Full Colour |
| Continuous vs Die-cut Labels | Continuous Tape & Die Cut Labels |
| Max. Label Width (mm) | 101.60 |
| Max. Print Width (mm) | 101.60 |
| Max. Print Length | 609.60 |
| Cutter | Auto Cutter |
| Print Speed (mm/sec) | 63.50 |
| PC Connectivity | Yes |
| Software Compatibility | Brady Workstation, Windows based driver for 3rd party software use |
| Connectivity Options | USB |
| Height x Width x Height (mm) | 180 x 264 x 389 |
| Weight (kg) | 3.20 |
| Operating Temperature | 15°C - 32°C |
| Approval/Compliance | USA: UL, FCC Class A; Canada: cUL, IC/ISED; European Union : CE, RoHS 2011/65/EU, 2014/35/EU, LVD, 2014/30/EU, RED 2014/53/ EU; Australia/New Zealand : RCM |
| Warranty | 1 year |



J2000 SFID materials

| Diagram | Order Reference | Art. No. | Colour | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Total Qty/Pack |
|-------------|-------------------------|--------------|--------|--------------------|---------------------|--------------------|----------------|
| Inkjet Rece | eptive Polyester | | | | | | |
| 8 | J20C-1125-2569 | 150021 | White | 29.00 | - | 30.00 | 1 |
| ∞ | J20C-2250-2569 | 150031 | White | 57.00 | - | 30.00 | 1 |
| ∞ | J20C-4000-2569 | 150009 | White | 101.00 | - | 30.00 | 1 |
| A | J20-260-2569 | 150026 | White | 55.00 | 85.00 | - | 340 |
| | J20-261-2569 | 150003 | White | 75.00 | 110.00 | - | 270 |
| | J20-262-2569 | 150029 | White | 105.00 | 155.00 | - | 200 |
| Inkjet Rece | eptive Vinyl | | | | | | |
| ∞ | J20C-1125-2595 | 150010 | White | 29.00 | - | 30.00 | 1 |
| ∞ | J20C-2250-2595 | 150014 | White | 57.00 | - | 30.00 | 1 |
| ∞ | J20C-4000-2595 | 150017 | White | 101.00 | - | 30.00 | 1 |
| A | J20-260-2595 | 150013 | White | 55.00 | 85.00 | - | 340 |
| | J20-261-2595 | 150027 | White | 75.00 | 110.00 | - | 270 |
| | J20-262-2595 | 150032 | White | 105.00 | 155.00 | - | 200 |
| Polyester v | with inkjet receptive v | inyl topcoat | | | | | |
| 8 | J20C-2500-2551 | 150012 | White | 64.00 | - | 15.24 | 1 |
| ∞ | J20C-3250-2551 | 150008 | White | 83.00 | - | 15.24 | 1 |
| | J20-255-2551 | 150030 | White | 82.55 | 146.05 | - | 100 |

J2000 CLP materials

| Diagram | Order Reference | Art. No. | Colour | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Total Qty/Pack |
|-------------|---------------------|----------|--------|--------------------|---------------------|--------------------|----------------|
| Inkjet Rece | ptive Polypropylene | | | | | | |
| ∞ | J20C-1125-7425J | 150542 | White | 29.00 | - | 30 m | 1 |
| ∞ | J20C-2250-7425J | 150547 | White | 57.00 | - | 30 m | 1 |
| ∞ | J20C-4000-7425J | 150548 | White | 101.00 | - | 30 m | 1 |
| | J20-18-7425J | 150545 | White | 76.20 | 25.40 | | 1000 |
| | J20-260-7425J | 150543 | White | 55.00 | 85.00 | | 340 |
| | J20-261-7425J | 150541 | White | 75.00 | 110.00 | | 270 |
| | J20-262-7425J | 150544 | White | 105.00 | 155.00 | | 200 |
| Inkjet Rece | ptive Vinyl | | | | | | |
| ∞ | J20C-1125-2595 | 150010 | White | 29.00 | - | 30 m | 1 |
| ∞ | J20C-2250-2595 | 150014 | White | 57.00 | - | 30 m | 1 |
| ∞ | J20C-4000-2595 | 150017 | White | 101.00 | - | 30 m | 1 |
| | J20-18-2595 | 150546 | White | 76.20 | 25.40 | | 1000 |
| | J20-260-2595 | 150013 | White | 55.00 | 85.00 | | 340 |
| | J20-261-2595 | 150027 | White | 75.00 | 110.00 | | 270 |
| | J20-262-2595 | 150032 | White | 105.00 | 155.00 | | 200 |



f

Brady Workstation safety and facility identification software suite

Keep your facility safe and compliant by creating custom signs, label and pipemarkers, adding visual safety guidance.

Workstation.BradyID.com/SafetyAndFacility





BradyJet J5000 printer

| Order Reference | Article No. | Description |
|-----------------|-------------|---|
| J5000-US-SFIDS | 198574 | BradyJet J5000 Colour Label Printer - US with |
| | | Brady Workstation SFID Suite |
| J5000-UK-SFIDS | 198573 | BradyJet J5000 Colour Label Printer - UK with |
| | | Brady Workstation SFID Suite |
| J5000-EU-SFIDS | 198572 | BradyJet J5000 Colour Label Printer - EU with |
| | | Brady Workstation SFID Suite |
| J5000-EU | 148792 | BradyJet J5000 Colour Label Printer - EU |
| J5000-UK | 148791 | BradyJet J5000 Colour Label Printer - UK |
| J5000-US | 148704 | BradyJet J5000 Colour Label Printer - US |
| | | |





Create custom signs, labels and pipemarkers with WorkStation.BradyID.com/SFID

BradyJet J5000 accessories

| Order Reference | Article No. | Description |
|-----------------|-------------|--------------------------------|
| J50-CUTTER | 148768 | J5000 Replacement Cutter Blade |
| J50-PAD | 148769 | J5000 Replacement Ink Pads |
| J50-PH | 148770 | J5000 Replacement Printhead |
| | | |



BradyJet J5000 ink cartridges

| Order Reference | Colour | Description |
|-----------------|---------------------------------|---|
| J50-CMYK | Cyan, Magenta, Yellow, Black | Multi-pack pigment based ink cartridge for J5000 Printer |
| J50-CY | Cyan | Cyan pigment based ink cartridge for J5000 Printer |
| J50-MA | Magenta | Magenta pigment based ink cartridge for J5000 Printer |
| J50-YL | Yellow | Yellow pigment based ink cartridge for J5000 Printer |
| J50-BK | Black | Black pigment based ink cartridge for J5000 Printer |



Easily create the full colour labels and signs needed with the BradyJet J5000 Colour Label Printer to communicate safety information,

BradyJet J5000 COLOUR LABEL PRINTER

procedures, facility identification and a variety of other applications to reduce workplace accidents and to increase productivity.

Reduce accidents

Use the BradyJet J5000 Colour Label Printer to immediately communicate about an identified hazard by creating safety signs, CLP/GHS labels, Lockout/Tagout tags, arc flash labels, fire visuals or machine hazard labels.

The BradyJet J5000 Colour Label Printer enables you to create full colour indoor signs and labels on demand. These will help you to offer important safety and lean information right where employees need to see it.



Increase productivity

Use the BradyJet J5000 Colour Label Printer to print standard work procedures and waste management rules. Create machine operating procedures and attach them to machinery to increase efficiency on the workfloor.

Identify passage ways, danger zones, departments and storage areas with clear colour coded signs so new employees and contractors don't lose time finding their way. Add PPE communication, steps to take in the event of a fire and evacuation plans.





Safety signage

Evacuation map



Facility signage

Quickly print full colour durable signs & labels

The BradyJet J5000 Colour Label Printer quickly prints full colour safety and lean signs, logos and images in photo-quality on durable materials.

| Printer Specifications | |
|------------------------------|---|
| Print Resolution (dpi) | Up to 4800 |
| Print Technology | Inkjet |
| Colour Capability | Full Colour |
| Continuous vs Die-cut Labels | Continuous Tape & Die Cut Labels |
| Max. Label Width (mm) | 209.55 |
| Max. Print Width (mm) | 203.2 |
| Max. Print Length (mm) | 609.6 |
| Cutter | Auto Cutter |
| Print Speed (mm/sec) | 152.4 |
| PC Connectivity | Yes |
| Software Compatibility | Brady Workstation, Windows based driver for 3rd party software use |
| Connectivity Options | USB, WiFi, Ethernet |
| Height x Width x Depth (mm) | 259 x 495 x 521 |
| Weight (kg) | 20.4 |
| Display | Colour LCD |
| Operating Temperature | 15°C-32°C |
| Approval/Compliance | USA: UL, FCC ClassA - Canada: cUL, IC/ISED - European Union: CE Mark; 2014/35/EU LVD, 2014/30/EU - EMCD, 2011/65/EU, 2015/863/EU RoHS2, 2014/53/EU RED - Australia/New Zealand: RCM - Japan: MIC |
| Warranty | 1 year |

Fast

Print full colour signs and labels in one pass at a top speed of 150 mm per second. That makes the BradyJet J5000 Colour Label Printer a great peripheral tool for any company that needs to quickly add or renew indoor safety signs, lean labels or pipe markers.



Durable

The BradyJet J5000 Colour Label Printer prints on Brady's durable B-2595 vinyl and B-2569 polyester sign and label material range. These labels feature a topcoat that enhances the colour and label appearance, and protects your print from smudging and harsh conditions. The labels have been tested to withstand exposure to liquids, alcohol and chemicals. Available in sizes ranging from 55.00 to 203.20 mm for the BradyJet J5000 Colour Label Printer.

B-2595/B-2569 inkjet receptive polyester and vinyl labels

| Diagram | Order Reference | Colour | Width A (mm) | Height B (mm) | Length B (m) | Labels per Roll |
|---------------|-----------------|--------|--------------|---------------|--------------|-----------------|
| ıkjet Recepti | ve Polyester | | | | | |
| ∞ | J50C-2250-2569 | White | 57.00 | - | 30 | 1 |
| ∞ | J50C-4000-2569 | White | 101.00 | - | 30 | 1 |
| ∞ | J50C-6000-2569 | White | 152.00 | - | 30 | 1 |
| ∞ | J50C-8000-2569 | White | 203.20 | - | 30 | 1 |
| | J50-260-2569 | White | 55.00 | 85.00 | - | 340 |
| | J50-261-2569 | White | 75.00 | 110.00 | - | 270 |
| | J50-262-2569 | White | 105.00 | 155.00 | - | 200 |
| | J50-267-2569 | White | 155.00 | 210.00 | - | 120 |
| | J50-265-2569 | White | 178.00 | 254.00 | - | 100 |
| kjet Recepti | ve Vinyl | | | | | |
| ∞ | J50C-2250-2595 | White | 57.00 | - | 30 | 1 |
| ∞ | J50C-4000-2595 | White | 101.00 | - | 30 | 1 |
| ∞ | J50C-6000-2595 | White | 152.00 | - | 30 | 1 |
| ∞ | J50C-8000-2595 | White | 203.20 | - | 30 | 1 |
| A | J50-260-2595 | White | 55.00 | 85.00 | - | 340 |
| | J50-261-2595 | White | 75.00 | 110.00 | - | 270 |
| | J50-262-2595 | White | 105.00 | 155.00 | - | 200 |
| | J50-267-2595 | White | 155.00 | 210.00 | - | 120 |
| | J50-265-2595 | White | 178.00 | 254.00 | - | 100 |
| | | | | | | |

Create full colour rigid signs with BradyJet





Full colour high resolution messages succeed best in attracting people's attention which is incredibly important to warn co-workers for potential dangers with safety signs. Brady now offers a practical kit in addition to the BradyJet J5000 Colour Label Printer to combine the advantages of full colour messaging with the extra durability and abrasion resistance of rigid signs.



Order Reference Article No J5000-Rigid Kit 197200

197200 Rigid Signs Panel Kit for BradyJet J5000

Description

This kit includes one each of the following parts:

| | A 11 1 | | 140 101 | | | |
|---|----------------|---|-----------------|------------------|-----------------|----------|
| Order Reference | Article No. | Description | Width A (mm) | Height B (mm) | Length B (m) | Quantity |
| BLS2000 supplies - Clear Acrylic semi- rigid panel 203 mm x 203 mm | 013401 | Clear Acrylic Semi-Rigid Panel 203 mm x 203 mm | 203.00 | 203.00 | - | 10 |
| BLS2000 supplies - Clear Acrylic semi- rigid panel 254 mm x 177 mm | 013403 | Clear Acrylic Semi-Rigid Panel 254 mm x 177 mm | 254.00 | 177.00 | - | 10 |
| BLS 2000 Laminating System | 013506 | BLS 2000 Laminating System | | - | - | 1 |
| J50-265-2595 | 148659 | Vinyl Labels for J5000 Printer | 178.00 | 254.00 | - | 100 |
| J50C-8000-2595 | 148663 | Continuous Vinyl Tape for J5000 Printer | 203.00 | - | 30 | 1 |

Compatible with BradyJet J5000 printer.

Print your own Lockout procedures in full colour



Lockout/Tagout procedures can save lives during maintenance by offering complete and precise steps on how to isolate machines from their energy supply. For optimal compliance, these procedures should be attached to the relevant machinery. A practical way to do this, is designing the procedure in the Lockout Writer app from Brady Workstation and print it with the BradyJet J5000 Label Printer in full colour on durable materials.



| Order Reference | Article No. | Description |
|------------------|-------------|---|
| J5000-BWS-LOW-EU | 197201 | BradyJet J5000 Colour Label Printer - EU with Workstation Lockout Writer CD |
| J5000-BWS-LOW-UK | 197202 | BradyJet J5000 Colour Label Printer - UK with Workstation Lockout Writer CD |
| J5000-BWS-LOW-US | 197203 | BradyJet J5000 Colour Label Printer - US with Workstation Lockout Writer CD |

Includes the Brady Workstation Basic Design Suite as standard - http://workstation.bradyid.com/

Add outdoor durability with the new laminates!

The BradyJet J5000 Colour Label Printer is able to quickly print full colour signs and labels with indoor durability. By applying a laminate, these on-site printed full colour signs and labels can be given 3 year outdoor durability, considerably expanding the printer's applications. 4 sizes of laminates can be applied, and each laminate is 12 mm wider than its corresponding label materal for easier application of the laminate.



| Order Reference | Article No. | Description | Width A (mm) | Length B (m) |
|-----------------|-------------|--------------------------------|--------------|--------------|
| LAM-6000-910 | 149257 | Overlaminate for J5000 Printer | 165.00 | 36 |
| LAM-4000-910 | 149258 | Overlaminate for J5000 Printer | 114.00 | 36 |
| LAM-2250-910 | 149259 | Overlaminate for J5000 Printer | 70.00 | 36 |
| LAM-8000-910 | 149260 | Overlaminate for J5000 Printer | 216.00 | 36 |

Full colour tags printable at location

Durable tags that can be printed in full colour and high resolution at location with the BradyJet J5000.

- Durable full colour tags can now be printed on-site and on demand, for use in Lockout/Tagout and other company procedure
- Made out of thick polyester for optimal tear resistance with an adhered vinyl layer to receive full colour prints
- Tag material rolls include 100 tags with perforated edges to easily separate the printed tags
- Tags have a precut hole to easily apply them to a cable tie or a padlock.

| Order Reference | Article No. | Description | Width A (mm) | Height B (mm) | Labels per Roll |
|-----------------|-------------|---------------------------------|--------------|---------------|--------------------|
| J50-255-2551 | 149232 | Vinyl Tags for J5000 Printer | 82.55 | 146.05 | 100 |



Design any label with Brady Workstation apps

Brady Workstation offers professional, intuitive apps to design quality product and cable labels and safety signs. Label design becomes easier, faster and quickly adaptable to new label norms thanks to centralised updates.

Simply download Brady Workstation to your desktop and add the applications you need: www.workstation.bradyid.com



Brady Workstation

Design any label with Brady Workstation apps

Brady Workstation offers professional, intuitive apps to design quality product and cable labels and safety signs. Label design becomes easier, faster and quickly adaptable to new label norms thanks to centralised updates.

Select the apps you need

Simply select the apps you need, download the 30-day trial and purchase when satisfied. Available product, cable, safety and facility identification apps enable you to:

- · design and edit custom labels and signs
- · design label templates and lock elements for consistency
- create text-only cable labels
- automate label creation
- · easily import data
- · easily set up complex label sequences
- easily design CLP-chemical labels
- · print lockout procedures, tags and energy source labels
- · design safety and facility signs.

Brady Workstation Safety and Facility Identification Software Suite

Keep your facility safe and compliant by creating custom signs, label and pipemarkers, adding visual safety guidance.

Workstation.BradyID.com/SafetyAndFacility

Available in multiple languages

Brady Workstation apps are available in 20 languages, including English, French, German, Russian, Spanish, Italian, Polish and Dutch. Select your language before downloading from the drop down menu.

Easily connect to your printer

Brady Workstation works seamlessly with a range of Brady desktop and portable printers. Brady's high-end label printers also offer bi-directional communication with Brady Workstation and will inform users if they have to switch label materials to print specific label designs. Printer compatibility is shown in Brady Workstation on an app by app basis.



Simply download Brady Workstation to your desktop and add the applications you need: <u>www.workstation.bradyid.com</u>



Brady Workstation



We shape, you print

Experience all the advantages of flexible, on-site label printing on demand. Insert a standard or custom industrial grade label cartridge or roll in your label printer, design your label with Brady Workstation apps, print and apply. Or connect to your ERP and have your labels printed and applied automatically in real time. We offer a range of possibilities with one aim: to get you the label or sign you need in seconds.

Print on available labels

We offer a wide range of industrial grade, reliable labels on rolls or in cartridges that can be printed at your facility or in the field with our benchtop and mobile label printers.



Print any imaginable label

Do you want to alter available standard labels? Include a preprint so you can finalise labels more quickly by just adding a barcode or serial number? Need a special shape or colour? We can create unique label rolls or cartridges for you, and enable you to print them at your facility or in the field with these label printers.







Contact us

1

Let us know what type of label or sign you need, and we will offer you a reliable identification solution that can resist tough industrial conditions and that can be printed at your facility or in the field.



i

This section provides a quick reference to Brady materials listed throughout this catalogue, including basic attributes, applications and regulatory compliance where applicable. For more detailed material attribute and performance information, please refer to the material's Technical Data Sheet, listed at <u>www.bradyeurope.com/tds.</u>

| Brady Material No. | Material | Finish | Colour | Temp (°C) (Tested for Min. | 30 days) Max. | Properties & Applications | Approval/ Compliance |
|-----------------------|---|--------|-------------------|----------------------------------|------------------|--|---|
| B-2551 | Heavy Duty Polyester | Matt | White | -40 °C | 60 °C | Brady B-2551 indoor marking tag stock is an aqueous inkjet receptive, rigid, matte finish, tag product, designed for use in roll form with the BradyJet J5000 Color Label Printer. B-2551 enables compliance if printed and applied according to standards for tag out tags and lockout tags. | Complies to OSHA 1910.145(f) when printed with required signal word and major message. |
| B-2569 | Inkjet Receptive Polyester | Matt | White | -40 °C | 0° 06 | B-2569 is a polyester indoor marking material used indoors for Pipemarkers, Arrow Tape, Warehouse Marking, Warrning Panels, Safety Signs, Arc Flash and Visual Workplace labels. | - |
| B-2595 | Inkjet Receptive Vinyl | Matt | White | -40 °C | 0° 00 | B-2595 is a vinyl indoor marking material used indoors for Pipemarkers, Arrow Tape, Warehouse Marking, Warrning Panels, Safety Signs, Arc Flash and Visual Workplace labels. | - |
| B-483/ B-634 | Polyester with Polyester Overlaminate | Gloss | White | -18 °C | 54 °C | ToughStripe [™] floor marking thermal transfer printable polyester with ultra-aggressive adhesive which allows for printable messages to be placed on the floor. The floor marking roll ships with a separate roll of B-634 Polyester Overlaminate to protect your legend. Ideal to create custom-printed floor labels. Available in white, yellow, red, orange, green, blue and black. | - |
| B-509 | Magnetic Polyester | | White | -18 °C | 70 °C | Magnetic Back Polyester is used for temporary, reusable and movable signs | - |
| B-526 | Phosphorescent Polyester | Gloss | Luminous Green | -40 °C | 60 °C | BradyGlo [™] High Intensity laminate is designed to provide high adhesion and luminance for egress marking in low light areas in and along stairwells of public buildings, exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuation routes. | New York Local Law 26 RS 6-1 & 6-1A; City of New York, Department of Buildings MEA No. 467-06-M UV: 46-9-7 |
| B-530 | Tamper-resistant Vinyl | | White | -40 °C | 90 °C | Brady's tamper resistant tape destructs into tiny fragments when tampered with. | - |
| B-549 | Polyester | Gloss | White | -40 °C | 100 °C | Flexible, dimensionally stable, low temperature, pressure sensitive adhesive tape for permanent application. Adhesive can be applied at temperatures down to -10°F (-23°C). | - |

Master material index

| Brady Mater No. | rial | Material | Finish | Colour | Temp (°C) (Tested for Min. | 30 days) Max. | Properties & Applications | Approval/ Compliance |
|--------------------|------|---|--------|--|----------------------------------|------------------|--|--|
| B-55 ⁻ | 1 | Polyester Tag | | White | -40 °C | 89 °C | Tag material used for marking on-the-spot warning of dangerous conditions | Complies to OSHA 1910.145(f) when printed with required signal word and major message. |
| B-569 | 9 | Polyester | | Green | -40 °C | 100 °C | Designed for use on stainless steel pipes in harsh environments such as the Pulp and Paper Industry | - |
| B-58 ⁻ | 1 | Vinyl | Gloss | White | -40 °C | 82 °C | Only indoor use, where frequent repositioning is required | - |
| B-582 | 2 | Phosphorescent Polyester | Gloss | Photo- luminescent | -40 °C | 80 °C | Phosphorescent Polyester is used for exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuations routes. | ASTM E-2072-00 / ASTM E-2073-00; ASTM E-162; ASTM E-648; ASTM E-662; IMO Resolution A.752(18); ISO/CD 15370; Marine Safety Committee MSC.27(61); DIN 67510 (Parts 1 - 4) Meets OSHA 1910.37 |
| B-584 | 4 | Reflective Tape | Gloss | Orange | -40 °C | 70 °C | Suitable for outdoor use. Also available in silver and yellow. | - |
| B-590 | 3 | Polyester | Gloss | White | -20 °C | 100 °C | EPREP (Engraved Panel REPlacement labels) are designed for patch panel identification in identifying external push-buttons, switches and internal connection points. Also available in black, green, red, silver and yellow. | UL Recognised; cUL Recognised |
| B-59 | 5 | Vinyl | Gloss | White | -40 °C | 82 °C | Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces). Adheres to "difficult" low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics). Available in a wide range of colours. | BS5609:1986 Section 2 and section 3 |
| B-750 | 69 | Vinyl | Gloss | White | -20 °C | 75 °C | Used for Pipe Markers, Arrow Tape, Warehouse Marking, Floor Marking, Warning Panels, Safety Signs and Hazardous Substance Identification. Available in a wide range of colours. | BS5609:1986 Section 2 and section 3 |
| B-759 | 93 | Polyethylene Foam Laminate Polyester | Gloss | White, Yellow, Red, Green, Silver, Black | -40 °C | 100 °C | EPREP (Engraved Panel REPlacement labels) are designed for patch panel identification in identifying external push-buttons, switches and internal connection points. Also available in black, green, red, silver and yellow. | - |
| B-854 | 4 | Metal Detectable Polyester | Matt | White | -40 °C | 110 °C | Tough against harsh washdown environments; metal detectable. Also available in yellow. | - |
| B-855 | 5 | Polyester | Matt | White | -40 °C | 110 °C | Tough against harsh washdown environments. Also available in yellow. | - |

Africa Randburg, South Africa Tel.: +27 11 704 3295 Email: africa@bradycorp.com

Benelux Zele, Belgium Tel.: +32 (0) 52 45 78 11 Email: benelux@bradycorp.com

Central & Eastern Europe

Bratislava, Slovakia Tel.: +421 2 3300 4800 Email: central_europe@bradycorp.com

Denmark

Odense Tel.: +45 66 14 44 00 Email: denmark@bradycorp.com

France

Roncq Tel.: +33 (0) 3 20 76 94 48 Email: france@bradycorp.com

Germany, Austria & Switzerland Egelsbach, Germany

Tel.: +49 (0) 6103 7598 660 Email: germany@bradycorp.com Hungary Budaörs Tel.: +36 23 500 275 Email: central_europe@bradycorp.com

Italy

Gorgonzola Tel.: +39 02 26 00 00 22 Email: italy@bradycorp.com

Middle East FZE

Dubai, UAE Tel.: +971 4881 2524 Email: me@bradycorp.com

Norway Kjeller Tel.: +47 70 13 40 00 Email: norway@bradycorp.com

Romania Bucharest Tel.: +40 21 202 3032 Email: central_europe@bradycorp.com

Russia Moscow Tel.: +7 495 269 47 87 Email: central_europe@bradycorp.com Spain & Portugal

Madrid, Spain Tel.: +34 900 902 993 Email: spain@bradycorp.com, portugal@bradycorp.com

Sweden, Finland, Baltic states

Kista, Sweden Tel.: +46 (0) 8 590 057 30 Email: sweden@bradyeurope.com

Turkey

Istanbul Tel.: +90 212 264 02 20 / 264 02 21 Email: turkey@bradycorp.com

UK & Ireland

Banbury, UK Tel.: +44 (0) 1295 228 288 Email: uk@bradycorp.com

Our mission is to identify and protect people, products and places

Your distributor



To help minimise our impact on the environment, Brady limits its number of reprints.

Updated versions are always available for download on www.bradyeurope.com.

Search for: EUR-M-801-EN



14/10/2019

