



 **BRADY**

 **BradyJet™**

# J7300

## Unleash your true colours

Industrial excellence. Innovative ease. Inkjet elevated.

### COLOUR LABEL PRINTER



# Full colour. Complete durability.

# **THE TOTAL PACKAGE**

Make a statement with inkjet made for industrial spaces.

Pivot through a demanding print queue with the BradyJet™ J7300 Colour Label Printer. Make an impact with vibrant full colour. Print on industrial-strength labels. And say goodbye to time-wasting setup thanks to built-in LabelSense™ print technology. Any colour, any information - do exactly what the job demands from the production line to the lab with the J7300.



## **Set up in seconds**

Just drop, lock and go. LabelSense™ technology instantly recognises and sets up label rolls and inks, and prints on the very first label.



## **Print any colour, job after job**

Make labels that are unmistakable. Dual CMY and true black (K) ink cartridges deliver vibrant colours and deeper darks.



## **Make labels that last**

Full colour and durability now work together. Instant-drying inks and indoor/outdoor-durable labels resist water, chemicals and abrasions.



## **Work into your workflows**

Label creation software is included. Windows® driver pulls in third-party software and PDFs. Connect it all via USB, Wi-Fi or ethernet.





▶ Learn more at  
[www.bradyeurope.com/J7300](http://www.bradyeurope.com/J7300)  
or scan to watch the  
overview video.





# PRINT READY, SET, GO!

## Power it on. Get it done.


With the power of automatic LabelSense™ print technology, the J7300 stands ready to print whatever you need at a moment's notice. And because you only need blank-white label material, you're ready to go from sharp barcodes to colour-coded lab labels to vivid full-colour photo tags - all with zero to minimal material changes and waste.

## KEY FEATURES



### 20-second loading

- ▶ Drop-lock-print technology
- ▶ Printer instantly recognises label rolls and ink cartridges
- ▶ Auto setup eliminates manual calibration and threading



### Prints on the first label

- ▶ Minimal waste
- ▶ No manual trial and error
- ▶ Streamlined label inventory and changeovers



### Any colour, any information - fast

- ▶ Colours closely approach or meet ANSI, GHS/CLP, BS 5609, ISO and arc flash compliance
- ▶ Vibrant graphics, photos and logos
- ▶ True black ink cartridge for sharp barcodes and clear printed text

Enjoy fast, industrial-grade colour and production for variable print jobs.





### Labels that last years

- ▶ Industrial-strength labels last up to 2 years outdoors and even longer indoors
- ▶ Instant-drying ink won't smudge, smear or spot
- ▶ Labels and inks boast water, chemical and abrasion resistance



### Seamless create and connect

- ▶ USB, Wi-Fi or ethernet connectivity
- ▶ Brady Workstation premade templates, graphics keyword search and colour palettes
- ▶ Optimised Windows driver pulls in PDFs and third-party software



### Information at a glance

- ▶ LED lighting communicates real-time printer status
- ▶ Clear cover for print job visibility
- ▶ Print Utility dashboard helps you plan, budget and troubleshoot



**BradyJet™ J7300** Colour Label Printer



# Power and production **FROM ON TO OUTPUT**

Do your best work with a printer built to handle a variety of applications, dynamic colour needs and changing label data.

## **Sustainable design**

Label cartridges made with recyclable components and minimal plastic.

## **45.72 m roll capacity**

Longer material rolls reduce changeovers and keep print jobs printing.

## **Rugged construction**

Solid construction stands up to industrial conditions.

## **LED lighting**

Reactive lighting gives you real-time printer status alerts.





### Clear cover

Get a view into what's printing and when.

### Tilt LCD touchscreen

Pause and resume jobs and get onboard assistance.

### 10.16 cm output

Print the labels you need up to 10.16 cm wide.

### A CMY + true black (K)

Dual ink cartridges mix more vibrant colours and deeper darks.

### B Auto cutter

Cuts off material after a job, after a label or not at all.

### C Connectivity

Connect how you need via USB, Wi-Fi or ethernet.

### D Print modes

Four selectable modes adjust ink usage to optimise colours.

### E Maintenance

Lifetime maintenance bay eliminates replacements.



# BUILT-IN SMARTS

## from start to success

Loaded with time-saving, cost-saving software, the J7300 gives you visibility and command of the entire process.

### Print Utility Dashboard

Plan, budget and troubleshoot from anywhere.



#### Remote monitoring

Troubleshoot print jobs and initiate maintenance cycles from anywhere.



#### Real-time printer health

Get ink cartridge, label roll and printer alerts.



#### Connected solutions

Connect, command and switch between multiple users and printers.



#### Job cost calculator

Receive average usage and cost breakdowns by label material and ink.



#### Exporting


Download and share job history, usage and more.






# Brady Workstation Labelling Software

Get everything you need to create the right label fast.




## Premade label layouts

Print common labels custom-worded to your needs.




## Regulatory labelling

Find best-match colour palettes, standard templates, wording and more.



## Colour capture

Select any colour you need and save for future use.



## Accessible graphics library

Search and filter by keyword, regulation or agency.

# Optimised Windows® Driver

Connect seamlessly to your data without error or delay.

### ► Coordinated communication

Printer, driver and Print Utility pass information back and forth to ensure continuous printing and real-time updates to ink and material levels.

### ► PDF ready

Easily pull in PDFs for fast printing of custom jobs and one-off requests.

### ► 3rd party software compatible

Connect to the labelling software of your choice in addition to included Brady Workstation.



# THE J7300 PRINTER

Now with LabelSense™ print technology

The silent partner of the modern printing pro

Let the technology do the work. You take the credit. Maximise performance and drive down costs with the J7300 and LabelSense™ print technology. This advanced built-in system delivers exclusive functionality where the printer “talks” to the high-performance Brady Authenticated materials and inks to power many innovative, enhanced and automatic features you only get from Brady.



## Fast setup

No more manual hassles. The J7300 effortlessly identifies and calibrates label materials and inks to set up in seconds. Simply drop, lock and go.



## Consistent print accuracy

Enjoy unparalleled accuracy as the printer continuously fine-tunes settings to ensure optimal print quality.



## Cost-efficient adjustments

Minimise waste, maximise productivity and print on the very first label with automated adjustments and maintenance to inks and label rolls.







# Brilliant colours

## SMART OPERATION

Get better with BradyJet inks. Designed specifically for the J7300, BradyJet ink cartridges produce vibrant, accurate colours, last long and deliver value in every drop.

### ► Separate strengths. Combined power.



CMY ink cartridge delivers vibrant, full-colour labels that demand attention.




True black ink cartridge delivers a deep black, darker tones, reliable barcode readability and sharp text.

### Avoid going dry mid-print

Get a view into ink usage for past jobs via the Print Utility dashboard to plan timely changeovers. Plus, the printer's LED lighting will switch to orange if an ink cartridge is running low.





**Integrated inks and printhead ensure minimal mess, cleaning and adjustments.**



### Formulated for performance and savings

- ▶ Patented, enhanced topcoats instantly dry inks to eliminate smudges, smears and spots
- ▶ Automatic maintenance cycles ensure printheads don't dry out between uses
- ▶ Self-contained cartridges drop into printer with a click
- ▶ Specially designed cartridge holds up to 50% more ink for longer use, fewer changeovers and less cartridge waste



Smart cell chips enable auto setup and maintenance to prevent clogging.

| Art. No. | Order Reference | Description   |
|----------|-----------------|---|
| 176504   | P-CMY-1         | CMY Ink Cartridge for BradyJet™ J7300 Colour Label Printer            |
| 176505   | P-K-1           | K True Black Ink Cartridge for BradyJet™ J7300 Colour Label Printer   |
| 177431   | P-1CMY2K        | Ink Multipack for BradyJet™ J7300 Colour Label Printer (1x CMY, 2x K) |
| 177432   | P-2CMY1K        | Ink Multipack for BradyJet™ J7300 Colour Label Printer (2x CMY, 1x K) |



Ready for anyone. Design any way.

# PRINT ANYTHING

Unleash your true colours with the BradyJet™ J7300 Colour Label Printer.



# J7300 Printer Kits and Software

Built for industrial demands from the production line to the lab

- ▶ Auto setup, auto calibration and minimal waste
- ▶ Accurate full colour for variable print jobs
- ▶ Dual CMY and true black (K) ink cartridges
- ▶ Precise printing on labels up to 10.16 cm wide
- ▶ Industrial-grade labels and inks

Maximise your J7300 printing experience using Brady Workstation label creation software.



## BradyJet J7300 printers

Ships with the free Brady Workstation Basic software that includes fundamental apps and features to create labels.

| Article No. | Order Reference | Description                                     |
|-------------|-----------------|---|
| 176883      | J7300-EU        | BradyJet™ J7300 Colour Label Printer EU         |
| 176884      | J7300-W-EU      | BradyJet™ J7300 Colour Label Printer, Wi-Fi, EU |

| Article No. | Order Reference | Description                                     |
|-------------|-----------------|---|
| 322658      | J7300-UK        | BradyJet™ J7300 Colour Label Printer UK         |
| 322659      | J7300-W-UK      | BradyJet™ J7300 Colour Label Printer, Wi-Fi, UK |

This BradyJet™ J7300 Printer ships in a cardboard box with a CMY Ink Cartridge with built in Printhead, a Black Ink cartridge with built in Printhead, a Brady Workstation Basic Software, a J-Align roll, a media starter B-2595 Vinyl roll, an AC Adapter, a Power Cord, a USB cable and a USB Flash Drive with product information.



## BradyJet J7300 kits

Ships with a license for the Brady Workstation suite of your preference: Product & Wire Identification, Safety & Facility Identification, or Lab Identification, enabling easy creation of a wide range of labels and signs.

| Article No. | Order Reference | Description   |
|-------------|-----------------|---|
| 322660      | J7300-EU-BWS    | BradyJet™ J7300 Colour Label Printer EU + Brady Workstation Suite |
| 322661      | J7300-UK-BWS    | BradyJet™ J7300 Colour Label Printer UK + Brady Workstation Suite |

| Article No. | Order Reference | Description   |
|-------------|-----------------|---|
| 322666      | J7300-W-EU-BWS  | BradyJet™ J7300 Colour Label Printer, Wi-Fi, EU + Brady Workstation Suite |
| 322667      | J7300-W-UK-BWS  | BradyJet™ J7300 Colour Label Printer, Wi-Fi, UK + Brady Workstation Suite |

This BradyJet™ J7300 Printer ships in a cardboard box with a CMY Ink Cartridge with built in Printhead, a Black Ink cartridge with built in Printhead, a license for Brady Workstation Software suites, a J-Align roll, a media starter B-2595 Vinyl roll, an AC Adapter, a Power Cord, a USB cable and a USB Flash Drive with product information.



# **LABEL MATERIALS**





# Get the right label from the right company

Designed for you. Made by Brady. Print on materials built for the work you do and the environments you face. Label right on the toughest surfaces around. And label faster with LabelSense™ technology built into every roll cartridge for automatic setup, calibration and printing on the very first label.



Pipe Markers



General Laboratory



Barcodes/QR Codes




Signage



GHS/CLP Labels



Asset ID




Lockout Tagout




Specimen



Arc Flash Labels



Energy Source Tags



Storage & Disposal



Bins




## BradyGrip® Print-on Hook Labels featuring VELCRO® Brand Hook (B-2414)

- Organise and identify wires and cables using colour with this easily repositionable print-and-place material
- Ideal for wire and cable labelling



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|--------------------|-----------------|
|         | 176590   | JC-1000-2414    | 25.40              | 22.86              | 1               |




## UL Approved Polyester Labels (B-2475)

- UL safety verification, extra-durable and resistant to abrasions, chemicals, oils and solvents
- Ideal for instructional signage and diagrams, UL product/component ID, work in process, electrical panels, asset labelling, and bin/general labelling



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|--------------------|-----------------|
|         | 176574   | JC-1125-2475    | 28.58              | -                   | 45.72              | 1               |
|         | 176575   | JC-2250-2475    | 57.15              | -                   | 45.72              | 1               |
|         | 176576   | JC-4000-2475    | 101.60             | -                   | 45.72              | 1               |
|         | 176591   | J-59-2475       | 25.40              | 12.70               | -                  | 1000            |
|         | 176592   | J-136-2475      | 38.10              | 19.05               | -                  | 1000            |
|         | 176593   | J-235-2475      | 38.10              | 25.40               | -                  | 1000            |
|         | 176594   | J-137-2475      | 50.80              | 25.40               | -                  | 1000            |
|         | 176595   | J-18-2475       | 76.20              | 25.40               | -                  | 1000            |
|         | 176596   | J-19-2475       | 76.20              | 50.80               | -                  | 750             |
|         | 176597   | J-55-2475       | 101.60             | 50.80               | -                  | 750             |
|         | 176598   | J-76-2475       | 101.60             | 76.20               | -                  | 500             |
|         | 176599   | J-25-2475       | 101.60             | 152.40              | -                  | 300             |




## Freezerbondz™ Cryogenic Polyester Labels (B-2492)

- Apply directly to pre-frozen glass, plastic and stainless steel – labels withstand chemicals, abrasions, storage in liquid nitrogen and -196°C - 130°C temperatures
- Ideal for cryogenic applications in labs or any curved, frozen surface



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|-----------------|
|         | 176641   | J-59-2492       | 25.40              | 12.70               | 1000            |
|         | 176642   | J-179-2492      | 25.40              | 25.40               | 1000            |
|         | 176643   | J-250-2492      | 25.40              | 12.70               | 1000            |
|         | 176644   | J-249-2492      | 25.40              | 9.53                | 1000            |
|         | 176645   | J-251-2492      | 25.40              | 12.70               | 1000            |
|         | 176646   | J-156-2492      | 48.26              | 25.40               | 1000            |
|         | 176647   | J-152-2492      | 25.40              | 9.53                | 1000            |




## Magnetic Labels

### (B-2509)

- Repositionable labels withstand moderate heat, mild chemicals, oil and water
- Ideal for warehousing racks, bins and storage



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|--------------------|-----------------|
| ∞       | 170450   | JC-2500-2509    | 63.50              | 7.62               | 1               |
| ∞       | 170451   | JC-4250-2509    | 107.95             | 7.62               | 1               |




## General Purpose Paper Labels

### (B-2550)

- Light duty, low cost and high contrast with excellent smear resistance
- Ideal for barcoding, quality and control (testing/production, circle labels, date/time), and warehousing racks, bins and storage



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|--------------------|-----------------|
| ∞       | 170471   | JC-4000-2550    | 101.60             | -                   | 45.72              | 1               |
| ▲       | 170472   | J-18-2550       | 76.20              | 25.40               | -                  | 1000            |
| ∞       | 176587   | JC-1125-2550    | 28.58              | -                   | 45.72              | 1               |
| ∞       | 176588   | JC-2250-2550    | 57.15              | -                   | 45.72              | 1               |
| ▲       | 176621   | J-19-2550       | 76.20              | 50.80               | -                  | 750             |
| ▲       | 176622   | J-261-2550      | 74.93              | 109.98              | -                  | 300             |
| ▲       | 176623   | J-262-2550      | 104.90             | 154.94              | -                  | 250             |




## Polyester Tags

### (B-2551)

- Thick, polyester tagstock is compliant for accident prevention (OSHA 1910.145) and lockout (OSHA 1910.147) tags
- Ideal for confined space, lockout, maintenance and energy source tags and labels, warehouse marking, and visual workplace labelling



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|--------------------|-----------------|
| 🔒       | 170466   | J-392-2551      | 82.55              | 146.05              | -                  | 200             |
| +       | 170467   | J-374-2551      | 76.20              | 38.10               | -                  | 500             |
| ∞       | 170468   | JC-3250-2551    | 82.55              | -                   | 15.24              | 1               |
| ∞       | 176589   | JC-2500-2551    | 63.50              | -                   | 15.24              | 1               |






## Polyester Labels

### (B-2569)

- This versatile solution fits a wide range of applications on smooth surfaces
- Ideal for Lean/5S, general facility, pipe marking, OSHA/ANSI, PPE, machine labels, instructional signage, diagrams, quality and control labelling, and lockout tagout identification



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|--------------------|-----------------|
| ∞       | 170452   | JC-4000-2569    | 101.60             | -                   | 45.72              | 1               |
| ▲       | 170453   | J-261-2569      | 74.93              | 109.98              | -                  | 300             |
| ▲       | 170454   | J-262-2569      | 104.90             | 154.94              | -                  | 250             |
| ∞       | 176577   | JC-1125-2569    | 28.58              | -                   | 45.72              | 1               |
| ∞       | 176578   | JC-2250-2569    | 57.15              | -                   | 45.72              | 1               |
| ▲       | 176600   | J-260-2569      | 55.12              | 85.09               | -                  | 500             |
| ▲       | 176624   | J-391-2569      | 82.55              | 57.15               | -                  | 500             |
| ▲       | 176625   | J-371-2569      | 88.90              | 127.00              | -                  | 300             |




## BS 5609 Marine Labels

### (B-2585)

- BS 5609 Sections 2 and 3 certified to ensure labels stay compliant, stuck and seen during marine transport
- Ideal for GHS, hazardous materials, drum labelling, marine, transportation (DOT), storage and pharmaceutical labelling



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|--------------------|-----------------|
| ∞       | 170469   | JC-4000-2585    | 101.60             | -                   | 45.72              | 1               |
| ▲       | 170470   | J-261-2585      | 74.93              | 101.60              | -                  | 300             |
| ∞       | 176586   | JC-2250-2585    | 57.15              | -                   | 45.72              | 1               |
| ▲       | 176619   | J-260-2585      | 55.12              | 85.09               | -                  | 500             |
| ▲       | 176620   | J-262-2585      | 104.90             | 154.94              | -                  | 250             |




## Sustainable Polyester

### (B-2618)

- Made with recycled polyethylene terephthalate, offering a sustainable material solution.
- Ideal for rating plate applications and general-purpose labelling with high-quality bar codes and graphics



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|-----------------|
| ▲       | 178388   | J-59-2618       | 25.40              | 12.70               | 1000            |
| ▲       | 178389   | J-37-2618       | 38.10              | 12.70               | 1000            |
| ▲       | 178390   | J-53-2618       | 50.80              | 12.70               | 1000            |
| ▲       | 178391   | J-136-2618      | 38.10              | 19.05               | 1000            |
| ▲       | 178392   | J-17-2618       | 50.80              | 25.40               | 1000            |
| ▲       | 178393   | J-18-2618       | 76.20              | 25.40               | 1000            |
| ▲       | 178394   | J-7-2618        | 69.85              | 31.75               | 850             |
| ▲       | 178395   | J-19-2618       | 76.20              | 50.80               | 750             |
| ▲       | 178396   | J-55-2618       | 101.60             | 50.80               | 750             |
| ▲       | 178397   | J-76-2618       | 101.60             | 76.20               | 750             |
| ▲       | 178398   | J-25-2618       | 101.60             | 152.40              | 300             |




## Vinyl Material

### (B-2595)

- Low-shrink vinyl with ultra-aggressive adhesive is versatile for the widest array of applications
- Ideal for Lean/5S, general facility, pipe marking, OSHA/ANSI, PPE, machine labels and tags, quality and control, lockout, GHS and chemical, warehousing, general laboratory and more



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Diameter C (mm) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|--------------------|-----------------|-----------------|
| ∞       | 170458   | JC-4000-2595    | 101.60             | -                   | 45.72              | -               | 1               |
| ▲       | 170459   | J-179-2595      | 25.40              | 25.40               | -                  | -               | 1000            |
| ✕       | 170476   | J-388-2595      | -                  | -                   | -                  | 25.40           | 500             |
| ✕       | 170477   | J-390-2595      | -                  | -                   | -                  | 50.80           | 500             |
| ∞       | 176580   | JC-1125-2595    | 28.58              | -                   | 45.72              | -               | 1               |
| ∞       | 176581   | JC-2250-2595    | 57.15              | -                   | 45.72              | -               | 1               |
| ∞       | 176582   | JC-3000-2595    | 76.20              | -                   | 45.72              | -               | 1               |
| ▲       | 176601   | J-260-2595      | 55.12              | 85.09               | -                  | -               | 500             |
| ▲       | 176602   | J-18-2595       | 76.20              | 25.40               | -                  | -               | 1000            |
| ▲       | 176603   | J-261-2595      | 74.93              | 109.98              | -                  | -               | 300             |
| ▲       | 176604   | J-262-2595      | 104.90             | 154.94              | -                  | -               | 250             |
| ▲       | 176626   | J-386-2595      | 38.10              | 38.10               | -                  | -               | 1000            |
| ▲       | 176627   | J-387-2595      | 50.80              | 50.80               | -                  | -               | 500             |
| ▲       | 176628   | J-372-2595      | 73.03              | 38.10               | -                  | -               | 1000            |
| ▲       | 176629   | J-373-2595      | 98.43              | 48.26               | -                  | -               | 500             |
| ✕       | 176630   | J-389-2595      | -                  | -                   | -                  | 38.10           | 500             |




## Water Dissolvable Paper Labels

### (B-403)

- Complete label and adhesive removal in 30 seconds using warm water
- Ideal for laboratories, temporary identification needs and work in process



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|--------------------|-----------------|
| ∞       | 170460   | JC-2250-403     | 57.15              | -                   | 45.72              | 1               |
| ▲       | 170461   | J-17-403        | 50.80              | 25.40               | -                  | 1000            |
| ▲       | 170462   | J-55-403        | 101.60             | 50.80               | -                  | 750             |
| ∞       | 176583   | JC-1125-403     | 28.58              | -                   | 45.72              | 1               |
| ▲       | 176605   | J-19-403        | 76.20              | 50.80               | -                  | 750             |




## Repositionable Vinyl Labels

### (B-2581)

- Specialised adhesive lets you stick, unstick and reposition with ease
- Ideal for Lean/5S and work in process labelling as well as warehousing racks, bins and storage



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|--------------------|-----------------|
| ∞       | 170455   | JC-1125-2581    | 28.58              | 45.72              | 1               |
| ∞       | 170456   | JC-2250-2581    | 57.15              | 45.72              | 1               |
| ∞       | 170457   | JC-4000-2581    | 101.60             | 45.72              | 1               |






## Chemical Resistant Polypropylene Material (B-7425J)

- Built tough to outlast liquid nitrogen, autoclave conditions and harsh chemicals
- Ideal for laboratory labelling (specimen, slide, tube and vial) as well as GHS, hazardous materials, drums, transportation (DOT) and pharmaceutical applications



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Secondary Label Diameter C (mm) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|--------------------|---------------------------------|-----------------|
| ∞       | 170463   | JC-4000-7425J   | 101.60             | -                   | 45.72              | -                               | 1               |
| ▲       | 170464   | J-256-7425J     | 33.02              | 15.24               | -                  | -                               | 1000            |
| ▲       | 170478   | J-156-7425J     | 48.26              | 25.40               | -                  | -                               | 1000            |
| ▲       | 170479   | J-152-7425J     | 25.40              | 9.53                | -                  | -                               | 1000            |
| ∞       | 176584   | JC-1125-7425J   | 28.58              | -                   | 45.72              | -                               | 1               |
| ∞       | 176585   | JC-2250-7425J   | 57.15              | -                   | 45.72              | -                               | 1               |
| ▲       | 176606   | J-179-7425J     | 25.40              | 25.40               | -                  | -                               | 1000            |
| ▲       | 176607   | J-59-7425J      | 25.40              | 12.70               | -                  | -                               | 1000            |
| ▲       | 176608   | J-136-7425J     | 38.10              | 19.05               | -                  | -                               | 1000            |
| ▲       | 176609   | J-235-7425J     | 38.10              | 25.40               | -                  | -                               | 1000            |
| ▲       | 176610   | J-258-7425J     | 38.10              | 44.45               | -                  | -                               | 1000            |
| ▲       | 176611   | J-137-7425J     | 50.80              | 25.40               | -                  | -                               | 1000            |
| ▲       | 176613   | J-53-7425J      | 50.80              | 12.70               | -                  | -                               | 1000            |
| ▲       | 176614   | J-260-7425J     | 55.12              | 85.09               | -                  | -                               | 500             |
| ▲       | 176615   | J-18-7425J      | 76.20              | 25.40               | -                  | -                               | 1000            |
| ▲       | 176616   | J-19-7425J      | 76.20              | 50.80               | -                  | -                               | 750             |
| ▲       | 176617   | J-261-7425J     | 74.93              | 109.98              | -                  | -                               | 300             |
| ▲       | 176618   | J-262-7425J     | 104.90             | 154.94              | -                  | -                               | 250             |
| ⊕       | 176631   | J-249-7425J     | 25.40              | 9.53                | -                  | 9.53                            | 1000            |
| ⊕       | 176633   | J-251-7425J     | 25.40              | 12.70               | -                  | 11.18                           | 1000            |
| ⬢       | 176634   | J-88-7425J      | 25.40              | 19.05               | -                  | -                               | 1000            |
| ⬢       | 176635   | J-37-7425J      | 12.70              | 38.10               | -                  | -                               | 1000            |
| ▲       | 176636   | J-371-7425J     | 88.90              | 127.00              | -                  | -                               | 300             |




## Acrylic Overlaminates (B-910)

- Enjoy long-lasting protection indoors and out with acrylic overlaminates for BradyJet labels, offering superior UV and abrasion resistance
- Available in precut sizes or continuous rolls



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|--------------------|-----------------|
| ∞       | 149257   | LAM-6000-910    | 165.10             | -                   | 36.56              | 1               |
| ∞       | 149258   | LAM-4000-910    | 114.30             | -                   | 36.56              | 1               |
| ∞       | 149259   | LAM-2250-910    | 69.85              | -                   | 36.56              | 1               |
| ∞       | 149260   | LAM-8000-910    | 215.90             | -                   | 36.56              | 1               |
| ▲       | 175440   | LAM-260-910     | 91.44              | 61.47               | -                  | 340             |
| ▲       | 175441   | LAM-261-910     | 116.33             | 81.28               | -                  | 270             |
| ▲       | 175442   | LAM-262-910     | 161.29             | 111.25              | -                  | 200             |
| ▲       | 175443   | LAM-265-910     | 184.15             | 260.35              | -                  | 100             |
| ▲       | 175444   | LAM-267-910     | 217.17             | 161.29              | -                  | 120             |




## PermaShield™ Labels

- 2-in-1 package that includes a printable label (polyester or vinyl options) plus matching clear polyester overlaminates
- Ideal for a wide variety of applications requiring added durability, including product labelling, logos, Right to Know labels, barcodes and safety signs



| Diagram | Art. No. | Order Reference | Label Width A (mm) | Label Height B (mm) | Labels per Roll |
|---------|----------|-----------------|--------------------|---------------------|-----------------|
| ◇       | 176648   | JPSL-18-2595    | 76.20              | 25.40               | 750             |
| ◇       | 176649   | JPSL-18-2475    | 76.20              | 25.40               | 800             |
| ◇       | 176650   | JPSL-19-2475    | 76.20              | 50.80               | 500             |
| ◇       | 176651   | JPSL-136-2475   | 38.10              | 19.05               | 800             |
| ◇       | 176652   | JPSL-137-2475   | 50.80              | 25.40               | 800             |
| ◇       | 176653   | JPSL-235-2475   | 38.10              | 25.40               | 800             |
| ◇       | 176654   | JPSL-260-2569   | 55.12              | 85.09               | 300             |
| ◇       | 176655   | JPSL-260-2595   | 55.12              | 85.09               | 300             |
| ◇       | 176656   | JPSL-261-2569   | 74.93              | 109.98              | 250             |
| ◇       | 176657   | JPSL-261-2595   | 74.93              | 109.98              | 250             |



► **Brady is always innovating new ways to help you label. Scan here for our most up to date label assortment.**



## Printer Specifications

| Printer Specifications    |  |
|---------------------------|--|
| Print Technology          | Inkjet   |
| Print Resolution (dpi)    | 4800   |
| Print Speed (mm/sec)      | 30.48  |
| Colour Capability         | Full Colour  |
| Max. Label Width (mm)     | 107.95   |
| Min. Label Width (mm)     | 17.78  |
| Recommended Usage per Day | 5000   |
| Internal Memory Capacity  | 32 GB, expandable through USB  |
| Connectivity Options      | Ethernet<br>USB-C<br>Wi-Fi*<br>USB Host  |
| Software Compatibility    | Brady LINK360®<br>Brady Workstation<br>Windows based driver for 3rd party software use |
| Bar Code Type             | More through Brady WorkStation,<br>More through software                               |
| Built-in Symbols          | Dependant on software  |

\* Wi-Fi available on selected models

| Physical Properties |   |
|---------------------|---|
| Dimensions          | 376.30 mm (W) x 230.89 mm (H) x 515.70 mm (D)   |
| Weight (kg)         | 16.33   |
| Device Indicators   | Application LED<br>Power LED  |
| Cutter              | After label, at end of job or no cutoff<br>Standard Cutter<br>Straight Cut<br>Without label retention |
| Warranty            | 2 years   |



**Belgium & Luxembourg**

+32 (0) 52 45 78 11  
benelux@bradycorp.com

**Czech Republic**

+420 776 302 229  
czechrepublic@bradycorp.com

**Denmark**

+45 66 14 44 00  
denmark@bradycorp.com

**France**

+33 (0) 3 20 76 94 48  
france@bradycorp.com

**Germany, Austria & Switzerland**

+49 (0) 6103 7598 660  
germany@bradycorp.com

**Hungary**

+36 23 500 275  
hungary@bradycorp.com

**Italy**

+39 02 26 00 00 22  
italy@bradycorp.com

**Netherlands**

+31 (0)70 323 62 98  
benelux@bradycorp.com

**Norway**

+47 70 13 40 00  
norway@bradycorp.com

**Poland**

+48 22 104 6262  
poland@bradycorp.com

**Qatar, Saudi Arabia & UAE**

+971 4881 2524  
me@bradycorp.com

**Slovakia**

+421 902 939 406  
slovakia@bradycorp.com

**South Africa**

+27 11 704 3295  
africa@bradycorp.com

**Spain & Portugal**

+34 900 902 993  
spain@bradycorp.com  
portugal@bradycorp.com

**Sweden, Finland, Estonia, Latvia,  
Lithuania**

+46 (0) 8 590 057 30  
sweden@bradycorp.com

**Turkey**

+90 212 264 02 20  
turkey@bradycorp.com

**UK & Ireland**

+44 (0) 1295 228 288  
uk@bradycorp.com

Our mission is to identify and protect people,  
products and premises



To help minimise our impact on the environment,  
Brady limits its number of reprints.

Updated versions are always available for  
download on [www.bradyeurope.com](http://www.bradyeurope.com).



Search for: EUR-M-447-EN



Y6156533

Your distributor